

Facilities Operations PM Finished Analysis from 10/1/11 through 10/31/11

	Total per Trade		Emergency 1 day		High 3 <= days		Medium <=14 days		Low <=30 days		Routine
Engineering	18 of 22	82%	0 of 0	#Num!	0 of 0	#Num!	0 of 0	#Num!	18 of 22	82%	209
E - Afternoon Engineer	2 of 2	100%	0 of 0	#Num!	0 of 0	#Num!	0 of 0	#Num!	2 of 2	100%	37
E - Area 1 Engineer	2 of 3	67%	0 of 0	#Num!	0 of 0	#Num!	0 of 0	#Num!	2 of 3	67%	2
E - Area 2 Engineer	13 of 16	81%	0 of 0	#Num!	0 of 0	#Num!	0 of 0	#Num!	13 of 16	81%	160
E - Area 3 Auxiliary Eng	1 of 1	100%	0 of 0	#Num!	0 of 0	#Num!	0 of 0	#Num!	1 of 1	100%	10
Trades	24 of 24	100%	0 of 0	#Num!	24 of 24	100%	0 of 0	#Num!	0 of 0	#Num!	0
T - Electrician	24 of 24	100%	0 of 0	#Num!	24 of 24	100%	0 of 0	#Num!	0 of 0	#Num!	0
Total:	42 of 46	91%	0 of 0	#Num!	24 of 24	100%	0 of 0	#Num!	18 of 22	#Num!	209