

Facilities Operations Work Orders Received 6/1/16 through 6/30/16

WO	Recieved	Finished	Total	Request
Maint. Work Order			1649	
Custodial			220	
High			8	
C-Lighting			2	
FO-349982	6/15/2016	6/20/2016		Room 200.09 - LO - Room is now half dark.
FO-351100	6/28/2016	6/28/2016		Room 116 - Several lights are out, occupant is unable to work because room is too dark.
C-Sector 02			1	
FO-350276	6/20/2016			This request is for carpet cleaning and cleaning the outside windows of the Shiffman Library.
C-Sector 09			1	
FO-350259	6/20/2016			Please deep clean the carpet and dust and clean the entire office including air vents. Office is dirty and smells. (room 341 COE) thank you
Pest Controller			4	
FO-349470	6/7/2016	6/8/2016	6/8/2016	9TH FL LOUNGE AREA DEAD MOUSE ON TRAP
FO-349515	6/7/2016	6/8/2016	6/8/2016	Pest control-please replace glue traps in fire pump room.fire pump inspection fri priority high
FO-350694	6/22/2016	6/23/2016	6/23/2016	RM 1001 GNATS CLUSTERED ON WINDOW SEALS
FO-350939	6/24/2016	6/27/2016	6/27/2016	300 SUITE PLEASE SET GLUE TRAPS IN INDIVIDUAL OFFICE SPACE
Medium			11	
C-Repair			3	
FO-350182	6/17/2016	6/21/2016		R/R RM 1146/MENS RR (1ST FL MENS RM)AFTER REMOVAL OF HAND DRYER PLEASE REPLACE IT W/PAPER TOWEL DISPENSER
FO-350704	6/22/2016	6/30/2016		Some service repairs is needed on a vacuum cleaner (Shark, Navigator / Lift-Away); M # - NV351-32
FO-351106	6/28/2016	6/28/2016		Women's restroom paper towel dispenser not working needs new 1
C-Sector 07			1	
FO-349203	6/2/2016			Room 004.1 need floor waxed.
Pest Controller			7	
FO-349207	6/2/2016	6/8/2016	6/8/2016	OFFICE 6400 PLEASE SET ROACH TRAPS
FO-349220	6/2/2016	6/8/2016	6/8/2016	Trade: Pest Control Priority: Med/High Please swap out the glue boards in the Fire Pump room, The sump pump area, and the main Chiller room. The old one's are full and we are seeing lots of walkers.
FO-349336	6/6/2016	6/7/2016	6/7/2016	We have flying and cawing bugs on every floor. 4th floor little brown flying bugs and roly pollys, spiders 3rd floor black ants and spiders 2nd floor large roaches 1st floor flies, spiders, regular brown and black ants, black and silver roly polly
FO-349639	6/9/2016	6/13/2016	6/13/2016	9TH FL TEACHER'S LOUNGE NEAR 9408 SOMETHING IS ON GLUE TRAP
FO-350000	6/15/2016	6/20/2016	6/20/2016	SOFTBALL STADIUM NEXT TO MATTHAEI PLEASE SPRAY FOR ANTS IN HALLWAY
FO-350026	6/15/2016	6/22/2016	6/22/2016	replace traps in all restrooms in Law School building
FO-350027	6/15/2016	6/22/2016	6/22/2016	replace traps in all restrooms in Law School Classroom building
Low			201	
C-Lighting			87	
FO-349031	6/1/2016	6/1/2016		Kresge Library 1st Floor Public Service Desk located near building entrance. Light lens behind desk fell. Please reattach. Thank you.
FO-349037	6/1/2016	6/1/2016		4th floor Mens restroom, ceiling light is out.
FO-349038	6/1/2016	6/2/2016		3rd floor Mens restroom, ceiling light is out.
FO-349039	6/1/2016	6/1/2016		3rd floor, cubicle 334.01 has ceiling light out
FO-349060	6/1/2016	6/2/2016		Elevators 1 & 2 need re-lamping.

WO	Recieved	Finished	Total	Request
FO-349063	6/1/2016	6/2/2016		1st fl - Women's R/R
FO-349069	6/1/2016	6/2/2016		4th fl stairwell next to room 401.
FO-349119	6/1/2016	6/2/2016		Room 2137 - Ceiling lights - 4 LO
FO-349120	6/1/2016	6/2/2016		Room 2125 - Storage room A - All lights are out.
FO-349121	6/1/2016	6/2/2016		Room 351 - Lights out
FO-349122	6/1/2016	6/2/2016		3rd fl - Women's R/R - middle light out.
FO-349178	6/2/2016	6/3/2016		Men restroom on the Scott Hall side of the mazurek building has no light's. All flouresents lights are burnt out bathroom is completely dark. This is the rest room outside of the Magerhio conference center. Also ladies restroom 143 has many lights out
FO-349224	6/2/2016	6/3/2016		Replacement of lights in Linsell House. Last month I had two different lighting people come out.
FO-349231	6/2/2016	6/2/2016		2 lights out in space.
FO-349268	6/3/2016	6/6/2016		Room 134 (lecture room) - 12 U bulbs
FO-349270	6/3/2016	6/6/2016		North stairwell - 1 flood light out.
FO-349271	6/3/2016	6/6/2016		Landing between basement and 1st fl - 2 U bulbs
FO-349285	6/3/2016	6/6/2016		lights flickering
FO-349495	6/7/2016	6/7/2016		3 lamps are out in the hallway.
FO-349496	6/7/2016	6/7/2016		Lamp is not working in network/electrical closet.
FO-349610	6/8/2016	6/9/2016		Suite 4100 - light out in cubicle. Requestor will direct to cubicle.
FO-349611	6/8/2016	6/9/2016		Room 586 - 1 LO
FO-349641	6/9/2016	6/10/2016		6th fl - LO outside elevators.
FO-349642	6/9/2016	6/10/2016		Basement - room 0504.08 - LO
FO-349707	6/10/2016	6/13/2016		Inside suite 206, Room 222(the gas storage room) has its only light bulb out
FO-349735	6/10/2016	6/13/2016		Lighting Dept. Please replace tubes in 3 fixtures in 4th floor hallway near Room 4118-Medium priority
FO-349748	6/10/2016	6/13/2016		Light went out above desk in cubicle 13202.1 Thank you!
FO-349784	6/13/2016	6/15/2016		Lights out: 2 out in hallway near Rm. 137 2 out 1st floor women's room over sink
FO-349786	6/13/2016	6/13/2016		Lights not working in half of the room. Not sure if its the light bulbs or the light fixture.
FO-349822	6/13/2016	6/14/2016		3rd fl hallway - lights out
FO-349906	6/14/2016	6/14/2016		Room 1243 - LO
FO-349950	6/14/2016	6/17/2016		Light Changers please replace bulbs in room 333.
FO-349986	6/15/2016	6/20/2016		Light Changers, please replace bulbs in room 221.
FO-350031	6/15/2016	6/16/2016		Lights in need of replacement in Dean's Office: in front of rooms 3129 men's restroom and storage room, room 3130. Also near women's restroom, near rooms 3134 and 3135
FO-350051	6/16/2016	6/20/2016		We need 4 fluorescent bulbs for the Facilities and Support Services front office. Thank you
FO-350061	6/16/2016	6/21/2016		Inside suite 206, hallway light out in front of exam room 14, and hallway light out in front of gas storage room 222
FO-350117	6/16/2016	6/23/2016		Relamp Light in Men'S Shower Room. Relam Women's Locker Room 344, at entry and north toilet area.
FO-350145	6/17/2016	6/20/2016		Light Changers, please replace bulbs in 4th floor men's restroom.
FO-350151	6/17/2016	6/20/2016		Reception Room (101) - There are lights out, and there are lights flickering.
FO-350229	6/20/2016	6/23/2016		Check lighting for buurned out lamps and Lighting probles in computer labs Rm's 325,324, &309. Check lighting in classrooms 240, 241, 242, 243 for burned out lamps and any electrical issues. Need to prepare these areas for fall classes.
FO-350248	6/20/2016	6/20/2016		Room 3100 - Light bulbs keep flashing, need to be replaced.
FO-350576	6/21/2016	6/22/2016		Room 206 - LO

WO	Recieved	Finished	Total	Request
FO-350585	6/21/2016	6/21/2016		Room 581 - Above WSU fish tank, panel out.
FO-350586	6/21/2016	6/21/2016		Room 581 - Panel of lights out (not fish tank related.)
FO-350650	6/21/2016	6/22/2016		Kresge elevator needs light replacement
FO-350677	6/22/2016	6/22/2016		Light Changers, please replace bulbs in 2nd floor men's restroom (rm. 210)
FO-350679	6/22/2016	6/22/2016		There are several lights out in the President's Office Suite kitchen. While here, please also check and replace any other lights in the suite that have burned out. Thank you.
FO-350690	6/22/2016			Room 2137 - Lights out
FO-350691	6/22/2016			Room 2125 - First floor - storage area - lights out
FO-350692	6/22/2016	6/23/2016		Corridor outside of room 308 - Lights out
FO-350702	6/22/2016	6/27/2016		Shiffman medical library - Room 125 (conference room) - all lights are out after power outage.
FO-350756	6/23/2016			Light out in stairwell - please stop at Box Office for direction.
FO-350775	6/23/2016			Room 487 - 2 panels, 4 LO.
FO-350777	6/23/2016			Basement, room 28 - 1 LO
FO-350778	6/23/2016			Basement, room 43 - 1 LO
FO-350779	6/23/2016	6/24/2016		Basement, Stairwell C - 1 LO
FO-350780	6/23/2016	6/24/2016		Basement, Stairwell A - 1 LO
FO-350781	6/23/2016			Stairwell B, between 2nd and 3rd fl - 1 LO
FO-350782	6/23/2016	6/24/2016		Stairwell C - between 2nd and 3rd fl - 4 LO
FO-350790	6/23/2016			There are a large group of lights out surrounding the hallway of Room 237. It is approximately 21 lights or 1/3 of the entire hallway area on this side of second floor.Please replace.Thank you.Dawn C.
FO-350792	6/23/2016			There is also a large set of lights out in this open laboratory space, approximately 21 also. Please replace.Thank you.Dawn C.
FO-350794	6/23/2016			Light out in stairwell from 2nd floor to 3rd floor (first landing).Please replace.Thank you.Dawn C.
FO-350796	6/23/2016			Lobby area - first floor. 6 iights out by south (back) door. Please replace.Thank you.Dawn C.
FO-350798	6/23/2016			First floor lobby - by window. 4 spot lights out.Please replace.Thank you.Dawn C.
FO-350804	6/23/2016			Lobby - First floor, near front (north) door vestibule. One spot light out. Please replace.Thank you.Dawn C.
FO-350800	6/23/2016			Light out.Please replace & thank you.
FO-350805	6/23/2016			Light out. In hallway by Room 317.
FO-350806	6/23/2016			Lightsout. In area between Room 305 and 308. Please replace.
FO-350807	6/23/2016			Room 342.3. Light out in front of this area.Please replace.
FO-350808	6/23/2016			Room 342.5. Lights in front area need to be replaced.
FO-350809	6/23/2016			Room 340.2 - First bay - need lightbulbs.Room 340.2 - Fifth bay - need lightbulbs.
FO-350810	6/23/2016			Near office areas & elevators. Tiles are loose and need to be replaced.
FO-350819	6/23/2016			2nd fl - Room 272 - Women's R/R - 1 LO
FO-350820	6/23/2016			Stairwell D - 2nd fl - 2 LO
FO-350821	6/23/2016			Stairwell B - 4th fl - 1 LO
FO-350822	6/23/2016			Stairwell C - 4th fl - 2 LO
FO-350943	6/24/2016	6/27/2016		1st fl - Candelabra light out.
FO-350993	6/27/2016			Light out on third floor around the corner from restroom 322.09
FO-351016	6/27/2016			2 lights out.
FO-351020	6/27/2016			1)Recessed light out over 1st floor drinking fountain. 2) recessed light out in hallway 390.17(bridge to garden space)
FO-351069	6/27/2016	6/28/2016		Relamp light fixture on west, north-south corridor adjacet to room 1335.

WO	Recieved	Finished	Total	Request
FO-351102	6/28/2016	6/29/2016		lights flickering in hallway between rooms 324 and 328
FO-351119	6/28/2016	6/29/2016		The overhead light is not working in cubicle 155.5. Thank you.
FO-351139	6/28/2016			3rd fl stairwell B - 3 LO
FO-351188	6/29/2016	6/29/2016		Light Changers please replace bulb in room 210, 2nd floor men's restroom.
FO-351233	6/29/2016	6/30/2016		Need light bulb replacement: 4 in the main lab area, 1 in the closet, and one in the audio booth.
FO-351234	6/29/2016	6/30/2016		A set of lights are out in the kitchen-breakroom area room# 13100.3 near main elevators. Thank you!
C-Materials			7	
FO-349629	6/9/2016	6/22/2016	6/22/2016	4th fl - Pick up and replace 1 recycling bin and replace with 2 empty bins.
FO-349687	6/9/2016	6/22/2016	6/22/2016	2nd fl - Outside 2361 - 2 Recycling Bins - pick up and replace.
FO-349856	6/13/2016	6/22/2016	6/22/2016	Room #300 - Please pick up and replace recycle bin
FO-350046	6/16/2016	6/22/2016	6/22/2016	Room 2100 - Recycling bin Pick Up/Replace.
FO-350588	6/21/2016	6/22/2016	6/22/2016	Room 6255 - Drop off recycling bin.
FO-350854	6/24/2016	6/28/2016		Please pick up and replace Recycle Bin
FO-350987	6/27/2016	6/28/2016		Several request have been made by our front desk student assistants to have the recycle bin located in 3169/3108 (both doors connect this workroom) on the 3rd floor in the department of Electrical & Computer Engineering. I have asked our faculty to stop p
C-Projects			1	
FO-351011	6/27/2016			Clean carpet in President's apartment. Cost - \$292.00
C-Repair			34	
FO-349147	6/2/2016	6/6/2016		1ST FL WOMENS RM NEAR LOBBY, PAPER TOWEL DISPENSER BROKEN
FO-349165	6/2/2016	6/6/2016		Please replace/repair paper towel dispenser in 1st floor Men's - new restroom. It does not roll out the paper when lever is pushed.
FO-349454	6/7/2016	6/13/2016		A REQUEST TO TRANSFER UNIVERSITIES WORK VAN TO AUTOMOTIVE SHOP FOR SERVICE REPAIRS: (Santoro Inc.) 15232 Harper Detroit, Mi.
FO-349473	6/7/2016	6/16/2016		The roll towel dispensers in the 1st floor men's room are broken off the wall.
FO-349490	6/7/2016	6/7/2016		A WORK REQUEST FROM THE (Veh., Operator) TRANSFER BROKEN TO STOCKROOM FOR SERVICE REPAIR. (Sanitaire/M#-SC887/Ser.#-1124005716) Made Out By: ALP/Custod., Handyman
FO-349591	6/8/2016	6/14/2016		4th fl - Women's R/R - Paper Towel Dispenser needs to be reinstalled.
FO-349599	6/8/2016	6/10/2016		4th fl - Men's R/R - Soap dispenser needs to be reattached.
FO-349694	6/10/2016	6/21/2016		THIS IS A (Old), WORK REQUEST FOR SECTOR # 7 (N.M.), THE (FO-293616); NOBLES/BURNISHER Ser#-608347. THE FLOOR MACHINE NEEDED SOME REPAIR.
FO-350177	6/16/2016	6/28/2016		Men's R/R in EDC basement - Paper towel dispenser is broken.
FO-350103	6/16/2016			Please repair Green noble wet dry vacuum. Motor is not working.. Housing is burn up and melted.
FO-350127	6/16/2016	6/21/2016		Please repair soap dispenser in Men's Restroom (Room 1130)
FO-350148	6/17/2016	6/21/2016		EQUIPMENT TRANSFER: THE AUTO, SCRUBBER WAS IN FOR SERVICE REPAIRS, NOW TRANSFER BACK TO BUILDING. AdVance/AdFinity 20D SER.#-9087164020
FO-350192	6/17/2016	6/28/2016		A request to transfer State work van back to (Santoro Inc.), Automotive service shop to do repairs on back doors.
FO-350266	6/20/2016			AUTO, SCRUBBER (AdVance/AdHancer) Model # W28-C Ser. # 1000000919
FO-350285	6/20/2016	6/21/2016		One of the soap dispensers is cracked in the women's restroom on the second floor.

WO	Recieved	Finished	Total	Request
FO-350577	6/21/2016	6/21/2016		2nd fl - Unisex R/R - Toilet paper dispenser is stuck and will not open.
FO-350598	6/21/2016	6/21/2016		Tissue dispenser needs to be replaced in men's restroom.
FO-350614	6/21/2016			Please repair buffer at Scott Hall Basement in cage. Pacesetter 20' buffer motor not running. s# 1592617
FO-350623	6/21/2016	6/22/2016		VACUUM, CLEANER NEED SERVICE REPAIR. Sanitaire/SC882/Ser3-1248001332 THE DUST BAG HAVE DIRT BLOWING OUT. Made Out By: C- Repair/Handman
FO-350705	6/22/2016			Nobles Floor Sweeper needs some service repairs.
FO-350733	6/23/2016	6/28/2016		At WDET radio station, in men's rooms (near #122) Broken soap dispenser.
FO-350776	6/23/2016			Advance vacuum does not seem to have sufficient vacuum. Does not pick up powered material well and emits dust from the bottom of the unit while under operation.
FO-350958	6/24/2016	6/27/2016		Inspect and Repair/Replace one broken and one missing Roll Towel Dispenser. Men's Room #132 on First Floor of State Hall.
FO-350961	6/24/2016	6/28/2016		Inspect and Repair/Replace two broken Roll Towel Dispensers in Ladies' Room #130 on the First Floor of State Hall.
FO-350965	6/24/2016	6/27/2016		Inspect and Repair/Replace latch on Toilet Paper Dispenser in Men's Room #32 on the Basement Floor of State Hall.
FO-350967	6/24/2016	6/28/2016		Inspect and Repair/Replace latch on Toilet Paper Dispenser in Men's Room #109 on the First Floor of State Hall.
FO-350968	6/24/2016	6/28/2016		Inspect and Repair/Replace one broken Roll Towel Dispenser in Ladies' Room #110 on the First Floor of State Hall.
FO-350969	6/24/2016	6/28/2016		Inspect and Repair/Replace one broken Roll Towel Dispenser in Men's Room #100 on the First Floor of State Hall.
FO-350970	6/24/2016	6/27/2016		Inspect and Repair/Replace one broken Soap Dispenser in Ladies' Room #230 on the Second Floor of State Hall.
FO-350971	6/24/2016	6/30/2016		Inspect and Repair/Replace one missing Towel Dispenser in Men's Room #330 on the Third Floor of State Hall.
FO-350972	6/24/2016	6/28/2016		Inspect and Repair/Replace one broken Soap Dispenser in Men's Room on the Third Floor of Faculty Administration Building.
FO-351055	6/27/2016	6/30/2016		Purdy Library 2nd Floor Men's Room (240 Purdy) Paper towel dispenser is broken. Please repair or replace. Thank you.
FO-351059	6/27/2016	6/27/2016		Equipment Transfer: Auto, Scrubber Advance/Adfinity X20D Ser. # -074128770 Form: Purdy Library To: Mort. Sci.
FO-351091	6/28/2016	6/28/2016		Equipment Transfer: Auto, Scrubber AdVance/Micromatic Ser. # -070906180
C-Sector 01			4	
FO-349523	6/7/2016	6/23/2016		Engineering's Help Desk installed computers in State Hall room 314. The floors need to be mopped since there was a lot of debris left on the floor. Scheduled for 6/13/16. Task is complete
FO-350067	6/15/2016	6/30/2016		Trash has not been picked up since 6/10 and is overflowing in the reception area. Please send someone to collect and remove trash and to inspect the rest of the building to ensure proper custodial services have been performed. Task is complete
FO-350196	6/17/2016	6/22/2016		There appears to be fecal matter on the floor of the only stall. It has been stepped in and tracked around the bathroom. It looks like it may have gone into the hall also. Task is complete

WO	Recieved	Finished	Total	Request
FO-350669	6/22/2016	6/29/2016		State Hall class rooms 308, 313, 314, and 318 are very dirty. Instructors states that it seems that is not being cleaned on a daily basis. Can someone please stop by and sweep and vacuum the floors. These are all Department of Computer Science I
C-Sector 02			14	
FO-349035	6/1/2016			Strip, scrub, wax MD Labs floors;MD lab Labs 2106, 2116, 2136,2115,2125,2135, 2228,2248, 2258, 2323, 2333, 2343. THIS WORK NEEDS TO BE COMPLETED BY FRIDAY, JULY 29, 2016.
FO-349488	6/7/2016			6 cases of dial soap.
FO-349489	6/7/2016			4 cases of dial soap.
FO-349498	6/7/2016			4 cases of dial soap.
FO-349501	6/7/2016			4 cases of dial soap.
FO-349503	6/7/2016			4 cases of dial soap.
FO-349568	6/7/2016	6/16/2016		project_description: The 256 room`s wall just mop, and ground is dirty. Please clean it. Thank you. project_name: Clean the ground
FO-349549	6/8/2016			Room 1225 Lab - request to have floors cleaned/polished- please contact Dr. Neha Gothe to coordinate- Neha P. Gothe, MA, MS, PhD 2339 Eugene Applebaum Bldg, 259 Mack Ave., Detroit, MI - 48201 313-577-6222 nehagothe@wayne.edu
FO-350105	6/16/2016	6/9/2016		Please scrub 115
FO-350200	6/17/2016			Clean the Carpet in Bio Chemistry Office suite 4374 including interior offices 4376, 4378,438. Clean carpet in conference room 4364, Seminar room 4370
FO-350608	6/21/2016			This Request replaces the request below:Please cancel Request # 284925 FO-349035Strip, scrub, wax MD Lab floors rooms 2106, 2116,2136, 2115, 2125,2135, 2228,2258, 2323, 22016. Work to be done on Day shift beginning on Monday July 11. Rooms will start w
FO-350612	6/21/2016	6/21/2016		Please scrub floors in gross lab 320
FO-350729	6/22/2016			Scrub, wax cafeteria floor need to be done in two stages, grounds to shift and clear furniture. Start date Tuesday, July 5, afternoon shift.
FO-350754	6/23/2016			Please strip and wax the floor in lab 257 Lande. We would like the work done on Friday, 6/24/16 if possible. We need to know so that the room can be emptied for cleaning.
C-Sector 03			1	
FO-350829	6/23/2016	6/30/2016		Please clean carpet in this office- It is filthy and we have a new Associate Director assigned to this office arriving in July
C-Sector 04			3	
FO-349514	6/7/2016			Clean and wax/polish all floors in the animal facility. Due for bi-yearly attention, per Custodial Supervisor. Needs to be done after 4:00pm.
FO-349846	6/13/2016			Requesting the floors in labs 3340, 3350 & 3360 be cleaned and waxed.
FO-350742	6/23/2016	6/23/2016		1 case 8545 gojo soap.
C-Sector 05			12	
FO-349517	6/7/2016	6/8/2016		Classroom floor needs stripping, cleaning and waxing.
FO-349651	6/9/2016			Second Floor Room 264 mop & Wax for Jogindra Wadehra, phone 313-577-2740, wadehra@wayne.edu.
FO-349652	6/9/2016			Please strip and wax faculty office.
FO-349935	6/14/2016			Please strip and wax the floor in this office. Has not been done in a while.
FO-349936	6/14/2016			Floor needs to be stripped and waxed. Has not been done in a long time. Faculty member will be out of office on most of next week.
FO-349937	6/14/2016			Floor needs to be stripped and waxed. Has not been done for a long time.
FO-349940	6/14/2016			Floor needs to be stripped and waxed. Has not been done in a long time.
FO-349941	6/14/2016			This is a faculty Office. Floor need to be stripped and waxed. Has not been done in a long time.
FO-349968	6/14/2016			Floor needs stripping and waxing. Has not been done in a long time.
FO-349969	6/14/2016			Floor needs stripping and waxing. Has not been done in a long time.

WO	Recieved	Finished	Total	Request
FO-349970	6/14/2016			Floor needs stripping and waxing. Has not been done in a long time.
FO-351238	6/29/2016			Floor needs cleaning, stripping and waxing. Has not been done in a long time.
C-Sector 06			4	
FO-349278	6/3/2016			strip/wax 101 before 6/9/16
FO-349362	6/6/2016	6/21/2016		Carpet clean rooms 4260, 4266 and 4273.
FO-349562	6/8/2016	6/13/2016		1st/2nd flr Restrooms are locked pls ck 3rd/4th flrs also
FO-350023	6/15/2016			Deep Clean the Partrich Auditorium and Balcony: Vacuum/shampoo carpetWipe down all rails/banisters and tabletops
C-Sector 07			2	
FO-351135	6/28/2016			Please arrange to have floors cleaned, polished, and light bulbs replaced. Please contact Nick Siekirk to arrange for the work to be done: 734-788-8507
FO-351166	6/28/2016			There is a lot of broken glass at the west wing staircase at the Rackham building. Can it please be cleaned up for safety purposes?
C-Sector 09			1	
FO-349180	6/2/2016			please dust/clean room 247. thank you
Pest Controller			31	
FO-349034	6/1/2016	6/1/2016	6/1/2016	PLEASE EXTERMINATE FOR ROACHES. STEVEN PECIC OFFICE 1ST FLOOR. CONTACT STEVEN FOR EXACT LOCATION.
FO-349040	6/1/2016	6/1/2016	6/1/2016	Office number not available. Sherry Searcy of Design & Construction Svcs. had a mouse in her office last night. Please bring traps asap! Thanks! See Sandy at reception for location.
FO-349049	6/1/2016		6/1/2016	*CANCELED - FP&M PEST CONTROL DOES NOT HANDLE MED CAMPUS* - Room 1225 - Rat (Alive) in the ceiling.
FO-349387	6/6/2016	6/7/2016		R/R MAIN FRONT ENTRANCE INSIDE LOW HANGING CEILING TILE A WASP NEST HAS BEEN SITED
FO-349482	6/7/2016	6/9/2016	6/9/2016	Extermination of area, we've seen an influx of bugs.
FO-349491	6/7/2016	6/13/2016	6/13/2016	REMOVE FILLED TRAPS. 11TH FLOOR OFFICE.
FO-349774	6/13/2016	6/13/2016	6/13/2016	REMOVE DEAD BIRD ON WEST SIDE OF THE EDUCATION BUILDING.
FO-349802	6/13/2016	6/21/2016	6/21/2016	R/R STE 11002 INSIDE MAIN OFC PLS REMOVE STICKY TRAPS & REPLACE W/NEW ONES (Note: inside Main Pfc a trap is occupied)
FO-349813	6/13/2016	6/17/2016	6/17/2016	PLEASE SET MICE TRAPS IN ROOM 5016.
FO-349826	6/13/2016	6/20/2016	6/20/2016	EXTERMINATION FOR MICE. ROOM 1330.
FO-349924	6/14/2016	6/17/2016	6/17/2016	REMOVE OLD MICE TRAPS AND REPLACE WITH NEW ONES. BOBBIE'S OFFICES.
FO-350025	6/15/2016	6/22/2016	6/22/2016	replace traps in Law Library basement and all restrooms in library
FO-350042	6/16/2016	6/17/2016	6/17/2016	REMOVE DEAD BIRD. NEAR CORNER OF THE ENGINEERING BUILDING.
FO-350189	6/17/2016	6/20/2016	6/20/2016	EXTERMINATION FOR ANTS. ROOM 3374.
FO-350236	6/20/2016	6/21/2016	6/21/2016	EXTERMINATION FOR RATS. ROOM 1330.
FO-350600	6/21/2016	6/23/2016	6/23/2016	EXTERMINATION FOR FLYING GNATS AND ANTS. SOFTBALL STADIUM.
FO-350611	6/21/2016	6/23/2016	6/23/2016	Bird is in bldg.
FO-350620	6/21/2016	6/23/2016	6/23/2016	EXTERMINATION (STICK TRAPS) FOR ROACHES. ROOM 300.
FO-350680	6/22/2016	6/23/2016	6/23/2016	REMOVE MOUSE TRAP. (MOUSE IS ON TRAP). ROOM 2222.
FO-350847	6/24/2016	6/27/2016	6/27/2016	MICE TRAPS NEEDED IN ROOM 6400.
FO-350942	6/24/2016	6/27/2016	6/27/2016	Pest control tech.: Please apply pest control for roaches in Kresge library mechanical room 011.
FO-350989	6/27/2016	6/29/2016	6/29/2016	Basement - room 51 - change traps.
FO-351064	6/27/2016	6/29/2016	6/29/2016	drain bugs evident in Ladies Room #1234
FO-351070	6/27/2016	6/28/2016	6/28/2016	EXTERMINATION (TRAPS) FOR MICE. ROOM 6304.
FO-351076	6/27/2016	6/28/2016	6/28/2016	Original Request submitted by Jill Deneen Pruitt (I/D #AC6644) on June 27, 2016. There is a bee hive in Room 3183 - Labor Studies Center. Please eradicate bee hive.
FO-351075	6/27/2016	6/28/2016	6/28/2016	EXTERMINATION (TRAPS) FOR MICE. ROOMS 5000 AND 5003.

WO	Recieved	Finished	Total	Request
FO-351109	6/28/2016	6/28/2016	6/28/2016	EXTERMINATION FOR MICE. 6TH FLOOR ROOMS 6400, 6402 AND LUNCH ROOM.
FO-351120	6/28/2016			Please service the department of International Students and Scholars for Gnats.
FO-351163	6/28/2016	6/29/2016	6/29/2016	We have had this yearly problem with wasps. The left front pillar of the building on the front porch has a hole at the top that is buzzing with wasps. We need to get it sprayed so no one is attacked.
FO-351197	6/29/2016			trade pest control priority highR/R RM 510/MECH RM please service mech rm area being over run by roach's and water bug's
FO-351222	6/29/2016			Net bugs on the third floor in room 3506 in the AAB building.
Engineering			727	
Emergency			8	
E - Auxiliary			1	
FO-349343	6/6/2016	6/7/2016		ACTIVE FIRE ALARM
E - Command Center			3	
FO-350036	6/16/2016	6/20/2016		REPAIR COOLING UNITS FOR UPS ROOM. NORTH SIDE OF BUILDING.
FO-350271	6/20/2016			RM 1100 ACTIVE CEILING LEAK FROM HVAC CONDENSATE PUMP
FO-350975	6/27/2016	6/27/2016		EMERGENCY ELEC R/R RM 00425/MECH BLR RM BOILER #2 SOLENOID VLV FOR SOFT WATER NOT OPENING ON COMMAND
E - Northeast			2	
FO-350062	6/16/2016	6/16/2016		BLOWN FUSE LIGHTS ARE ALL OUT
FO-350849	6/24/2016	6/24/2016		RM 508/SHIPPING REC AREA ICE MACHINE MAYBE LEAKING & IS LEAKING IN LAB 408 THRU CLNG
E - South			1	
FO-350094	6/16/2016	6/17/2016		RM 3027 ACTIVE ROOF LEAK WHERE FUME HOOD WAS REMOVED. THIS LEAK IS OVER COMPUTERS CAN WE POSSIBLY COVER COMPUTERS UNTIL ROOFER ARRIVES
E - West			1	
FO-349904	6/14/2016	6/14/2016		CALLED SCHINDLER ELEV CO FOR #1/STUDENT ELEV ENTRAPMENT ELEV IS GOING UP/DOWN W/PASSENGER ON IT REF #53044409 REF# 53034995
High			329	
E - Auxiliary			22	
FO-349029	6/1/2016	6/1/2016		FAP (RA) UNABLE TO RESET FAP NOTE: HOWEVER, IT ISN'T SHOWING ON PUB SAFE'S PANEL
FO-349082	6/1/2016	6/1/2016		FIRE ALARM SOUNDING
FO-349254	6/3/2016	6/16/2016		APT 205 NO HOT WATER AND LOW COLD WATER PRESSURE
FO-349260	6/3/2016	6/6/2016		STE 111 VERY HOT PLEASE CONTACT VEDA 586-219-7183 TODAY
FO-349556	6/8/2016	6/8/2016		FIRE ALARM SOUNDING
H-58802	6/8/2016	6/9/2016		Toilet/shower is broken, when the toilet is flushed, the shower starts to run, and when the shower is running, the toilet begins to overflow. Needs to be fixed ASAP, the bathroom has already flooded once. authenticated user: Cailey Stiteler - fh0205 req
H-58803	6/8/2016	6/9/2016		Pipes below bathroom sink leak heavily when water is in use authenticated user: Michelle Talukder - ev6408 requester ip address: 141.217.23.173
H-58804	6/8/2016	6/16/2016		hot water knob leaks when sink is turned on authenticated user: Michelle Talukder - ev6408 requester ip address: 141.217.23.173
H-58807	6/8/2016	6/9/2016		Resident says an engineer came to fix garbage disposal but it is still leaking. Entry slip was left by Prentis stating that he fixed it that same day. authenticated user: Angelica Reyna - ag8310 requester ip address: 141.217.23.246
FO-349649	6/9/2016	6/9/2016		ROOF DOOR ALARM PLEASE CLOSE DOOR OR NOTIFY PUBLIC SAFETY IF WORK IS IN PROGRESS

WO	Recieved	Finished	Total	Request
H-58826	6/9/2016	6/13/2016		The pipes below the sink in the bathroom are clogged and leaking badly. It appears that the fit between the U bend and the main sink is compromised because the plumbers tape that was installed there failed. They need to be repaired or replaced. Thank you.
H-58829	6/13/2016	6/13/2016	6/13/2016	Pea trap needs to be replaced due to leakage in the 6th floor kitchenette. This is causing leakage in the 5th floor hallway directly underneath the area. authenticated user: Amari McGee - ev1977 requester ip address: 141.217.23.177
FO-350003	6/15/2016	6/15/2016		FIRE TROUBLE ALARM.
H-58939	6/16/2016	6/20/2016		toilet tank is leaking authenticated user: Ni'Esha Wright - fh3756 requester ip address: 141.217.23.173
FO-350098	6/16/2016	6/17/2016		FIRE TROUBLE ALARM
H-58942	6/16/2016	6/22/2016		For engineers: In apartment 910 the tub is dripping authenticated user: Psoccrates Stansberry - cl5547 requester ip address: 141.217.23.173
FO-350160	6/17/2016	6/17/2016		RM 283 IS TOO HOT
H-58921	6/17/2016	6/20/2016	6/20/2016	Air conditioner is leaking onto the floor. authenticated user: Abigail Landskroener - fk9925 requester ip address: 141.217.23.209
H-58958	6/21/2016	6/22/2016		There are 2 outlets in the activity room that need to be replaced so that the air conditioning units can be plugged in properly.
H-59025	6/26/2016			A/C Unit is not working. Please service ASAP! Thank You!! :) authenticated user: Chiara Woods - eb8378requester ip address: 141.217.23.177
H-59028	6/27/2016			Air condition isn't working, room is set to cold settings, but room is still hot.authenticated user: Dijon Williams - fk3806requester ip address: 35.16.47.139
FO-351038	6/27/2016	6/30/2016		TRANSMITTER RM IS STILL TOO HOT OVER 90degrees
E - Command Center			26	
FO-349016	6/1/2016	6/2/2016		Refrig Crew Repair/Replace temperature control in Lab 1359 not working . TOO HOT High Priority
FO-349024	6/1/2016	6/1/2016		BAS GROUP COMMAND CENTER- R/R RM 00690.07 PLEASE CHECK AUH#2 FRESH AIR DAMPER APPEARS TO BE STUCK OPEN, NEED IT TO CLOSE WHEN AC IS NEEDED, AREA IT SERVES IS OVERHEATING, PROIRITY HIGH
FO-349107	6/1/2016	6/2/2016		Controls-Honeywell R/R RM 3320/MECH RM PLS HAVE HONEYWELL troubleshoot AC-4 controls,suspect bad transducer. Priority HIGH FO-348954
FO-349200	6/2/2016	6/6/2016		RM 431 t-stat appears failed # FO16.28UVO8 siemens
FO-349366	6/6/2016	6/27/2016		Trade: Command Center Priority: High R/R R 00461 Please supply two valves for the heating coil on the VAV box. Brand: Siemans Size: 1/2" Product Number: 259-02034 Orderable Valve: 599-02034 3 - 8 psi spring; cv 1; Action NO; Model 031052
FO-349472	6/7/2016			Controls please check regulating controls for 200.15 unit is in cool mode discharging at 85 degrees. f0-349353. high priority,
FO-349762	6/12/2016			the chiller 1 condenser cooling water inlet bray valve does not open when chiller starts
FO-349807	6/13/2016	6/14/2016		Trade: Refrig Crew Priority: High R/R 1ST FLR Please check operation of cooling unit for the UPS room in the switchgear room on the north side of the building. Unit tripped on high pressure over weekend. Room overheated and caused a building wide fi
FO-349089	6/13/2016			unit serves 2nd floor not cooling
FO-349849	6/13/2016			Refrig. Crew: R/R PENTHOUSE Please check and repair #2 Boiler keeps tripping on flame failure, priority high
FO-349845	6/13/2016			neither compressor will run, reset all safety devices

WO	Recieved	Finished	Total	Request
FO-349927	6/14/2016			unit not cooling
FO-349928	6/14/2016			unit not cooling
FO-350010	6/15/2016	6/16/2016		trade seimens priority high R/R BSMT please service air handler unit UE in basement area will not run in auto tried to reset will run in hand position
FO-350009	6/15/2016	6/17/2016		ALWCO does not function
FO-350118	6/16/2016	6/22/2016		Trade: Command Center Priority: High R/R RM 00000.62/MECH BLR RM Please repair controls for the north hydronic system. The system is located on the east side of the boiler room. Pump #2 status indicator appears to have failed. Please replace lith
FO-350275	6/20/2016	6/27/2016		Controls (High) Roof Top Chiller (McQuay) tripping both circuits 1 and 2 when reaching stage 8. 3rd time resetting unit. Repair
FO-350277	6/20/2016			AC Shop-please check heat pump 4-8. Compressor not running. high priority
FO-350278	6/20/2016	6/21/2016		Controls: please replace or repair desk top computer for engineer office priority high
FO-350561	6/21/2016			Compressor #1 is running but not cooling fully. See Frank Van Oppens.
FO-350654	6/22/2016			CONTROLS /REFRIG CREWFUME HOOD #13 DOESN'T HAVE SUFFIENT AIR FLOW.HIGH PRIORITY
FO-350697	6/22/2016	6/27/2016		Controls (High) R/R ROOF Please check AHU #3 wiring and controls. I have been monitoring the unit. The unit is cooling but it may have a bad sensor or programming causing a delay in when it starts to cool.
FO-350765	6/23/2016	6/29/2016		Condenser on RTU will not run.
FO-350825	6/23/2016			REFRIG CREW, R/R ROOF COMPRESSORS WILL NOT CYCLE ON FOR #1 ROOFTOP UNIT, PLEASE TROUBLESHOOT. (FOR RM 00124) FO-350786 PRIORITY-HIGH
FO-350986	6/27/2016			CONTROLS (HIGH)R/R ROOF McQUAY UNIT AT 50% CAPACITY. CIRCUIT ONE DOWM ON STARTER FAULT AND VDC AI#5. ALARM WILL NOT RESET AFTER SEVERAL ATTEMPS.
FO-351068	6/27/2016			Purdy Library 1st Floor: Office Suite 122 Purdy (Home of Human Resources, Region B). reset unit smells like burnt electrical in control panel, shut power off to unit Staff in office suite have reported that area is rather warm. Please adjust the te
E - MedPharm			84	
FO-349043	6/1/2016	6/23/2016		RM 1249,1253,1255,1257, SE HALLWAY AND FAR EAST HALL EXTREMELY HOT
FO-349078	6/1/2016			RM 5344 STILL TOO HOT PLEASE CHECK EQUIPMENT
FO-349083	6/1/2016	6/23/2016		BSMNT NEAR 5128 STRONG ODORS FROM AUTOCLAVE
FO-349102	6/1/2016	6/23/2016		LOW WATER PRESSURE. ROOM 7116.
FO-349116	6/1/2016			RM 3250 IS TOO HOT
FO-349132	6/1/2016	6/2/2016		RM 2375 DOOR UNABLE TO CLOSE AND LOCK
FO-349177	6/2/2016			RM 0225 NO POWER TO WASHER
FO-349182	6/2/2016			RM 4356 IS TOO COLD
FO-349183	6/2/2016			RM 4360 IS TOO COLD
FO-349211	6/2/2016	6/2/2016		RM 0225 NOTE: 2 OUT OF 3 LEGS HAVE POWER - LEG CONNECTING CAGE WASH HAS NO POWER
FO-349240	6/3/2016			RM 403 HIGH TEMP AND HIGH HUMIDITY
FO-349244	6/3/2016			PLEASE OPEN UTILITY RM NEAR 3461
FO-349255	6/3/2016	6/23/2016		PLEASE OPEN DOOR IN DOCK AREA FOR DTE
FO-349256	6/3/2016	6/25/2016		PLEASE TURN ON WATER SPIGOT FOR NORTH WALL
FO-349262	6/3/2016			BSMT AUTOCLAVE FOR DLAR IS SMELLING UP THE BSMT AREA
FO-349329	6/6/2016			LAB 2105 SURGE PROTECTORS IN ELECTRICAL PANEL ARE ALARMING

WO	Recieved	Finished	Total	Request
FO-349341	6/6/2016	6/6/2016		ACTIVE CHILLER ALARM
FO-349346	6/6/2016			RM 3148 IS TOO COLD
FO-349347	6/6/2016			RM 0247 HIGH TEMP HIGH HUMIDITY
FO-349353	6/6/2016	6/25/2016		TOO HOT. A/C IS NOT WORKING. ROOM 410.
FO-349360	6/6/2016			RM 6353 HIGH TEMP ALARM
FO-349388	6/6/2016	6/6/2016		POWER BUMP APPR 1:45 CAUSING FIRE ALARM
FO-349463	6/7/2016	6/7/2016		PLEASE CALL LAURA AT 7-8516 REGARDING ROOM 0247.
FO-349464	6/7/2016			RM 2217 TOO COLD
FO-349492	6/7/2016	6/25/2016		HIGH TEMP. ALARM. ROOM 5332.
FO-349500	6/7/2016	6/7/2016		Room is cold
FO-349519	6/7/2016			For room 402 - not listed as an option. Please replace faucet on sink in restroom - original faucet installed with building - old, hard to turn, unable to clean properly.
FO-349522	6/7/2016	6/7/2016		ARAMARK IS TAKING OVER DELILAH'S CAFE THEY NEED ACCESS TO SPACE PLEASE CALL BRIAN 7-1154 OR OPEN SPACE
FO-349563	6/8/2016			LAB 3341 AIR FLOW NOT WORKING FOR THE HOOD
FO-349577	6/8/2016			RM 00200.06 HAS LOW HUMIDITY IT IS @ 20% SHOULD BE OVER 30%
FO-349640	6/9/2016			FISH RM 8327 TOO WARM
FO-349742	6/10/2016			The air pressure needs to be positive to the hall in room 0200.05 at Scott Hall.
FO-349779	6/13/2016			RM 7320 IS TOO HOT
FO-349806	6/13/2016	6/13/2016		RESET CIRCUIT IN ROOM 261.
FO-349812	6/13/2016	6/25/2016		HIGH TEMP. ALARM. COLD ROOM 4252.
FO-349821	6/13/2016			RM 00048 HAS A CLNG LEAK (STEADY LEAK)
FO-350013	6/15/2016			animal room is running a high temp
FO-350022	6/15/2016			RM 2629 IS TOO HOT
FO-350056	6/16/2016			RM 403 HIGH HUMIDITY
FO-350058	6/16/2016			RM 1600 IS TOO HOT
FO-350065	6/16/2016			RM 124 IS TOO COLD
FO-350066	6/16/2016			1ST FLR HALLWAY OUTSIDE OF RM 124 IS TOO COLD ALSO BACK AREA OF 1ST FLR
FO-350091	6/16/2016	6/25/2016		RM 423 HIGH HUMIDITY
FO-350138	6/17/2016			CEILING LEAK. ROOM 5501.
FO-350156	6/17/2016			BSMT HALLWAY & ALSO RM 425 (MORGUE AREA) HAS A ROTTEN SMELL
FO-350220	6/20/2016	6/25/2016		HIGH TEMP. ROOM 200.15.
FO-350221	6/20/2016	6/25/2016		GROSS LABS PLEASE TURN AIR ON
FO-350222	6/20/2016			RM 4374 CEILING HAS FLASHING LIGHT BLINKING ON AND OFF
FO-350224	6/20/2016	6/25/2016		RM 200.02 & 403 HIGH HUMIDITY
FO-350241	6/20/2016	6/20/2016		RM 0247 HIGH HUMIDITY
FO-350243	6/20/2016			BSMNT ALL ANIMAL ROOMS HAVE HIGH HUMIDITY
FO-350249	6/20/2016	6/25/2016		DEANS OFFICE TOO HOT, PLEASE TURN OFF HYDRONIC HEATING
FO-350267	6/20/2016	6/23/2016		TOO WARM AND HIGH HUMIDITY. ALL 2ND FLOOR ANIMALS ROOMS.
FO-350615	6/21/2016	6/25/2016		HIGH TEMP. ALARM. ROOM 4252.
FO-350617	6/21/2016	6/23/2016		FIRE TROUBLE ALARM. ROOM 139.
FO-350622	6/21/2016			RM 1241 TOO HOT
FO-350637	6/21/2016	6/21/2016		outlet not working
FO-350682	6/22/2016			RM 410/DLAR HAS A CLNG LEAK (believe coming from condensation on pipes)
FO-350683	6/22/2016			BSMT HALLWAY OUTSIDE OF RM 425/DLAR DUE TO AUTOCLAVE IN USE IT IS EMANATING A TERRIBLE ODOR COULD SOMETHING BE DONE
FO-350711	6/22/2016			RM 410/DLAR CALLING AGAIN STILL HAS A CLNG LEAK (believe coming from condensation on pipes)
FO-350743	6/23/2016			RM 2620 IS TOO HOT

WO	Recieved	Finished	Total	Request
FO-350749	6/23/2016			RM 200.08 TOO COLD PLEASE SET TEMP AT 78 DEGREES
FO-350763	6/23/2016			RETURN FAN #2 ALARM.
FO-350841	6/24/2016			PROBLEM WITH AIR PRESSURE. ROOMS 0243 AND 0247.
FO-350850	6/24/2016			LOW TEMPERATURE AND LOW HUMIDITY. ROOM 5565.
FO-350862	6/24/2016			BAD FUMES ARE COMING THRU VENTS. ROOMS 310 AND 315.
FO-350966	6/24/2016	6/25/2016		HIGH TEMP. ALARM. ROOM 6312.
FO-350977	6/27/2016	6/27/2016		RM 514/DLAR HAS LOW TEMP
FO-350978	6/27/2016	6/27/2016		RM 515/DLAR HAS LOW TEMP
FO-350979	6/27/2016	6/20/2016		RM 519/DLAR HAS LOW TEMP
FO-350980	6/27/2016	6/27/2016		RM 520/DLAR HAS LOW TEMP
FO-350981	6/27/2016	6/27/2016		RM 522/DLAR HAS LOW TEMP
FO-351005	6/27/2016			NO WATER ON THE 5TH FLOOR.
FO-351012	6/27/2016	6/20/2016		LOW TEMP. ROOM 0249.
FO-351040	6/27/2016			ALARM SOUNDING. ROOM 5339.
FO-351045	6/27/2016			TOO HOT. COLD ROOM 5333.
FO-351046	6/27/2016			NO HOT WATER. ROOM 2330.
FO-351113	6/28/2016	6/28/2016		RM 200.08/DLAR HAS LOW TEMP
FO-351122	6/28/2016	6/28/2016		FOUL SMELL. BASEMENT ROOM 525.
FO-351133	6/28/2016			LOW TEMP. ROOM 0249.
FO-351167	6/29/2016			FAP FIRE TROUBLE ALARM
FO-351202	6/29/2016			LOW TEMP. ROOM 0514.
FO-351203	6/29/2016			RM 610/AUD IS TOO COLD
FO-351211	6/29/2016			LOW TEMP. ALARM. ROOM 0229.
E - North			41	
FO-349036	6/1/2016	6/2/2016		RM 4015 TOO HOT
FO-349048	6/1/2016	6/1/2016		RM 421 IS TOO COLD IN CERTAIN AREAS OTHERS ARE ALRIGHT
FO-349080	6/1/2016			BLDG TOO COLD
FO-349081	6/1/2016	6/1/2016		RM 1198 AND SURROUNDING AREAS OF MATH DEPT ARE TOO COLD
FO-349117	6/1/2016	6/21/2016		RM 211 IS TOO COLD
FO-349190	6/2/2016	6/2/2016		4TH FLR IS TOO COLD
FO-349192	6/2/2016	6/2/2016		RM 431 IS TOO HOT
FO-349204	6/2/2016	6/2/2016		ENTIRE BLDG PLEASE TURN AIR DOWN. TOO COLD
FO-349237	6/3/2016	6/3/2016		RM AUDITORIUM IS TOO COLD
FO-349276	6/3/2016	6/3/2016		RM AUDITORIUM IS STILL TOO COLD
FO-349282	6/3/2016	6/3/2016		RM 317 IS EXTREMELY HOT
FO-349283	6/3/2016			PRESIDENTS APTS PLEASE CHECK DRYER
FO-349375	6/6/2016	6/6/2016		ACTIVE FIRE TROUBLE ALARM *NOTE APPRO. 12:45PM THERE WAS A PWR BUMP*
FO-349376	6/6/2016	6/6/2016		FIRE TROUBLE ALARM *NOTE APPRO. 12:45PM THERE WAS A PWR BUMP*
FO-349377	6/6/2016	6/6/2016		FIRE TROUBLE ALARM *NOTE APPRO. 12:45PM THERE WAS A PWR BUMP*
FO-349567	6/8/2016	6/8/2016		BLDG TOO COLD PLEASE TURN AIR OFF AND ADJUST TEMP
FO-349653	6/9/2016	6/9/2016		FIRE TROUBLE ALARM
FO-349655	6/9/2016	6/9/2016		FIRE TROUBLE ALARM RESET CHECK EQUIPMENT
FO-349662	6/9/2016	6/9/2016		FIRE TROUBLE ALARM DUE TO POWER BUMP.
FO-349706	6/10/2016	6/10/2016		BLDG FIRE TROUBLE ALARM
FO-349740	6/10/2016	6/10/2016		ELANA FROM ENVIRONMENTAL HEALTH IS THERE TO PICK UP WATER SAMPLES.
FO-349778	6/13/2016	6/13/2016		A/C IS NOT WORKING. 2ND FLOOR. MEET JEFF BLOCK AT 8:45 A.M.

WO	Recieved	Finished	Total	Request
FO-349805	6/13/2016	6/16/2016		WOODCOCK SIDE OF REUTHER ALL FLRS ARE TOO HOT
FO-350002	6/15/2016	6/15/2016		RM 106 IS TOO COLD
FO-350012	6/15/2016	6/15/2016		AUD IS TOO COLD
FO-350048	6/16/2016	6/16/2016		4TH FL NO AIR FLOW
FO-350049	6/16/2016	6/16/2016		RM 4101 NOISE IN VENT
FO-350080	6/16/2016	6/16/2016		RM 441.1 IS EXTREMELY HUMID
FO-350084	6/16/2016	6/16/2016		RM 134 IS TOO COLD
FO-350135	6/17/2016	6/17/2016		FIRE TROUBLE ALARM.
FO-350219	6/20/2016	6/20/2016		FIRE TROUBLE ALARM.
FO-350230	6/20/2016	6/20/2016		There is a High Pitch noise is atrium, it might be coming from electrical/mechanical room 1209, 1269 or 1281.
FO-350238	6/20/2016	6/20/2016		BLDG TOO WARM
FO-350254	6/20/2016	6/20/2016		2ND FL NORTH SIDE ALSO 441 COMPLAINTS OF IT BEING TOO HOT
FO-350258	6/20/2016	6/20/2016		RM 421 TOO HOT
FO-350668	6/22/2016	6/22/2016		AUD IS TOO COLD
FO-350687	6/22/2016	6/22/2016		NEAR BLDG ENTRANCE FRONT PILLAR OUTLET NOT WORKING
FO-350703	6/22/2016	6/22/2016		REC'D COMPLAINT FROM PARENT THAT AUD IS STILL TOO COLD
FO-351028	6/27/2016	6/27/2016		ENTIRE BLDG IS TOO HOT
FO-351041	6/27/2016	6/27/2016		No hot water in building
FO-351176	6/29/2016			RM 140/AUD IS TOO COLD
E - Northeast			36	
FO-349115	6/1/2016	6/2/2016		FIRE TROUBLE ALARM.
FO-349189	6/2/2016	6/2/2016		EMERGENCY PLUM (ENG TO TRY & SHUT OFF WTR @ VLV) R/R RM 200 INSIDE STE DRINK FOUNTAIN IS STUCK IN ON POSITION & OVERFLOWING CAN'T SHUT OFF
FO-349264	6/3/2016	6/3/2016		3RD FL TOO HOT PLEASE FIX AIR CONDITIONER
FO-349315	6/6/2016			FIRE TROUBLE ALARM.
FO-349348	6/6/2016			Controls/Refridge (High) R/R ROOF Train chiller on roof will not stay running. Fuses and pumps are ok. System is full. unit will start and run for 30 seconds then shutdown with no reset. Check/repair
FO-349368	6/6/2016	6/6/2016		RM 114 IS TOO COLD AIR IS BLOWING IN HARD CAUSING OCCUPANT TO BE SICK (Note: ACU is being repaired-part taken out waiting) **SEE RESULTS
FO-349379	6/6/2016	6/6/2016		FIRE TROUBLE ALARM *NOTE APPRO. 12:45PM THERE WAS A PWR BUMP*
FO-349456	6/7/2016	6/7/2016		FIRE ALARM.
FO-349585	6/8/2016	6/8/2016		BLDG IS TOO HOT
FO-349627	6/9/2016	6/9/2016		OUTSIDE NORTHWEST SIDE OF BUILDING PIECES ARE FALLING.
FO-349656	6/9/2016	6/9/2016		FIRE TROUBLE ALARM RESET CHECK EQUIPMENT
FO-349665	6/9/2016	6/9/2016		AIR HANDLER UNIT IS NOT WORKING. BASEMENT ANIMAL ROOM. SEE JOSHUA FOR DETAILS.
FO-349704	6/10/2016	6/10/2016		BLDG FIRE TROUBLE ALARM
FO-349705	6/10/2016			BLDG FIRE TROUBLE ALARM
FO-349714	6/10/2016	6/10/2016		ALARM SOUNDING AT FRONT DOOR.
FO-349725	6/10/2016	6/10/2016		FIRE TROUBLE ALARM.
FO-349809	6/13/2016	6/13/2016		RM 4510 IS EXTREMELY HOT
FO-349905	6/14/2016	6/14/2016		FIRE TROUBLE ALARM.
FO-349915	6/14/2016	6/14/2016		2ND FLR IS TOO COLD
FO-349951	6/14/2016	6/14/2016		BSMT HALLWAY OUTSIDE OF RM 00031 SEWAGE SMELL
FO-349956	6/14/2016	6/14/2016		RM 101 NEED BREAKER RESET

WO	Recieved	Finished	Total	Request
FO-350095	6/16/2016	6/16/2016		RM 4606 OCCUPANT HEARS WATER RUSHING IN NO VISIBLE WATER YET, PLEASE CHECK THE AREA
FO-350231	6/20/2016	6/20/2016		FIRE TROUBLE ALARM.
FO-350235	6/20/2016	6/20/2016		3RD FL TOO HOT
FO-350239	6/20/2016	6/20/2016		RM 255 TOO HOT
FO-350596	6/21/2016	6/21/2016		1ST FL JANITORS CLOSET SMELLS LIKE GAS
FO-350626	6/21/2016	6/21/2016		2ND AND 3RD FL TOO HOT
FO-350688	6/22/2016	6/22/2016		RM 100 SECRETARIAL AREA & ALSO DIAN'S OFC IS EXTREMELY HOT
FO-350760	6/23/2016	6/23/2016		RM 3900 POWER WENT OUT PLEASE RESET BREAKER
FO-350767	6/23/2016	6/23/2016		NO POWER IN WALL OUTLETS. ROOM 3900.
FO-350940	6/24/2016	6/24/2016		STE 4100 TOO COLD
FO-351023	6/27/2016			2ND FLR IS TOO HOT
FO-351027	6/27/2016	6/27/2016		NO POWER IN ROOM 2818.
FO-351026	6/27/2016			2ND FLR ALSO CK SEWAGE SMELL
FO-351029	6/27/2016	6/27/2016		DOOR ALARM.
FO-351196	6/29/2016			RM 223 NEED BREAKER RESET
E - Preventative Maintenance			41	
FO-349133	6/1/2016	6/1/2016		FAR END OF MECH AREA LOUD BANGING NOISE
FO-349288	6/3/2016	6/4/2016		R/R ENTRY Door 071-08E has broken lower hinge.
FO-349408	6/6/2016	6/7/2016		RM 225 TOO COLD
FO-349413	6/6/2016	6/7/2016		RM 106 TOO COLD, PLEASE LOWER TEMP
FO-349414	6/6/2016			RM 4131 OUTLETS NOT WORKING IN THE BACK OF ROOM PLEASE CHECK ALL OUTLETS
FO-349524	6/7/2016			The fume hood in this lab is very loud. Changing the position of the sash (ie, completely open, completely closed or somewhere in between) does not change the noise level significantly.
FO-349526	6/7/2016	6/7/2016		RM 313 NO AIR
FO-349527	6/7/2016	6/7/2016		HALL OUTSIDE 3148 TOO HOT
FO-349605	6/8/2016	6/9/2016		RM 6400 IS TOO COLD
FO-349607	6/8/2016	6/8/2016		WATER LEAK IN MEDIAN ON ANTHONY WAYNE DRIVE AND FERRY (ON GRASS). PLEASE CONTACT PUBLIC SAFETY. NEAR PARKING STRUCTURE #5.
FO-349608	6/8/2016	6/8/2016		**THIS REPAIR WILL BE DONE BY CITY OF DETROIT JWT
				WATER LEAK IN MEDIAN ON ANTHONY WAYNE DRIVE AND FERRY (ON GRASS). PLEASE CONTACT PUBLIC SAFETY. NEAR PARKING STRUCTURE #5.
FO-349612	6/8/2016	6/9/2016		RM 2177 TOO HOT
FO-349613	6/8/2016	6/8/2016		BLDG AIR NOT COLD, TOO WARM
FO-349614	6/8/2016	6/9/2016		POOL RM 150 POOL LEVEL IS DEPLETING
FO-349615	6/8/2016	6/9/2016		RM 4246 OCCUPANT LOCKED OUT OF RM
FO-349682	6/9/2016	6/9/2016		Office 1326 has a loud rattling noise coming from the ceiling. Sounds like it may be the ducts/tubing for heating and cooling shaking.
FO-349688	6/9/2016	6/10/2016		RM 7526 HAS A HI TEMP ALARM ON WALK IN COLD RM BOX
FO-349689	6/9/2016	6/10/2016		ACTIVE FIRE ALARM
FO-349692	6/9/2016	6/10/2016		Men's bathroom on 2nd floor main stairwell of Purdy Library (number on door is 240). Sink is overflowing in bathroom.
FO-349691	6/9/2016	6/10/2016		ALARM PANEL IN ALARM
FO-349757	6/10/2016	6/11/2016		TOILET CONTINUOUSLY FLUSHING. 7TH FLOOR WOMEN'S RESTROOM. ROOM 7206.
FO-349853	6/13/2016	6/14/2016		2ND FLR BRIDGE FIRE DOOR LEADING FROM OFCS' TO MAIN BLDG IS IN ALARM
FO-349961	6/14/2016	6/15/2016		FIRE TROUBLE ALARM.

WO	Recieved	Finished	Total	Request
FO-350028	6/15/2016	6/15/2016		BLDG HAS NO AIR PLEASE CHECK TEMP TOO HOT
FO-350119	6/16/2016	6/16/2016		RM 150 TOO HOT, NO AIR FLOW
FO-350125	6/16/2016	6/16/2016		FIRE TROUBLE ALARM.
FO-350128	6/16/2016	6/17/2016		RM 313 HAS A CLNG LEAK
FO-350201	6/17/2016	6/18/2016		RM 121 IS TOO COLD
FO-350202	6/17/2016	6/18/2016		RM 131 IS TOO COLD
FO-350282	6/20/2016	6/21/2016		RM 6238 HIGH TEMP ALARM
FO-350640	6/21/2016	6/22/2016		8TH FL OUTSIDE 8306 ACTIVE CEILING LEAK
FO-350642	6/21/2016	6/22/2016		FAUCET LEAK. ROOM 7215.
FO-350643	6/21/2016	6/22/2016		VACUUM PUMP IS NOT WORKING
FO-350644	6/21/2016	6/22/2016		Air conditioning unit not working.
FO-350727	6/22/2016	6/23/2016		RM 124 IS TOO COLD
FO-350732	6/22/2016	6/23/2016		Lights on Kresge 2nd floor do not turn off.
FO-350728	6/22/2016	6/23/2016		RM 125 IS TOO COLD
FO-350832	6/23/2016	7/1/2016		RAF #2 FAN ALARM
FO-350833	6/23/2016	6/23/2016		RM 1200 IS TOO COLD
FO-350963	6/24/2016	7/1/2016		FIRE TROUBLE ALARM
FO-351164	6/28/2016			CEILING LEAK. ROOM 4012.
E - South			34	
FO-349018	6/1/2016	6/1/2016		FIRE TROUBLE ALARM.
FO-349104	6/1/2016	6/3/2016		NOISE IN CEILING. ROOM 461.
FO-349161	6/2/2016	6/2/2016		FIRE TROUBLE ALARM
FO-349275	6/3/2016	6/10/2016		RM 1336 ACU STOPPED WRKNG TOO HOT
FO-349314	6/6/2016	6/6/2016		LOW FUEL IN GENERATOR ALARM.
FO-349334	6/6/2016	6/6/2016		453,455,461 LOUD SCREECHING NOISE FROM VENTS
FO-349373	6/6/2016	6/6/2016		POWER FAIL ALARM *NOTE APPRO. 12:45PM THERE WAS A PWR BUMP*
FO-349374	6/6/2016	6/6/2016		POWER FAIL ALARM AND FIRE TROUBLE ALARM*NOTE APPRO. 12:45PM THERE WAS A PWR BUMP*
FO-349378	6/6/2016	6/21/2016		FIRE TROUBLE ALARM *NOTE APPRO. 12:45PM THERE WAS A PWR BUMP*
FO-349383	6/6/2016	6/6/2016		POWER FAIL ALARM (AGAIN W/RESET) *NOTE APPRO. 12:45PM THERE WAS A PWR BUMP*
FO-349384	6/6/2016	6/6/2016		FIRE TROUBLE ALARM (AGAIN W/RESET) *NOTE APPRO. 12:45PM THERE WAS A PWR BUMP*
FO-349389	6/6/2016	6/6/2016		POWER BUMP APPR 1:45 CAUSING FIRE ALARM
FO-349390	6/6/2016	6/6/2016		POWER BUMP APPR 1:45 CAUSING FIRE ALARM
FO-349396	6/6/2016	6/7/2016		BSMT AREA RMS 4, 15, 19, 21, 23, 25, & 27 ARE TOO COLD
FO-349497	6/7/2016	6/8/2016		Hoods are not working and alarm is going off
FO-349499	6/7/2016	6/8/2016		Steam pipes are banging non stop....
FO-349564	6/8/2016	6/10/2016		RM 00010 IS TOO HOT
FO-349579	6/8/2016	6/9/2016		RM 411 TOO HOT
FO-349580	6/8/2016	6/9/2016		RM 208 TOO HOT
FO-349592	6/8/2016			FIRE TROUBLE ALARM.
FO-349638	6/9/2016	6/9/2016		FIRE TROUBLE ALARM
FO-349659	6/9/2016	6/9/2016		ALARM SOUNDING. 1ST FLOOR RECEPTION AREA DUE TO POWER BUMP.
FO-349663	6/9/2016	6/9/2016		1ST FLR NEAR RM 1131 EMERGENCY RESPONSE RM IS IN ALARM
FO-349944	6/14/2016	6/15/2016		RM 1177/CONF RM HAS CLNG LEAK NEAR THE CLNG PROJECTOR SOUTH WALL CTR OF RM
FO-350081	6/16/2016	6/16/2016		TOO WARM AND HUMID. ROOM 4155.

WO	Recieved	Finished	Total	Request
FO-350097	6/16/2016	6/20/2016		RM 4167 TOO COLD
FO-350111	6/16/2016	6/16/2016		LAB 60 TOO COLD
FO-350171	6/17/2016	6/17/2016		RM 226.2 IS TOO HOT
FO-350193	6/17/2016	6/17/2016		NO AIR. 2ND FLOOR.
FO-350621	6/21/2016	6/21/2016		ALARM SOUNDING ON THE 1ST FLOOR (RECEPTION AREA).
FO-350665	6/22/2016	6/22/2016		RM 1600 & 1629 TOO HOT
FO-350696	6/22/2016	6/23/2016		1ST FLR HALLWAY OUTSIDE OF STE 1670 WIRES ARE HANGING DOWN FROM CLNG
FO-350858	6/24/2016	6/24/2016		RM 211 TOO COLD, PLEASE ADJUST TEMP ASAP RM WILL BE OCCUPIED ALL DAY AND STUDENTS WITH ASTHMA CANT TAKE THE COLD
FO-351150	6/28/2016	6/28/2016		RM 2156 IS TOO COLD
E - Southeast			32	
FO-349194	6/2/2016	6/2/2016		2ND FLR NEAR RM 2220 WOMENS RR HAS A STRANGE NOISE COMING FROM IT
FO-349269	6/3/2016			NO DOMESTIC HOT WATER
FO-349339	6/6/2016			FIRE TROUBLE ALARM.
FO-349365	6/6/2016			RM 12208.2 IS TOO HOT
FO-349474	6/7/2016	6/7/2016		FIRE TROUBLE ALARM
FO-349533	6/8/2016			BLDG FAP FIRE TROUBLE ALARM
FO-349593	6/8/2016	6/13/2016		LOWER LEVEL AND 1ST FL LOUD MOVING NOISES PLEASE UPDATE PROFESSOR WHITMAN
FO-349700	6/10/2016			BLDG FIRE TROUBLE ALARM
FO-349723	6/10/2016			RM 6230.01 NEED BREAKER RESET
FO-349724	6/10/2016			RM 6230.02 NEED BREAKER RESET
FO-349829	6/13/2016			RM 50000 IS EXTREMELY COLD
FO-349830	6/13/2016			RM 50002 IS EXTREMELY COLD
FO-349903	6/14/2016			FAP FIRE TROUBLE ALARM ACTIVE AGAIN
FO-349920	6/14/2016			RM 6400 IS TOO COLD
FO-350007	6/15/2016	6/15/2016		FIRE PANEL BEEPING TROUBLE ALARM
FO-350045	6/16/2016			BLDG FAP FIRE TROUBLE ALARM ACTIVE
FO-350087	6/16/2016			FIRE TROUBLE ALARM
FO-350255	6/20/2016			RM 4108 NO AC TOO HOT
FO-350269	6/20/2016			SMOKY SMELL IN ROOM 207, BASEMENT AND THROUGHOUT BUILDING.
FO-350601	6/21/2016	6/21/2016		BSMNT BOILER NOT PULLING WATER
FO-350720	6/22/2016			8203.2 & 8001 TOO COLD
FO-350721	6/22/2016			8201 TOO HOT
FO-350744	6/23/2016			6201 CONF RM B TOO HOT, HEAT IS ON PLEASE ADJUST TEMP
FO-350752	6/23/2016			RM 6203 IS TOO HOT
FO-350787	6/23/2016			RM 2217 IS TOO COLD
FO-351006	6/27/2016	6/27/2016		1ST FLR VESTIBULE IS EXTREMELY HOT
FO-351047	6/27/2016			RM 8405.5 IS TOO HOT
FO-351058	6/27/2016			FAP FIRE TROUBLE ALARM
FO-351071	6/27/2016			ELEC R/R BLDG RE-ISSUING REQUEST AGAIN TODAY (SPOKE W/PAUL P) FAP FIRE TROUBLE ALARM COMES IN W/RESET & THEN REPEATS CONT ****SEE RESULTS****
FO-351101	6/28/2016			FIRE TROUBLE ALARM.
FO-351127	6/28/2016			FIRE TROUBLE ALARM.
FO-351140	6/28/2016			FIRE TROUBLE ALARM.
E - West			13	
FO-349158	6/2/2016	6/3/2016		POOL LEVEL TOO LOW

WO	Recieved	Finished	Total	Request
FO-349660	6/9/2016	6/10/2016		FIRE TROUBLE ALARM DUE TO POWER BUMP.
FO-350102	6/16/2016	6/17/2016		RM 358 TOO COLD
FO-350273	6/20/2016	6/22/2016		RM 1300 THERMOSTAT NOT WORKING
FO-350624	6/21/2016	6/22/2016		RM 328 & 358 TOO COLD
FO-350795	6/23/2016	6/24/2016		RM 328 IS TOO COLD APPR 66degrees
FO-350797	6/23/2016	6/24/2016		RM 358 IS TOO COLD APPR 64degrees
FO-350802	6/23/2016	6/24/2016		RM 368 IS TOO COLD APPR 66degrees
FO-350803	6/23/2016	6/24/2016		RM 368 IS TOO COLD APPR 66degrees
FO-350982	6/27/2016	6/28/2016		RM 100/LECT HALL T-STAT AGAINST WALL IS MAKING A BEEPING NOISE
FO-350994	6/27/2016	6/21/2016		RM 358 IS EXTREMELY COLO
FO-351031	6/27/2016	6/28/2016		TOO HOT. ITALIAN ROOM.
FO-351224	6/29/2016			RM 00025 CLNG TILES ARE DAMP & MISSING PLS CK FOR LEAK
Medium			122	
E - Auxiliary			13	
H-58762	6/1/2016			The higher urinal is not flushing.authenticated user: Andrew Moore - fh0457requester ip address: 141.217.23.176
H-58724	6/5/2016	6/8/2016		Resident just moved into room from another room. The tap in the kitchen sink is leaking. authenticated user: Vivien Okechukwu - fh2758 requester ip address: 141.217.23.173
H-58806	6/8/2016	6/9/2016		Air not blowing cold air like it normally does, air is coming out semi warm. authenticated user: Tyffany Smith - fl9947 requester ip address: 107.77.195.49
H-58809	6/8/2016	6/9/2016	6/9/2016	bathroom light not working - ballast issue, bulb was already replaced. 607 Atchison
H-58897	6/16/2016			The hot water from the shower is not working.authenticated user: Nicole Fry - eq0918requester ip address: 141.217.23.177
H-58940	6/16/2016	6/20/2016		Garbage disposal not working authenticated user: Ni'Esha Wright - fh3756 requester ip address: 141.217.23.173
H-58947	6/20/2016			FRONT DESK: outlet damaged at Chats front deesk near fire alarm panel. authenticated user: Michelle Talukder - ev6408requester ip address: 141.217.23.173
H-59001	6/22/2016	6/30/2016		the switch for the kitchen sink garbage disposal is not working. Attention needed at the earliest. authenticated user: Madhura Nandakumar - fr9003 requester ip address: 35.16.238.49
H-59003	6/22/2016	6/30/2016		Our garbage disposal in the sink has not worked since we moved in. Please fix it! authenticated user: Claire Wixson - fw3554 requester ip address: 35.16.11.72
H-59000	6/23/2016	6/24/2016	6/24/2016	flush on toilet pressure is low - 332 Ghafari
H-59030	6/27/2016			needs new shower headauthenticated user: Devan Keys - fv3230requester ip address: 141.217.23.176
H-59093	6/27/2016			Air conditioner not working authenticated user: Jamone Lewis - em8190requester ip address: 141.217.23.176
H-59104	6/28/2016			A/C in 532 is not working - Ghafari
E - Command Center			20	
FO-349145	6/2/2016	6/2/2016		BAS- the point AH4SF is going in and out of failure. please repair
FO-349170	6/2/2016		6/7/2016	Controls- R/R RM 00195/MECH BLR RM please disconnect burner linkages on #1 boiler. Medium Priority
FO-349172	6/2/2016		6/8/2016	Controls- R/R RM 00195/MECH BLR RM please disconnect burner linkages on #2 boiler. Medium Priority
FO-349335	6/6/2016	6/9/2016		Trade: COMMAND/CENTER SIEMENS Priority: Medium Follow Up to FO 349314 R/R Emergency generator low fuel (80%) alarm is on. BAS indicates 763 gas. Float gauge indicates 7/8-of tank. Tank was recently filled. Please check operations and calibrate

WO	Recieved	Finished	Total	Request
FO-349534	6/8/2016			Controls Crew- R/R RM 6400 Please replace wall sensor for Heat Pump 1-75 within suite 6400. Siemens RS 540-680FA---Desert Beige
FO-349558	6/8/2016	6/16/2016		Wall A/C unit is leaking on computer equipment. Drain is plugged again. Please investigate & correct. May possibly need a small condensate pump piped to a drain.
FO-349601	6/8/2016			Boiler #2 does not start-up properly. See Greg Ray for details.
FO-349603	6/8/2016	6/14/2016		Repair/replace Honeywell gas valve body. Leaks by. Valve body # V5055/V5097 Needed to clear CSD-1 test.
FO-349628	6/9/2016	6/10/2016		BAS Control Med. Priority R/R RM 00027/MECH RM Please check Siemens program for chiller auto start/stop temp. It appears that the chiller is being stopped by an alarm of low evaporator flow. All pumps are in auto but off at start of shift.
FO-349693	6/10/2016	6/15/2016		Controls- medium priority R/R RM 00247/DLAR Please set up a trend data chart for room 247 (dog room) at the elliman. DLAR has some concerns about temperatures overnight and we need accurate data to figure out what may be going on. Also please train
FO-349730	6/10/2016			Please provide and install air station (i.e. regulator and air dryer) for cooling tower condenser water 3W control valve. Please see Marc Cracchiolo to determine location and Rich Hosking for details regarding actuator supply air requirements. Refer
FO-349767	6/11/2016			Controls- med priority- Hot call room 8314- VB8003 shows in cooling mode with dampers at full cooling (0%) but discharge temp is full heating. Please diagnose and repair. Check on VB 8002 and VB 8001 for correct operation. Also checking loss of
FO-349918	6/14/2016			Trade: Controls Priority: Medium R/R RM 4505/MECH RM The automatic blow down valve is leaking by on the air compressor storage tank, also the strainer before the blow down is also leaking, please repair or replace. This is located in the EDC penthouse me
FO-350225	6/20/2016	6/21/2016		Trade: Controls/Siemens Priority: Medium Lab 3546 is hot, space temp set point is 72 and room is 80, also the general exhaust is not meeting set point which is 976CFM and the actual is 204CFM, please troubleshoot and repair.
FO-350564	6/21/2016			Repair air conditioning unit serving 306, Shapiro. Unit is not cooling. Condenser located at roof door.
FO-350658	6/22/2016			Controls- med priority- repair/replace malfunctioning fire-eye on boiler number1.
FO-350701	6/22/2016	6/24/2016		Controls (Med High) R/R RM 00124/MECH RM Some rooms in the building are cold. Please set up the heat exchangers and hydronic pumps to run 24/7 at 120F. They are currently off line at OAT of 60F making the reheats inoperable. I have Honeywell system wi
FO-350840	6/24/2016	6/24/2016		Check AHU-2 high static pressure switch.
FO-350974	6/27/2016	6/28/2016		Trade: Controls/Siemens Priority: Medium R/R RM 3542/EDC lab 3542 the heating valve is not opening on the vav box for this room, also the volume difference reading is bouncing around rapidly from a negative number (-100cfm) to a positive number (300cfm).
FO-351154	6/28/2016			Repair spot cooler unit #4 located in grounds storage.
E - MedPharm			26	
FO-349033	6/1/2016			TOO COLD. ROOM 3430.
FO-349250	6/3/2016			RM 7119 PLEASE CHANGE FILTER
FO-349367	6/6/2016	6/25/2016		TOO COLD. ROOMS 4356 & 4360.
FO-349581	6/8/2016	6/9/2016		Room under positive pressure, Needs to be negative
FO-349713	6/10/2016			TOO WARM. 1ST FLOOR.
FO-349719	6/10/2016	6/25/2016		TOO HOT. ROOM 9312.

WO	Recieved	Finished	Total	Request
FO-349721	6/10/2016	6/25/2016		TOO HOT. ROOM 8333.
FO-349745	6/10/2016	6/10/2016		TOO COLD. ROOM 154.
FO-349780	6/13/2016	6/25/2016		TOO HOT. 8TH FLOOR.
FO-349793	6/13/2016			TOO HOT. ROOM 2213.
FO-349811	6/13/2016	6/25/2016		TOO HOT. ROOM 8319.
FO-349847	6/13/2016	6/25/2016		TOO HOT. ROOM 8333.
FO-349850	6/13/2016	6/25/2016		TOO HOT. ROOMS 9312 AND 9320.
FO-349907	6/14/2016	6/25/2016		TOO HOT. ROOM 200.15.
FO-349909	6/14/2016	6/25/2016		TOO HOT. ROOM 8314.
FO-349922	6/14/2016	6/14/2016		TOO COLD. ROOM 2128.
FO-349990	6/15/2016			TOO COLD. ROOM 2128.
FO-350004	6/15/2016	6/25/2016		TOO HOT. ROOM 5263.
FO-350075	6/16/2016			TOO HOT. ROOMS 5455, 5447 & 5451.
FO-350085	6/16/2016			RM 5263 IS STILL TOO HOT
FO-350234	6/20/2016			TOO HOT. ROOM 1548.
FO-350240	6/20/2016			TOO WARM. 1ST FLOOR INCLUDING ROOM 1130.
FO-350247	6/20/2016	6/25/2016		TOO HOT. ROOM 1239 AND 1241.
FO-350268	6/20/2016			TOO HOT. ROOM 3250.
FO-350762	6/23/2016			Can the air in the Admissions Office be turned down? It's pretty cold throughout the whole office.
FO-351137	6/28/2016			TOO HOT. ROOM 2121.
E - North			8	
FO-349045	6/1/2016	6/1/2016		TOO COLD. BUILDING.
FO-349351	6/6/2016	6/6/2016		TOO HOT. ROOM 100.
FO-349487	6/7/2016	6/7/2016		It's very cold in this area. Please adjust the temperature. Thank you.
FO-349557	6/8/2016	6/8/2016		TOO COLD. ROOM 106.
FO-349921	6/14/2016	6/14/2016		TOO COLD. ROOM 3054 AND 3RD FLOOR HALLWAY.
FO-349974	6/15/2016	6/17/2016		Temperature needs to be adjusted in that office. Occupant is saying it is too cold. Thank you.
FO-350581	6/21/2016	6/21/2016		Room 150 staff are cold. AC is constantly running.
FO-350660	6/22/2016	6/22/2016		A/C IS NOT WORKING. BUILDING.
E - Northeast			8	
FO-349257	6/3/2016	6/3/2016		Our building is extremely cold today. Please warm it up.
FO-349324	6/6/2016	6/6/2016		NO AIR CIRCULATION IN SUITE 3660 AND 3RD FLOOR HALLWAY.
FO-349542	6/8/2016	6/8/2016		TOO HOT. CONFERENCE ROOM #3.
FO-350250	6/20/2016	6/20/2016		TOO HOT. 3RD FLOOR.
FO-350578	6/21/2016	6/21/2016		TOO WARM. ROOM 113.
FO-350591	6/21/2016	6/21/2016		TOO WARM. ROOM 187.
FO-350852	6/24/2016	6/24/2016		TOO COLD. ROOM 033.
FO-350853	6/24/2016			SEWAR SMELL IN THE AREA OF ROOM 033.
E - Preventative Maintenance			10	
FO-349125	6/1/2016	6/1/2016		TOO HOT. ROOM 341 & 351.
FO-349415	6/6/2016	6/6/2016		AC unit in room 201 made a loud noise and stopped working. Staff was able to restart the machine after several minutes. Please investigate.
FO-349520	6/7/2016	6/8/2016		This room is very cold. The temperature in the associated lab space (room 233) is ok.
FO-349521	6/7/2016	6/8/2016		The Fume hood in lab 316 did not pass the OEHS testing. Please take a look.

WO	Recieved	Finished	Total	Request
FO-349756	6/10/2016	6/11/2016		TOO HOT. ROOM 8314.
FO-350126	6/16/2016	6/17/2016		HVAC/Air Conditioning in room 431 has not functioned for several weeks.
FO-350283	6/20/2016	7/1/2016		TOO COLD. ROOM 358.
FO-350286	6/20/2016	6/20/2016		2ND FL NORTH SIDE AND ALSO 421 & 441 TOO HOT
FO-351072	6/27/2016	6/28/2016		TOO HOT. ROOM 221.
FO-351235	6/29/2016	7/1/2016		COLD ROOM 5339 IS TOO WARM AND OUTSIDE IN THE LAB. IS TOO COLD.
E - South			14	
FO-349359	6/6/2016	6/7/2016		TOO COLD. ROOMS 300 AND 226.
FO-349467	6/7/2016	6/9/2016		TOO HOT. ROOM 411.
FO-349486	6/7/2016	6/7/2016		RM 225 TOO COLD
FO-349546	6/8/2016	6/13/2016		LOUD NOISE COMING FROM VENT. ROOM 453.
FO-349633	6/9/2016	6/9/2016		TOO WARM. BUILDING.
FO-349731	6/10/2016	6/21/2016		TOO WARM. BUILDING.
FO-349803	6/13/2016	6/13/2016		TOO HOT. ROOM 111.
FO-349814	6/13/2016	6/13/2016		TOO HOT. ROOM 311.
FO-349842	6/13/2016	6/15/2016		TOO COLD. ROOM 5131.
FO-349983	6/15/2016	6/15/2016		TOO HOT. ROOM 431.
FO-350053	6/16/2016	6/16/2016		TOO COLD. ROOM 243
FO-350054	6/16/2016	6/16/2016		TOO COLD. ROOM 60.
FO-350661	6/22/2016	6/22/2016		TOO HOT. ROOMS 3100 AND 1100.
FO-350761	6/23/2016	6/23/2016		In Lab 2348 we need Rocky to verify for Chuck Manke that the lab has 220 volt single phase power on a newly installed line. Chuck would like Rocky to do a circuit test. They are having instrument problems. Please contact Chuck at 7-3849. He would lik
E - Southeast			13	
FO-349092	6/1/2016			TOO COLD. ROOM 14101.3.
FO-349483	6/7/2016	6/7/2016		Can the air conditioner be turned down a little it is too cold on the 2nd floor. We still want the air on but not up so high.
FO-349509	6/7/2016			TOO COLD. ROOM 6400.
FO-349841	6/13/2016			Room 047 Dr. Rakhlin's lab in the basement is too cold.
FO-349939	6/14/2016	6/23/2016		Rm 310 Freezer Unit unit keeps tripping. Needs to be checked. May be low on refrigerant and need charging.
FO-350252	6/20/2016	6/20/2016		Hello, I am still getting complaints that it is too cold in the Rackham building especially in the basement room 004 which belong to Dr. Hsieh.
FO-350582	6/21/2016			Air is not working properly. Office is too hot.
FO-351014	6/27/2016			TOO COLD. ROOM 4100.
FO-351037	6/27/2016	6/28/2016		A/C IS NOT WORKING. ROOM 2117.
FO-351043	6/27/2016			TOO COLD. ROOM 4226.
FO-351105	6/28/2016			No air. Office is too hot.
FO-351107	6/28/2016			No air. Office is too hot.
FO-351178	6/29/2016	6/30/2016		Trade: BAS Priority: Medium R/R BLDG Please locate Return Fan #2. There is graphic for this fan and fan is in ALARM.
E - West			10	
FO-349572	6/8/2016	6/9/2016		Clean grill on the return air in room 264.
FO-349715	6/10/2016	6/13/2016		We are hosting two weddings over the weekend and the forecast is calling for 90+ degree temperatures. We want to ensure that the cooling system is on for the entire weekend so that the two events are not impacted.
FO-349717	6/10/2016	6/10/2016		TOO COLD. ROOM 137.

WO	Recieved	Finished	Total	Request
FO-349988	6/15/2016	6/15/2016		TOO COLD. ROOMS 385, 368 & 358.
FO-350629	6/21/2016	6/22/2016		PLEASE MEET SPRINKLER COMPANY AT ENGINEERS RM AROUND 2:30 FOR MANOOGAN AND GENERAL LECTURES
FO-350664	6/22/2016	6/23/2016		TOO WARM. ROOM 385.
FO-350685	6/22/2016	6/24/2016		TOO COLD. ROOM 391.
FO-351044	6/27/2016	6/30/2016		NO A/C IN TENNIS BUILDING.
FO-351213	6/29/2016			TOO COLD. ROOM 137.
FO-351214	6/29/2016			No air in office--too hot.
Low			264	
E - Auxiliary			102	
H-58670	6/1/2016	6/2/2016		constant drip in sink in room 233 Ghafari
H-58708	6/1/2016	6/2/2016	6/2/2016	Air conditioning is not working authenticated user: Lydia Shangle - fn9939 requester ip address: 141.217.23.171
H-58711	6/1/2016	6/3/2016	6/3/2016	air conditioning unit is not running cold. authenticated user: Lydia Shangle - fn9939 requester ip address: 141.217.23.171
H-58674	6/1/2016	6/2/2016		bath tub water leaking and water block. window frame damaged authenticated user: Omar Al Balushi - fv2949 requester ip address: 35.16.238.77
H-58695	6/3/2016	6/3/2016		The shower water is either super hot or cold. A person already came and looked at it once and said that they found nothing wrong with it but it has been doing it ever since we moved in. I have talked to different people about it and some say that they thi
H-58717	6/3/2016	6/7/2016	6/7/2016	Desk Assistant on Duty: Housekeeping and maintenance staff stated that room 323 has a light fixture ballast issue and and said this is a task for the engineers. Thanks, Ken Scott Jr. authenticated user: Kenneth Scott - fg6035 requester ip address
H-58718	6/3/2016	6/7/2016	6/7/2016	Desk Staff on Duty: The housing and maintenance staff stated that Lounge 501 has a clogged sink and the garbage disposal is broken. Thanks, Ken Scott Jr. authenticated user: Kenneth Scott - fg6035 requester ip address: 141.217.23.179
H-58709	6/3/2016	6/3/2016	6/3/2016	1015 Air Condition is not working authenticated user: Jamone Lewis - em8190 requester ip address: 141.217.23.171
H-58719	6/3/2016	6/7/2016	6/7/2016	Air conditioning unit needs to be checked and fixed. Not blowing out cool air. authenticated user: Thomas Wolf - fj0736 requester ip address: 141.217.23.179
H-58720	6/5/2016	6/6/2016	6/6/2016	A/C unit down in room lowest setting but is not cold authenticated user: William Alexander - ew0056 requester ip address: 141.217.23.209
H-58722	6/5/2016	6/8/2016		A/C is not working at all authenticated user: Fangchao Liu - fb2398 requester ip address: 35.16.40.115
H-58737	6/5/2016	6/15/2016		Air Conditioning problem authenticated user: Arnab Samanta - fs3005 requester ip address: 35.16.27.107
H-58728	6/5/2016	6/14/2016		ac is not working. no cooling in the room authenticated user: Sri Lakshmi Vengala - fo9759 requester ip address: 35.16.83.144

WO	Recieved	Finished	Total	Request
H-58734	6/6/2016	6/6/2016	6/6/2016	Air conditioner acting weird again, not getting cold in my room. authenticated user: T'Yara McMillan - fv5812 requester ip address: 141.217.23.172
FO-349319	6/6/2016	6/10/2016		ONE OF THE GENERATORS BEHIND THE TWRS IS IN ALARM ALSO SPEWING OUT SOMETHING EVERYWHERE
H-58741	6/6/2016	6/7/2016		Outlets not working, and one sparked.
H-58747	6/6/2016	6/8/2016		Our toilet still have problem after someone come to check this morning. The water in it is still hot water and water keep flowing. authenticated user: Lingxiao Xie - fb1339 requester ip address: 35.16.116.120
H-58755	6/6/2016	6/8/2016	6/8/2016	Air conditioner not work in room or in the public lounges. authenticated user: Jamone Lewis - em8190 requester ip address: 141.217.23.171
H-58756	6/6/2016	6/8/2016	6/8/2016	The air conditioning in the room has not working for the past three days. Thank you. authenticated user: Sarah Hoef - fh1499 requester ip address: 141.217.23.171
H-58754	6/7/2016	6/8/2016		The insinkerator stops running. Please help me fix it as soon as possible. Thank you. authenticated user: Yi-Jung Tu - fj9636 requester ip address: 35.16.30.142
H-58757	6/7/2016	6/8/2016	6/8/2016	Air conditioning system malfunction - room is very hot on the lowest temperature setting - even the 11th floor lounge seems to be very warm. authenticated user: Jaya Pradeep Anichetty Sekhar - fz3405 requester ip address: 141.217.23.172
H-58780	6/7/2016			Problem with flush tank of Bathroom 2, water keeps flowing into the drain.authenticated user: Akash Kurubar - fx3901requester ip address: 35.16.126.111
H-58768	6/7/2016	6/9/2016		Wash basin is not properly cemented with the base..... authenticated user: Sujaswa Joshi - fx1904 requester ip address: 70.88.96.209
H-58766	6/7/2016	6/8/2016		bathtub leak and water blockage again. authenticated user: Omar Al Balushi - fv2949 requester ip address: 35.16.239.231
H-58772	6/7/2016	6/30/2016		Bathroom 1 shower pressure low/ defective shower head authenticated user: Neeraja Purandare - fi7856 requester ip address: 35.16.98.154
H-58790	6/8/2016	6/8/2016	6/8/2016	the air conditioning unit is not working authenticated user: Asia Hightower - ev4173 requester ip address: 141.217.23.172
H-58793	6/8/2016	6/16/2016		toilet of the furthest bathroom not flushing unless handle held down for 30 seconds. authenticated user: Ankita Chatterjee - fc4626 requester ip address: 141.217.220.196
H-58778	6/8/2016	6/20/2016		The kitchen sink faucet is leaking from its base when we open it authenticated user: Saad Alshahrani - fp4858 requester ip address: 141.217.221.250
H-58789	6/8/2016	6/21/2016		Kitchen sink leakage. authenticated user: Abhijay Kane - fq2515 requester ip address: 172.56.10.78
H-58776	6/8/2016			The Ac/Heat unit is not working properly. The cool setting is on but lounge is 82 degrees and does not get colder. authenticated user: Asia Hightower - ev4173requester ip address: 35.16.126.31
H-58767	6/8/2016	6/8/2016		AC IS NOT WORKING authenticated user: Joanna Berry - fa3511 requester ip address: 141.217.23.179
H-58815	6/8/2016	6/13/2016	6/13/2016	in one of the bath tubs, water is getting clogged. Water is not draining properly. authenticated user: Lakshmi Venkata Ramana Narra - fq2161requester ip address: 35.16.98.3
H-58824	6/9/2016	6/16/2016		Bathtub water will not shut off. authenticated user: Tamika Davis - eq2532 requester ip address: 141.217.23.173
H-58817	6/9/2016	6/16/2016		kitchen faucet knob leaks when water is running authenticated user: Angelica Reyna - ag8310 requester ip address: 141.217.23.246

WO	Recieved	Finished	Total	Request
H-58834	6/10/2016	6/16/2016		The water in the toilet nearest the apartment door is constantly running authenticated user: Divya Gupta - fx7822 requester ip address: 35.16.68.83
H-58848	6/10/2016	6/16/2016		The water in the toilet nearest the apartment door is constantly running making a loud noise and the exhaust fan in the bathroom furthest down the hallway has fallen from the ceiling authenticated user: Divya Gupta - fx7822 requester ip address: 35.16.6
H-58828	6/10/2016			A/C not working behind the front desk area - Ghafari
H-58831	6/11/2016	6/13/2016	6/13/2016	Air Conditioner not working authenticated user: Abigail Landskroener - fk9925 requester ip address: 141.217.23.209
H-58844	6/11/2016	6/13/2016		errator in the kitchen sink is not working authenticated user: Sai Pratyooosh Kolli - fl9673 requester ip address: 35.16.17.164
H-58880	6/12/2016	6/17/2016	6/17/2016	A/C is not working, starts to work but then stops working. authenticated user: Chester Fleming - fc0603 requester ip address: 35.16.37.169
H-58832	6/12/2016	6/13/2016	6/13/2016	Air conditioner not blowing cold air authenticated user: Abigail Landskroener - fk9925 requester ip address: 141.217.23.209
H-58833	6/12/2016	6/13/2016	6/13/2016	Kartik Ohawan and Mixit Sheth. The air conditioning is not working authenticated user: Trina Schulz - fv8037 requester ip address: 141.217.23.179
H-58836	6/13/2016	6/22/2016		The toilet in the bathroom near the door has an issue in refilling its water tank. It does so extremely slowly (probably takes something like 30 min-60 min to refill fully) with an annoying hissing sound the entire time. I would appreciate if this could b
H-58853	6/13/2016	6/16/2016		The toilet in the second bathroom is leaking very seriously. The toilet keeps running after I flush it, and it has a big noise, which is annoying. authenticated user: Juan Liu - fj7508 requester ip address: 35.16.67.113
H-58875	6/13/2016	6/17/2016	6/17/2016	ac not blowing out cold air authenticated user: Garrett Sears - fh9529 requester ip address: 35.16.231.169
H-58859	6/13/2016			AC is brokeauthenticated user: Garrett Sears - fh9529requester ip address: 35.16.231.169
H-58888	6/13/2016	6/14/2016		Kitchen sink is clogged and I believe it's due to the garbage disposal being broke. When I use the garbage disposal food comes up on both sides. It's starting to smell. Please repair as soon as possible. authenticated user: Sai Prashanth Kamble - fx3340
H-58884	6/13/2016			Shower is not working.authenticated user: Rheana Allen - fh1699requester ip address: 141.217.23.177
H-58890	6/13/2016	6/16/2016	6/16/2016	The A/C is not working and the window will not stay open. authenticated user: JaNel Stephens-Dantzler - eo2346 requester ip address: 141.217.23.179
H-58904	6/15/2016	6/17/2016	6/17/2016	346 a/c not working authenticated user: Ariel Ferguson - ft9701 requester ip address: 141.217.23.171
H-58923	6/15/2016	6/22/2016		Bathroom sink still leaking. Please fix authenticated user: Scott Baughan - fe0918 requester ip address: 141.217.232.176
H-58910	6/16/2016	6/30/2016		The commode in the first washroom is heavily leaking. Needs to be repaired at an urgent priority. authenticated user: Pratik Digambar Ingle - fx3165 requester ip address: 35.16.67.78
H-58901	6/16/2016	6/17/2016	6/17/2016	No Air Conditioning authenticated user: Lydia Shangle - fn9939 requester ip address: 141.217.23.171
H-58911	6/16/2016			The water in the toilet nearest the door is constantly running making a waterfall like sound. The furthest bathroom's exhaust fan has fallen off from the ceilingauthenticated user: Divya Gupta - fx7822requester ip address: 35.16.227.49
H-58912	6/17/2016			hi, our apt #220, exhaust fan isn't working. the reason may be due to faulty cables. please look into the issue.Thanks.authenticated user: Dinesh Sabavath - fr7118requester ip address: 35.16.123.197

WO	Recieved	Finished	Total	Request
H-58916	6/17/2016	6/20/2016	6/20/2016	The vents are not blowing out cold air when the thermometer is set to colder temperatures. authenticated user: Nicole Fry - eq0918 requester ip address: 141.217.23.177
H-58918	6/17/2016	6/20/2016	6/20/2016	Cold air is not blowing out of the vent when the the thermometer is switched to lower temperatures. authenticated user: Nicole Fry - eq0918 requester ip address: 141.217.23.177
H-58919	6/17/2016	6/17/2016	6/17/2016	ac is not working in room 223. authenticated user: Jazzmine Miley - eq8631 requester ip address: 141.217.23.171
FO-350164	6/17/2016	6/21/2016		Rebuild/reassemble pumps.
H-58920	6/17/2016			Urinal in first floor bathroom is leaking.
H-58933	6/17/2016	6/21/2016	6/21/2016	The air conditioner is not working properly, there is a red light on the device where the temperature is changed. authenticated user: Monserrat Morales - eu6958 requester ip address: 35.16.57.70
H-58930	6/17/2016			Conference guest in ghafari hall has air that is not working properly. ie, hard to sleep. authenticated user: Kila Johnson - fm2387 requester ip address: 141.217.23.177
H-58945	6/18/2016	6/20/2016		Toilet needs shutt off handle authenticated user: Ameer Al Shawk - fo9327 requester ip address: 141.217.23.173
H-58935	6/18/2016	6/21/2016	6/21/2016	Thermostat needs fixing. authenticated user: Mahpara Khan - fh3271 requester ip address: 141.217.23.171
H-58936	6/19/2016	6/21/2016	6/21/2016	Air Condition is not working. Needs maintenance. authenticated user: Sai Jej Kancharla - ft8237 requester ip address: 35.16.236.54
H-58952	6/20/2016	6/22/2016		The water flow from shower header is too little comparing with the one in Deroy 1113. authenticated user: Yu Jing - fk0959 requester ip address: 141.217.203.151
H-58956	6/21/2016	6/22/2016		Air conditioning is not working. Only normal air coming out of the vent. authenticated user: Sai Prashanth Kamble - fx3340 requester ip address: 141.217.23.173
H-58961	6/21/2016	6/22/2016		air conditioner does not work. authenticated user: Boshen Zhang - fc5991 requester ip address: 141.217.232.213
H-58959	6/21/2016	6/21/2016	6/21/2016	319 - Ghafari, toilet barely flushes
H-58960	6/21/2016	6/21/2016	6/21/2016	327 - Ghafari. GFI not working in the bathroom, won't reset.
H-58964	6/22/2016	6/23/2016	6/23/2016	Ghafari Community Director apartment - A/C not getting cold enough
H-58978	6/22/2016	6/23/2016		Garbage disposal in kitchen doesn't work authenticated user: Xiaoce Feng - ex6818 requester ip address: 35.16.8.145
H-58989	6/23/2016	6/23/2016	6/23/2016	Garbage Disposal needs to be checked. authenticated user: Nicole Fry - eq0918 requester ip address: 141.217.23.177
H-58991	6/23/2016	6/24/2016	6/24/2016	There's a leak that needs to be checked. authenticated user: Nicole Fry - eq0918 requester ip address: 141.217.23.177
H-59015	6/24/2016			AC-Compressor not running. The room ranges from 78-80 degrees on any given day. authenticated user: Lydia Shangle - fn9939 requester ip address: 141.217.23.172
H-59014	6/24/2016	6/29/2016	6/29/2016	AC not working. The compressor is not running. The Room stays between 78-80 degrees. authenticated user: Lydia Shangle - fn9939 requester ip address: 141.217.23.172
H-59013	6/24/2016	6/29/2016	6/29/2016	AC is not running. Fix ASAP authenticated user: Lydia Shangle - fn9939 requester ip address: 141.217.23.172
H-59009	6/24/2016	6/29/2016		Force of water coming out shower is very low.its just a bit higher than dripping. authenticated user: Joseph Chettupuzha - fz5204 requester ip address: 141.217.23.175

WO	Recieved	Finished	Total	Request
H-59022	6/24/2016	6/30/2016		Washroom one bulb not working. It happens every time. I assume there must be some connection problem. authenticated user: Parag Ramesh Shahir - fq8160 requester ip address: 129.9.75.197
H-59031	6/24/2016	6/28/2016		According to resident, the drinking fountain in the lobby has rust in the water supply. authenticated user: Peter Dolnicek - eo7549 requester ip address: 141.217.23.173
H-59079	6/24/2016	6/27/2016	6/27/2016	Air conditioning not working authenticated user: Jaya Pradeep Anichetty Sekhar - fz3405 requester ip address: 141.217.23.171
H-59098	6/24/2016			Bathroom shower head is loose authenticated user: Dreana Williams - fi2266requester ip address: 141.217.23.179
H-59032	6/25/2016	6/30/2016		Toilet tank leaks while flush it authenticated user: Ameer Al Shawk - fo9327 requester ip address: 141.217.23.173
H-59033	6/25/2016	6/30/2016		Bathroom flush- the flush does not stop by itself many a times, water wastage. authenticated user: Progga Sen - ei5720 requester ip address: 35.16.99.117
H-59072	6/26/2016	6/29/2016	6/29/2016	Air conditioner not working authenticated user: Jamone Lewis - em8190 requester ip address: 141.217.23.171
H-59062	6/26/2016	6/29/2016		second bathroom plug board is not working authenticated user: Sri Lakshmi Vengala - fo9759 requester ip address: 141.217.59.42
H-59034	6/26/2016	6/28/2016		Tub faucet leaks when toilet is flushed authenticated user: Ahmad Alsendi - fk5222 requester ip address: 35.16.15.77
H-59035	6/26/2016	6/28/2016		Trash disposable in the kitchen sink. authenticated user: Ahmad Alsendi - fk5222 requester ip address: 35.16.15.77
H-59063	6/26/2016			Kitchen sink motor not working.authenticated user: Swapnil Chouknis - fy4968requester ip address: 141.217.220.108
H-59086	6/27/2016	6/29/2016		URGENT REQUEST: Hot water faucet (left) will not shut off completely. The faucet just spins but does nothing, I've had to use a screw driver to manually turn off the water every time. Possibly the threads have been worn off in the faucet knob and it can't
FO-351025	6/27/2016	6/28/2016		PLS CALL FRONT DESK @577-2865 CONTRACTOR NEEDS ASSISTANCE
H-59090	6/27/2016	6/29/2016	6/29/2016	Air Conditioner not working. authenticated user: Jamone Lewis - em8190 requester ip address: 141.217.23.171
H-59091	6/27/2016	6/29/2016	6/29/2016	521 air conditioning unit needs to be tended to. occupants complain that it is not working. authenticated user: Chester Fleming - fc0603 requester ip address: 141.217.23.172
H-59092	6/27/2016	6/30/2016		The bath tub is dripping and the toilet tank is loose. authenticated user: Sai Prashanth Kamble - fx3340 requester ip address: 141.217.23.173
H-59106	6/28/2016	6/30/2016		The toilet tank is not filling up quickly. authenticated user: Sai Prashanth Kamble - fx3340 requester ip address: 141.217.23.173
H-59110	6/28/2016			Doesn't have sink pop upauthenticated user: Thomas Wolf - fj0736requester ip address: 141.217.23.179
H-59120	6/28/2016			Kitchen sink grinder is not working and sink is clogged.authenticated user: Naman Chhaya - ft6817requester ip address: 141.217.221.105
H-59121	6/28/2016			Power outlet not working.2nd bedroom, left wall, 1st outlet from door.authenticated user: Naman Chhaya - ft6817requester ip address: 141.217.221.105
H-59103	6/28/2016			A/C in room 515 does not work - Ghafari
H-59109	6/29/2016			The thermostat in Ahmad's office is completely blank. authenticated user: Amanda Funk - fi7020requester ip address: 141.217.23.171
H-59113	6/29/2016			Dinning room light fixture is broken. authenticated user: Tamika Davis - eq2532requester ip address: 141.217.23.173
H-59123	6/29/2016			The crushers in the sink are not functioning properly.authenticated user: Karthik Sharan Sathiyaseelan - fx0988requester ip address: 76.25.62.67

WO	Recieved	Finished	Total	Request
FO-349085	6/1/2016			saddle valve for humidification will not close off Need to arrange access to space via Jeff Block.
FO-349111	6/1/2016	6/2/2016		Controls R/R RM 00045 inspect no heat room 045
FO-349541	6/8/2016			Controls R/R PENTHOUSE replace fire eye on boiler #2
FO-349675	6/9/2016	6/16/2016		A/C Controls, R/R PENTHOUSE please remove control wiring for outside air damper motors on AHU-1 (for damper replacement next week). Conduit & Control Wiring need to be temporarily removed. Control wiring to UPDATE: Damper Replacement to occur on
FO-349733	6/10/2016	6/10/2016		Controls R/R BSMT inspect pump alarms for chilled water pump #2
FO-349734	6/10/2016	6/10/2016		Controls R/R BSMT inspect pump alarms for chilled water pump #3
FO-349737	6/10/2016	6/10/2016		BAS Section: R/R PENTHOUSE Please adjust sequencing rotation to change weekly for chem cooling towers.
FO-349751	6/10/2016	6/14/2016		A/C Controls, R/R 1ST FLR please replace outdoor air sensor control in Insight. Temperature is reading 10 degrees higher than outside resulting in over cooling the building
FO-349769	6/12/2016	6/21/2016		Trane tech: please check and or repair DX chiller for AHU # 2, compressor keeps tripping, priority high
FO-349919	6/14/2016	6/14/2016		(FO-349500) A/C Controls R/R RM 00108/OFC please troubleshoot VAV box in room 108. Room temp is well below set point and VAV box is calling for heat but cold deck damper is open at 50%.
FO-349932	6/14/2016	6/21/2016		Controls R/R PENTHOUSE investigate repeated trip for AH-1 on high static pressure.
FO-349954	6/14/2016	6/15/2016		R/R ROOF I need controls to look at a possible mislabeling of two exhaust fans on the roof in the INSIGHT system.
FO-349964	6/15/2016			Heat Pump 4-12 Not Working
FO-349965	6/15/2016			Heat Pump 4-13 Not Working
FO-349966	6/15/2016			Heat Pump 4-15 Not Working
FO-350039	6/16/2016	6/17/2016		COMMAND CTR, PLEASE SEQUENCE NORTH COOLING TOWER FAN TO LIMIT ITS STARTS & STOPS, FREQ DRIVE FOR THIS UNIT IS OUT OF SERVICE IT RUNS ACROSS THE LINE ONLY. PRIORITY-HIGH
FO-350082	6/16/2016			BAS: R/R BSMT Please order and install a new PXCM processor for generator field panel. Comm. port is not functioning.
FO-350157	6/17/2016	6/16/2016		Controls, R/R BSMT change primary chilled water pump program. Switch primary pump #2 to run with chiller #2.
FO-350158	6/17/2016	6/16/2016		Controls, R/R BSMT change primary chilled water pump program. Switch primary pump #3 to run with chiller #2. (PLS REFER TO WO FO-350157 ALSO)
FO-350174	6/17/2016			Repair condensing unit #2 is not functioning properly.
FO-350212	6/19/2016	6/20/2016		Please provide RTU and AHU overview on Insight.
FO-350279	6/20/2016			Attention: Carrol Dargen. Please can you send someone over to take a look at PS6 air condition unit it is blowing hot air. Thanks Jack
FO-350562	6/21/2016	6/27/2016		controls- medium priority- Calibrate Sensor on cold box. The outside sensor shows 4 degrees centigrade. Internal thermometer is showing 2.2 degrees. Please see if its possible to increase the time of the alarm, to avoid alarms from opening the door. If we
FO-350609	6/21/2016			BAS section: Please troubleshoot boiler 2 Bacnet field panel connection issues.
FO-350670	6/22/2016	6/30/2016		Heat Pump 1-65 Not Working Compressor not coming on Room 5312.02 / 550

WO	Recieved	Finished	Total	Request
FO-350681	6/22/2016	6/22/2016		Controls, R/R RM 216.20 for room 216.2 set supply air flow for 120 cfm. The air flow in auto is to noisy for the animal experiments.
FO-350771	6/23/2016	6/24/2016		Controls, R/R PENTHOUSE inspect why steam preheat control valves on AH- 4 open 35% in auto while in the cooling mode.
FO-350772	6/23/2016	6/24/2016		Controls, R/R PENTHOUSE inspect why steam preheat control valves on AH- 5 open 35% in auto while in the cooling mode.
FO-350816	6/23/2016			Controls group- R/R RM 00358 having trouble with temp in room 358-when chiller running can't get temp above 66 degrees, several complaints high priority computer room
FO-350844	6/24/2016			Controls R/R BSMT inspect chiller start/stop programing.
FO-351018	6/27/2016			R/R PH please have the controls group check out tower #3 it is out of service.
FO-351181	6/29/2016			R/R RM 00100/MECH RM please have the controls group check float controls on make up tank for tower water supply.
E - MedPharm			19	
FO-349242	6/3/2016	6/3/2016		leak from ceiling
FO-349398	6/6/2016			Very low water pressure in first sink on the right in Dr. Al-Katib's lab. Contact Allison at 577-0971 for further information.
FO-349670	6/9/2016			Engineer/Electricians - Room 2105 circuit breaker 31-33 will not reset. Please look at ASAP due to the fact that breaker runs the UPS unit for highly sensitive equipment. Contact Dr Stemmer in the lab for more information. This has been a problem since th
FO-349698	6/10/2016	6/10/2016		Copper water pipe going to rackwasher in room 451 at Lande needs to be secured. It can move at least a foot just by pushing it with your hand. Afraid it will break.
FO-349768	6/11/2016			very warm, no air flow.
FO-349798	6/13/2016			Bottom Chamber door on right in room 200.04 at Scott Hall has a broken door guide. The door will not stay up because the plastic that the cable attached to broke and needs to be replaced.
FO-349823	6/13/2016			It's pretty chilly in the admissions office today, is it possible to turn the air down a little bit?
FO-350052	6/16/2016	6/16/2016		FILTRATION SYSTEM IS NOT WORKING. ROOM 276.
FO-350115	6/16/2016	6/16/2016		Water leak from ceiling against the wall on left hand side when walking into room.
FO-350264	6/20/2016			Office 1281 (Lisa Keane) is extremely hot.
FO-350566	6/21/2016	6/23/2016		Please check vent again today, still seems to loud in room.
FO-350674	6/22/2016			INVENTOR STOCK WITHDRAWAL FOR PROCEEDURE IN CLEANING EQUIP
FO-350793	6/23/2016			need to identify which elev is having a problem either 1 or 2
FO-350817	6/23/2016			Please adjust the timer on the lights along the sidewalk in front of Elliman. I noticed they are still on at 8:30 - 9:00 am. Timer is located in the Elliman building and normally adjusted by the building engineer. Thank you.
FO-351190	6/29/2016			The spray nozzle of the wet table leaks water when the water is turned on. In room 5420.06 Pre-Op, the oxygen line hook-up is leaking when the line is attached. In room 5420.08 Surgery, the electrical box Isolation XFMR North is blinking "Er 4.5" wi
FO-351198	6/29/2016			RM 00243 HAS LOW TEMP
FO-351200	6/29/2016			RM 00247 HAS LOW TEMP
FO-351201	6/29/2016			RM 00249 HAS LOW TEMP
FO-351212	6/29/2016			FIRE TROUBLE ALARM.
E - Midnight			1	
FO-349752	6/10/2016	6/11/2016		Water is leaking from under the door of the mechanical room that services the flammable storage room.
E - North			20	
FO-349073	6/1/2016	6/1/2016		MEET JEFF BLOCK AT THE JACOB HOUSE AT 11:30.
FO-349176	6/2/2016	6/2/2016		materials open clean and close
FO-349258	6/3/2016	6/3/2016		Granite Fountain up to this date I 25 hours invested in start-up and operation

WO	Recieved	Finished	Total	Request
FO-349280	6/3/2016	6/3/2016		Is it possible to bring in fresh air from outside the building while we are waiting for the fan motor to arrive? The temperature drops at night, so it might help in keep the building a little cooler if we could do this.
FO-349342	6/6/2016	6/6/2016		Please adjust the temperature. It's getting cold in this suite. thank you.
FO-349349	6/6/2016	6/10/2016		This office has no air on. Usually a hissing sound is heard; no sounds at all. Please ask engineer to check this office. thank you.
FO-349397	6/6/2016	6/9/2016		Purdy Library Room 340 - women's restroom located in Stair #1. Yellow/brown water coming from sinks. Thank you.
FO-349671	6/9/2016	6/10/2016		Please adjust temperature in this room. It's a bit chilly in there at this time. Thank you.
FO-349709	6/10/2016	6/10/2016		The sewer smell has returned to the building this morning. contact Nancy Swenskowski, 7-5964 for more info.
FO-349948	6/14/2016	6/14/2016		Schaver bldg 3rd floor, lounge/kitchen, no room#, water damage on wall behind door
FO-350011	6/15/2016	6/27/2016		WOULD LIKE TO SCHEDULE A TIME THURSDAY TO MEET W/AMERICAN SPRINKLER CONTRACTOR JUAN PH #734-564-8813
FO-350071	6/16/2016	6/16/2016		PLEASE CALL SHELLEY CLIFTON AT 7-4086 REGARDING WATER TESTING.
FO-350603	6/21/2016	6/21/2016		PIPE LEAK OUTSIDE BETWEEN THE LAW SCHOOL AND LAW LIBRARY BUILDINGS.
FO-350717	6/22/2016	6/23/2016		Prof. Findlater just showed me the ceiling outside her office door (Room 3237), there's a leak from the ceiling above the blue wall directly in front of her office and the water ran down the full length of the wall, looks red or brown dry now bu
FO-350755	6/23/2016	6/23/2016		Would you please arrange for the thermometer/temperature to be checked in office 227. It feeds the heating or cooling or lack thereof in my officerm 225.
FO-350785	6/23/2016	6/23/2016		This classroom has it's AC set on 72, but it is significantly colder and uncomfortable every day. Today it's currently 65. We will have students in here daily 9-3pm M-F starting next Monday 6/27.
FO-350984	6/27/2016	6/27/2016		PLD SVC TECH JANNEY DAVIS NEEDS ACCESS TO PRIMARY/ELEC RM TO CK ON BRAKER
FO-351063	6/27/2016	6/27/2016		Purdy Library 1st Floor: Office Suite 122 Purdy (Home of Human Resources, Region B). Staff in office suite have reported that area is rather warm. Please adjust the temperature. Thank you.
FO-351153	6/28/2016	6/28/2016		PLD NEED ACCESS TO PRIMARY RM 00011
FO-351207	6/29/2016			mechanical room making a weird loud noise.
E - Northeast			17	
FO-349184	6/2/2016	6/2/2016		No air conditioning on 3rd floor.
FO-349179	6/2/2016	6/16/2016		NEED WATER TURNED ON OUTSIDE FOR COURTYARD AREA (grass has turned brown)
FO-349198	6/2/2016	6/2/2016		BLDG ASSISTANCE W/WATER SAMPLING
FO-349216	6/2/2016	6/6/2016		Warranty Issue Automatic double glass doors on the southwest side of the building have completely stopped working. Currently have to swipe and manually pull/push door open for it to open. Then alarm goes off on door because it thinks the door is still
FO-349228	6/3/2016	6/3/2016		ASSIST & MEET W/WTR SAMPLING PH #319-0146
FO-349229	6/3/2016			ASSIST & MEET W/WTR SAMPLING PH #248-763-4915
FO-349317	6/6/2016	6/6/2016		CALLED SCHINDLER ELEV CO FOR #3/FREIGHT ELEV HAD A BRIEF ENTRAPMENT NOW IT IS STUCK ON 1ST FLR DOORS CLOSED REF #52956898

WO	Recieved	Finished	Total	Request
FO-349325	6/6/2016	6/6/2016		It is way too hot on the fourth floor of AAB. It is currently 78 degrees in Bill's office and 80 degrees in the VP Suite. We have turned the air on max but the blowers are not coming on. On Friday we froze. Please send someone ASAP to resolve the i
FO-349385	6/6/2016	6/13/2016		Multiple lights out on the first floor: Room 1216 Lab area before room 1317 Henry Ford's Area third row first desk Henry Ford's cubicle in front of office 1401
FO-349386	6/6/2016	6/13/2016		Multiple lights out on the 2nd floor: Bench area in front of 2201 Room 2311 Cubicle Open area 2409 D05
FO-349455	6/7/2016	6/7/2016		NEED ACCESS TO ELECTRICAL PANEL.
FO-349926	6/14/2016	6/14/2016		The employee entrance door off of Cass is not securing properly.
FO-349995	6/15/2016	6/15/2016		Building is cold please warm it up. Thanks.
FO-349996	6/15/2016	6/15/2016		None of the thermostats work in the VP suite or offices. One day it's too hot, the next it's too cold. Today its freezing and we cannot adjust the thermostats.
FO-350018	6/15/2016	6/15/2016		HVAC/Air Conditioning in room 431 has not functioned for several weeks.
FO-350869	6/24/2016	6/24/2016		Please check 220 electrical line, in copy room, for malfunction.
FO-351148	6/28/2016	6/28/2016		CONTACT BRUNER RE: WTR SHUT OFF IN BSMT PH #313-505-5010
E - Preventative Maintenance			35	
FO-348318	6/1/2016	6/10/2016		Belt Order: A-86 Qty: 4
FO-348321	6/1/2016	6/9/2016		Belt Order: A-44 Qty: 2
FO-348324	6/1/2016	6/9/2016		Belt Order: 4L520 Qty: 2
FO-348325	6/1/2016	6/9/2016		Belt Order: 4L520 Qty: 2
FO-348327	6/1/2016	6/16/2016		Belt Order: 4L520 Qty: 4
FO-348329	6/1/2016	6/9/2016		Belt Order: EF-3A & EF-3B BX103 Qty: 3
FO-348344	6/1/2016	6/9/2016		Belt Order: EF-4A BX90 Qty: 2
FO-348345	6/1/2016	6/9/2016		Belt Order: EF-4B BX90 Qty: 2
FO-348354	6/1/2016	6/9/2016		Belt Order: EF-1A BX85 Qty: 1

WO	Recieved	Finished	Total	Request
FO-348355	6/1/2016	6/9/2016		Belt Order: Exf Fan - Unlabeled B40 Qty: 2
FO-348359	6/1/2016	6/9/2016		Belt Order: AHU-1 B75 Qty: 2
FO-349074	6/1/2016	6/10/2016		Fume Hood Exhaust Fan Belt Order: A-44 Qty: 2
FO-349129	6/1/2016	6/2/2016		FOOTBALL STADIUM NEED SPIGOT TURNED ON UNDERNEATH STADIUM EAST-NORTH SIDE
FO-349286	6/3/2016	6/3/2016		Is it possible to bring in fresh air from outside the building while we are waiting for the fan motor to arrive? The temperature drops at night, so it might help in keep the building a little cooler if we could do this.
FO-349292	6/3/2016	6/4/2016		R/R Door 071-03N won't latch unless door is pushed in. Door closer probably needs replacement because it allows door to bounce off door stops. Door also scrapes door frame.
FO-349410	6/6/2016	6/7/2016		Front doors of building (Prentis side) - 2 doors won't close properly due to binding with door frames. Please repair. (Pls verify door #s & also make sure doors are secured for tonite)
FO-349683	6/9/2016	6/22/2016		Ceiling leak in hallway outside of room 1321, Old Main. Another ceiling leak in room 1318, Old Main.
FO-349684	6/9/2016	6/16/2016		3L200 Qty: 2
FO-349755	6/10/2016	7/1/2016		Janitors closet 3388 on the 3rd floor won't close.
FO-349852	6/13/2016	6/14/2016		It is extremely cold in the main office. Please send engineer to adjust temperature.
FO-350030	6/15/2016	6/15/2016		There is a puddle of water outside of the first floor women's restroom, which keeps the carpet wet. The custodian seems to think that the faucet on the sink of this room, outside of the Free Legal Aid clinic hallway, is the source of the water leak..
FO-350072	6/16/2016	6/22/2016		C-144 Qty: 4
FO-350073	6/16/2016	6/22/2016		C-136 Qty: 4
FO-350074	6/16/2016	6/22/2016		B-60 Qty: 4
FO-350076	6/16/2016	6/22/2016		4L350 Qty: 2
FO-350077	6/16/2016	6/22/2016		4L750 Qty: 4
FO-350078	6/16/2016	6/22/2016		Ex Fan #10 A-73 Qty: 4
FO-350140	6/17/2016	6/23/2016		BX-116 Qty: 3
FO-350142	6/17/2016	6/23/2016		C-150 Qty: 2
FO-350143	6/17/2016	6/23/2016		B-79 Qty: 2
FO-350641	6/21/2016	6/22/2016		Lab assistants have reported that they are having electrical issues in their lab. Please note, a lab assistant will be in there every day from 9am until.

WO	Recieved	Finished	Total	Request
FO-350848	6/27/2016	6/29/2016		3L340 Qty: 1 4L440 Qty: 1
FO-351159	6/28/2016	7/1/2016		Improper Air Conditioning and its hot till noon.
FO-351160	6/28/2016			The occupants of Rm 410.2 are stating that the room is rather cold. The digital thermostat is set at 74C, but the actual temperature in the room is 66C.
FO-351165	6/28/2016	6/28/2016		FAUCET CONTINUOUSLY RUNNING ROOM 4204. W.O. SENT TO PLUMBERS, OCCUPANT STATES NEED ATTENTION SOONER.
E - South			20	
FO-349195	6/2/2016	6/2/2016		A/C is out in lab 1360. Please have building engineer take a look into this issue.
FO-349196	6/2/2016	6/2/2016		Room 3153 AC is not working. Thank you.
FO-349249	6/3/2016	6/3/2016		DTE NEEDS ACCESS TO BSMT PAD LOCKED AREA (No keys avail for area @ out front desk) 313-300-3422
FO-349311	6/3/2016	6/6/2016		The R.O. water system is putting out ph 4.9 water - Please check R.O tanks. We ran the water for over 20min and it is actually getting worse the longer we let it run.
FO-349330	6/6/2016	6/6/2016		Complaints that there is a strong order that smells like "skunk" in the whole building.
FO-349395	6/6/2016	6/15/2016		Water leak coming from ceiling by room 0242
FO-349647	6/9/2016	6/9/2016		DET BLR TECH NEEDS ACCESS TO BLR RM PH #806-1950
FO-349800	6/13/2016	6/15/2016		Leak from ceiling in front of room 0242
FO-349817	6/13/2016			AC is constantly running so we are too cold in room 150 Art Bldg.
FO-349820	6/13/2016	6/14/2016		A/C is still out in lab 1356. Please have building engineer take a look into this issue.
FO-350214	6/19/2016	6/20/2016		The AC is not working. Ridiculously hot in here! Please fix it ASAP!
FO-350599	6/21/2016	6/21/2016		Temps in lab were @ 96 degrees last night. Request came in after hours and I am not sure if they are still having the issue.
FO-350676	6/22/2016	6/23/2016		It is probably 60 degrees in this room and all of us are miserably cold. We have to be in here until noon - is it possible to get some temperature adjustment? Thanks.
FO-350864	6/24/2016	6/28/2016		Steam lines to cabinet washer are cold, machine wont reach temp. Rack washer has steam. Pressure at gauge is normal. Please check/repair.
FO-351007	6/27/2016	6/29/2016		NOT an inactive area. This room is also very hot (> 95°F (see WO FO-350599)). The lab can not easily move to another lab as was suggested in WO FO-350599. They use lasers on large, heavy motion-suppression tables; moving these requires riggers. I
FO-351022	6/27/2016	6/27/2016		Automatic doors on the south-facing entrance, near Cass, are not working (by room 0137)*Need door #*
FO-351048	6/27/2016	6/29/2016		The sash of hood W5 on the right side does not move. This is an undergraduate chemistry teaching lab so priority should be high. Thanks.
FO-351123	6/28/2016	6/29/2016		NEED ACCESS TO CHECK EQUIPMENT IN LIFE SCIENCE BUILDING.
FO-351199	6/29/2016	6/29/2016		Pipes are banging a lot. Very loud and distracting. Could this be addressed? Thanks
FO-351204	6/29/2016	6/29/2016		Pipes are banging a lot. Very loud and distracting. Could this be addressed? Thanks
E - Southeast			12	
FO-349079	6/1/2016	6/2/2016		RM 2155 HAS A TICKING NOISE
FO-349251	6/3/2016			Air Conditioner does not work. Please help to turn on the switch. Thanks!
FO-349674	6/9/2016	6/9/2016		Ceiling leak in hallway outside of room 1321, Old Main. Another ceiling leak in room 1318, Old Main.
FO-349925	6/14/2016			The temp. is very high. There is no air circulating.
FO-350215	6/20/2016	6/20/2016		vent fan in room blowing too loudly
FO-350649	6/21/2016	6/21/2016		There is an issue with the cooling tower and pumped system. The return water temperatures were approaching temperatures that could shut down/damage the heat pumps that are there. This was identified to Design Services by a consultant visiting the site f
FO-350700	6/22/2016			NEED TO VERIFY WHICH ELEV ISN'T WRKING FREIGHT/NORTH PASS WHICH ONE?
FO-350786	6/23/2016	6/23/2016		Air Conditioning is not working.
FO-350813	6/23/2016			Its very warm in the front parlor and in the hall.

WO	Recieved	Finished	Total	Request
FO-351056	6/27/2016	6/28/2016		RM 3372/STUDIO A BALLERINA SHOES ARE STUCK IN THE CLNG LITES/RAFTERS VERY HI CLNG NEED TO CALL TINA WHEN YOU CAN COME IN
FO-351066	6/27/2016	6/28/2016		There is a water leak in the ceiling above the mechanical room 026 TH. The ceiling tile has been removed, but the pool of water with no signage poses a slip and fall hazard. Thank you
FO-351217	6/29/2016			DTE ENERGY NEED ACCESS TO BUILDING. DAVE 313-485-9572.
E - West			6	
FO-349209	6/2/2016	6/6/2016		Ceiling electrical outlet which powers the ceiling projector is not receiving power. Please have electrician service this outlet.
FO-349837	6/13/2016	6/14/2016		Several electrical outlets aren't working in lab area.
FO-350172	6/17/2016			Repair/replace filter on leaking unit in the pool area basement east wall.
FO-350244	6/20/2016	6/22/2016		The entire building is HOT. Thanks
FO-350678	6/22/2016	6/24/2016		Repair AC Unit in Room 153 - Matthaei Tartar Shop. Unit is blowing out warm air. See Bob Ostrowski on questions. Thank You. Note - 2nd request.
FO-351042	6/27/2016	6/28/2016		PLEASE CALL THE SERVICE CENTER AT 577-4315.
Routine			4	
E - Northeast			4	
FO-351143	6/28/2016			Engineer to clean coils on #1 chiller.
FO-351144	6/28/2016			Engineer to clean coils on #2 chiller.
FO-351145	6/28/2016			Engineer to clean coils on #3 chiller.
FO-351146	6/28/2016			Engineer to clean coils on #4 chiller.
Grounds			5	
Medium			1	
G - Physical Grounds			1	
FO-350788	6/23/2016			pls remove / weed whip weeds inside and out side of generator yard and near cooling tower as nesc
Low			4	
G - Physical Grounds			4	
FO-350167	6/17/2016			use vacuum to clean bottom of granite fountain
FO-350198	6/17/2016	6/21/2016		Request for tree trimming on branches hangng over sign on corner of Hancock and Cass Ave near Cass Ave entrance to theatre. Can the branched be trimmed aw3ay from the sign and the awning? Please see Michael in the box office for exact location
FO-350955	6/24/2016			Weeds inside fenced area are 2-3 tall, in front of building. Ned cut down and perhaps sprayed with herbicide.
FO-351011	6/27/2016			Clean carpet in President's apartment. Cost - \$292.00
Trades			697	
Emergency			42	
T - Carpenter			16	
FO-349199	6/2/2016	6/3/2016		**ADDING CARPENTER: Blank off lower coil of AH#1 West with plywood located in mechanical room 10 to force air through top coil. See Engineer John McCowan (313 598-3683)for location and to shut fan down
				Pipe Fitters- Please R/R leaking cooling coil t
FO-349202	6/2/2016	6/3/2016		SOUTH DOORS UNABLE TO OPEN, SECURITY ISSUE (612-02S)
FO-349245	6/3/2016	6/3/2016		EMERGENCY CARP R/R HANDICAP ENT DOOR #089 04E IS STUCK OPEN W/MOTOR GRNDING
FO-349272	6/3/2016	6/3/2016		BOILER RM DOOR# 080-C2N DOOR WONT LOCK

WO	Recieved	Finished	Total	Request
FO-349369	6/6/2016	6/6/2016		EMERGENCY CARP R/R RM 00519/DLAR (Animal Rm) DOOR LOCK KEYS KEEP TURNING/TURING INSIDE CORE WILL NOT OPEN DOOR
FO-349485	6/7/2016	6/7/2016		HANDICAP DOOR #053-13-W IS STUCK OPEN AND WILL NOT CLOSE.
FO-349625	6/9/2016	6/9/2016		Please remove floor grate between dive pool and lap pool, Grout is preventing removal See Don Bear
FO-349658	6/9/2016	6/9/2016		053-18W HANDICAP DOOR STUCK OPEN
FO-349910	6/14/2016			LOADING DOCK DOOR IS STUCK IN THE UP POSITION.
FO-349942	6/14/2016			HANDICAP DOORS WON'T OPEN.
FO-350146	6/17/2016	6/17/2016		KEY STUCK IN DOOR LOCK. ROOM -J-.
FO-350190	6/17/2016	6/17/2016		Please repair the receiving dock door lock. The lock does not work. The door is not locking! Please repair!
FO-350223	6/20/2016			LOADING DOCK DOOR IS BROKEN.
FO-350838	6/24/2016	6/24/2016		KEY STUCK IN DOOR LOCK. ROOM -G-.
FO-351189	6/29/2016	6/29/2016		KEY WON'T GO INTO CYLINDER. 1ST FLOOR KEY OPERATED ELEVATOR.
FO-351223	6/29/2016			EMERGENCY CARP R/R BLDG ENTRANCE DOOR #155 02E IS SLAMMING SHUT PLS ADJUST DOOR CLOSURE
T - Electrician			18	
FO-349227	6/3/2016	6/3/2016		Electrician to meet Trane at Elliman on chiller 1.
FO-349391	6/6/2016	6/7/2016		EMERGENCY ELEC R/R RM 1131 (DAMON KEITH SECTION) DUE TO POWER BUMP APPR 1:45 CAUSING AUTOBLE FIRE ALARM ON FIRE PROTECTION SYS UNABLE TO CLEAR I
FO-349392	6/6/2016			EMERGENCY ELEC R/R 1ST FLR LOBBY (DAMON KEITH SECTION) DUE TO POWER BUMP APPR 1:45 LITES ARE FLASHING WILL NOT STOP
FO-349650	6/9/2016	6/10/2016		EXHAUST FAN #1 NOT RUNNING
FO-349718	6/10/2016	6/10/2016		HALF OF TOASTER CORD IS STUCK IN WALL OUTLET. ROOM 177.
FO-349771	6/13/2016	6/13/2016		CHILLER #1 CONTACTS ARE OPENING. SUB-BASEMENT.
FO-349775	6/13/2016	6/13/2016		NORTH COOLING TOWER FREQUENCY DRIVE TRIPPING OUT. ROOM 0021. SEE ENGINEER.
FO-350035	6/16/2016	6/20/2016		FIRE SYSTEM NOT RESETTNG. 1ST FLOOR. (DUPLICATE WORK ORDER PLEASE CANCEL PER E. OWENS)
FO-350037	6/16/2016	6/20/2016		AC unit in UPS room located in PRIMARY SWITCHGEAR room not cooling. Refrig Crew checking unit. Heat in room is causing smoke detector to trip initiating building fire alarm system. Midnight shift could not reset panel. Pulled a card in the panel.
FO-350194	6/17/2016	6/22/2016		NATIONAL TIME FIRE PANEL IN ALARM. ROOM 1521.
FO-350206	6/18/2016	6/18/2016		Generators running at building, and we can't determine cause.
FO-350595	6/21/2016	6/21/2016		PLEASE CHECK SOUTHEAST NAC5 BATTERY FAULT FIRE SYSTEM. CONTACT ENGINEER.
FO-350610	6/21/2016	6/22/2016		FIRE PANEL IN TROUBLE AND WON'T RESET.
FO-350619	6/21/2016	6/23/2016		COOLING TOWER FAN NOT COMING ON. CONTACT ENGINEER FOR MORE DETAILS.
FO-350859	6/24/2016			EMERGENCY ELEC R/R ROOF COT #1 FAN KEEPING TRIPPING ON OVERLOAD
FO-350938	6/24/2016			Check domestic water heater #1 for power or burned heating elements. Update building Engineer of findings so unit can be valved out while repairs are completed *please update John Towle also
FO-351060	6/27/2016	6/22/2016		Electricians, no lights room 200.9. Please R&R fixtures in room. This job was for 6/22/2016.
FO-351206	6/29/2016	6/29/2016		Laborer, please deliver generator for emergency power at the Farmers Market outside of Reuther Lib. Meet Daryl for location.
T - Pipefitter			2	

WO	Recieved	Finished	Total	Request
FO-349032	6/1/2016	6/1/2016		EMERGENCY PIPE R/R RM 1204 REPLACE BAD 1/2in BALL VLV ON CHILLED WATER LINE ON FAN COIL FOR RM ABOVE (2204?),,,,,,,,,,,,,,,,,,,,,, ME/6-1-16 ,,,,,,,,,,,,,,,,,,,,,,
FO-349316	6/6/2016	6/6/2016		REPLACE NIPPLE ON BOILER FEED LINE. #3 STEAM BOILER. 6TH FLOOR MECHANICAL ROOM.,,,,,,,,,,,,,,,,,,,,,, ME/6-6-16 ,,,,,,,,,,,,,,,,,,,,,,
T - Plumber			6	
FO-349188	6/2/2016	6/2/2016		EMERGENCY PLUM R/R RM 200 INSIDE STE DRINK FOUNTAIN IS STUCK IN ON POSITION & OVERFLOWING CAN'T SHUT OFF ,,,,,,,,,,,,,,,,,,,,,, TT/6-2-16 ,,,,,,,,,,,,,,,,,,,,,,
FO-349908	6/14/2016	6/14/2016		REPAIR HOT WATER SUPPLY LEAK. ANIMAL QUARTERS ROOM 0242.,,,,,,,,,,,,,,,,,,,,,, DB/6-14-16 ,,,,,,,,,,,,,,,,,,,,,,
FO-350632	6/21/2016	6/21/2016		**CONTRACTOR HAD ISOLATED WATER TO VACUUM SYSTEM AND OVER HEATED JWT 6/21 BSMNT 0171B ACTIVE CEILING LEAK ,,,,,,,,,,,,,,,,,,,,,, *DB/JH/6/21.,,,,,,,,,,,,,,,,,,,,,,
FO-350740	6/23/2016	6/23/2016		RM 382 PLUGGED SINK ABOUT TO OVERFLOW ,,,,,,,,,,,,,,,,,,,,,, MM/6/23 ,,,,,,,,,,,,,,,,,,,,,,
FO-350770	6/23/2016	6/28/2016		EMERGENCY PLUM R/R RM 00066/UNISEX RR FLR DRAINS ARE BACKING UP ALSO RESTROOM 80 BACKING UP ,,,,,,,,,,,,,,,,,,,,,, GS/6/23 ,,,,,,,,,,,,,,,,,,,,,,
FO-351009	6/27/2016	6/28/2016		(**) PO REQ DK 6/27 R/R 3" check valve for domestic hot water in mechanical room 100 in Plumbers cage. NO HOT WATER TO 4TH THRU 9TH FLOORS UNTILL REPLACED ,,,,,,,,,,,,,,,,,,,,,, DB/6/27/16 ,,,,,,,,,,,,,,,,,,,,,
High			208	
T - Carpenter			35	
FO-349017	6/1/2016	6/6/2016		Trade: Carpenter Priority: High Doors 1N,2N 29W &30W need door closer adjustment. Pub Safe is getting alarm every night.
FO-349138	6/2/2016	6/3/2016		First floor PUBLIC women's restroom (Purdy), key lock cylinder has fallen out of door. This restroom must be locked up at closing daily. Cylinder is on my desk behind Purdy Circulation.
FO-349187	6/2/2016			HANDICAP BUTTON NOT WORKING ENTRANCE DOOR DOESN'T OPEN WHEN PRESSED
FO-349279	6/3/2016	6/7/2016		**ADDING CARPENTER: Provide access in concrete wall to identify leak coming through wall. See Corey Blair for location RM 1335 ACTIVE CEILING LEAK ,,,,,,,,,,,,,,,,,,,,,, CB/6-3-16 ,,,,,,,,,,,,,,,,,,,,,,
FO-349287	6/3/2016	6/20/2016		R/R ENTRY Door 071-08E has broken lower hinge.
FO-349358	6/6/2016	6/7/2016		Locksmith: Inside room 343 there is and access door to a hallway on the right. Door has no number. This door's lock strike is bent and has a missing strike screw. Please repair. High Priority.
FO-349357	6/6/2016			GARAGE DOOR NOT WORKING
FO-349372	6/6/2016	6/7/2016		**ADDING CARPENTERS: Provide access in block wall 1st floor near pool area. See Troy for detail BSMNT NEAR FILTERS ACTIVE LEAK FROM RISING PIPE ,,,,,,,,,,,,,,,,,,,,,, *TT/JH/6-2-16 ,,,,,,,,,,,,,,,,,,,,,
FO-349462	6/7/2016	6/8/2016		**ADDING CARPENTER: Provide access in 4th floor womens room wall to access pipe repair. See Corey or Marty for location STE 4900 TO THE LEFT OF ELEV ACTIVE LEAK FROM WALL ,,,,,,,,,,,,,,,,,,,,,, ME/6-6-16 ,,,,,,,,,,,,,,,,,,,,,
FO-349506	6/7/2016	6/8/2016		DOOR HANDLE HAS FALLEN OFF. DOOR LEADING TO THE ALUMNI HOUSE.
FO-349518	6/7/2016			MAIN ENTRANCE PLEASE REMOVE EXTERIOR TILE SO PEST CONTROLLER CAN REMOVE WASP NEST
FO-349584	6/8/2016	6/10/2016		R/R 3RD FLR CORRIDOR DOOR NEAR OFC 00351 Core Change Damaged Key #: x171 is not working when you put the key into it and Turn it. The key turns but will not turn enough to unlock door. Note: This is not the Circulation Area, but the door did not have

WO	Recieved	Finished	Total	Request
FO-349596	6/8/2016	6/9/2016		KEY STICKS IN DOOR LOCK CAUSING DOOR NOT TO LOCK. ROOM 2022. FRONT GLASS DOOR.
FO-349770	6/13/2016	6/23/2016		REPAIR CHILLER TOWER FAN. POSSIBLE FUSE. ROOF CARPENTERS: Build a ramp to roll motor over, and scaffold to lift motor from housing.
FO-349818	6/13/2016	6/23/2016		Build scaffold (already on the roof) above Fan Motor for Electricians to remove motor.
FO-350059	6/16/2016	6/17/2016		Trade: Carpenter Priority: High Please relocate metal stud blocking access to the auditorium roll up door mechanism. Stud is located in the ceiling in the entrance to the auditorium lobby. Stud is hindering access and creating a potentially unsafe s
FO-350114	6/16/2016	6/17/2016		Open, and repair the door to the Sump Pumps off the ramp by the gate. Electrician, and Engineer pried the door open with a large screwdriver the first time, but now it seems the lock is engaged, and doo will not budge.
FO-350129	6/16/2016			Carpenters, High, Please seal threshold at Putnam lobby doors, rain water coming into bldg. vestibule area and leeching down thru cement into womens lav below.
FO-350131	6/16/2016	6/17/2016		Carpenter, High, Please repair panic bar on handicap entrance door 096 04E. Panic bar mount on hinge side of door has come undone.
FO-350147	6/17/2016	6/20/2016		HANDICAP DOOR BUTTON IS NOT WORKING. ROOM 418.
FO-350179	6/17/2016	6/20/2016		CARP R/R 2ND FLR W. STRWL (Facing Cass Ave.) REPLACE INSIDE STRWL DOOR KNOB IT FELL OFF MISSING SOMEWHERE INSIDE AN OFC
FO-350635	6/21/2016	6/22/2016		Front door (West side) card reader is not working. Green light comes on but the door opens only once in a while. PER LEON CARLOCK THIS IS A MECHANICAL ISSUE
FO-350630	6/21/2016	6/22/2016		SLIDING DOOR 026-01S DOES NOT SLIDE
FO-350673	6/22/2016	6/23/2016		FRONT DOOR HANDICAP BUTTON NOT WORKING
FO-350774	6/23/2016	6/24/2016		Carpenters to remove scaffolding from 6050 Cass.....MDF room.
FO-350836	6/23/2016	6/24/2016		DOOR 189-07E DOOR LOCK HAS GAP BETWEEN DOOR & LOCK PLEASE ADJUST HINGES. DOOR STAYS IN LOCK POSITION BUT STILL ABLE TO OPEN DOOR SEE MICHAEL FOR MORE DETAILS
FO-350944	6/24/2016	6/27/2016		RM 410 REPLACE CEILING TILES
FO-350948	6/24/2016	6/27/2016		CARP R/R RM 00129 ENTIRE DOOR IS STUCK CLOSED UNABLE TO OPEN KEY WORKS FINE
FO-351004	6/27/2016	6/28/2016		**ADDING CARPENTER: Replace missing ceiling tiles in room 2135 **ADDING ELECTRICIAN: Replace light fixture in room 2135 ASAP so ceiling can be reassembled (**) PO REQ DK 4/8 PLumbers R/R RM 2125 please repair leaking 2 1/2" hot water pipe above
FO-351142	6/28/2016	6/29/2016		Lock is jamming and is hard to turn. Key will go in, but has a problem turning, takes some time to jiggle the lock to get the door open.
FO-351147	6/28/2016			CARP R/R RM 00116/CLASS RM PROJECTION SCREEN WILL NOT RETRACK TO CLOSE POSITION. IT IS NOW IN OPEN POSITION
FO-351192	6/29/2016			R/R BLDG ENTRY Door 499-14N needs door closer work. Officers and custodians report that the door stays ajar intermittently.
FO-351194	6/29/2016			R/R BLDG ENTRANCE Door 499-01N need door closer adjustment. Doors slam shut and intermittently stay ajar after hours.
FO-351195	6/29/2016			R/R BLDG ENTRANCE Door 499-02N need door closer adjustment. Doors slam shut and intermittently stay ajar after hours.
FO-351225	6/29/2016			**ADDING CARPENTERS: replace damaged and missing ceiling tiles in room 313 ASAP Plumbers R/R RM 413 please clear drain in room 413. Priority: High. ,,,,,,,,,,,,,, MM/6/27 ,,,,,,,,,,,,,,

WO	Recieved	Finished	Total	Request
FO-349046	6/1/2016	6/15/2016		**ADDING LABORER: Remove old chill water coils from loading dock and return to Stockroom scrap bin Also clean debris from within AH#3. See Corey for location and debris(**) PO REQ DK 1/6 Pipefitters. High R/R RM 00024/MECH RM Repair piping and
FO-349118	6/1/2016	6/3/2016		RM 1030 LOST power to emergency stop for wall outlets.
FO-349210	6/2/2016			ELECTRICIANS R/R ROOF AREA Exhaust fan #3 motor has bad bearings..please check motor and replace/repair if needed.
FO-349213	6/2/2016	6/6/2016		**ADDING LABORER:FRIDAY 6/3 Transport gas welder from USB to ally of 5057 and return machine when complete. See Jim Hill for detail Repair gate in ally leading to restaurant ,,,,,,,,,,,,,,,,,, JH/6-2-16 ,,,,,,,,,,,,,,,,,
FO-349234	6/3/2016	6/3/2016		Check Transfer Switch to make sure it's in Auto., Engineer is getting an alarm saying it's NOT in Auto.
FO-349344	6/6/2016	6/8/2016		Repair fire trouble in the Gamewell fire panel, reads: "Trouble in Ckt:30. Strobe circuit".
FO-349363	6/6/2016			Electrician R/R RM 2105 please troubleshoot Surge protector,alarming in panel.FO-349329 priority High
FO-349382	6/6/2016	6/10/2016		**ADDING ELECTRICIAN: Friday 5-20-16 please remove light fixture from room 14124 to access plumbing repair *FYI Carpenters will be removing ceil grid also. See Gerry (Plumber) for detail if needed Replace fixture, ceiling has been repaired. (**)
FO-349409	6/6/2016	6/7/2016		Replace batteries in Emergency Lights throughout basement.
FO-349544	6/8/2016	6/8/2016		Electrician R/R 3RD FLR repair coolant leak on north generator on lower roof. Generator is out of service. Priority High.
FO-349566	6/8/2016	6/8/2016		Attend Training for the Recirculating pumps in room 100 @ 12:30PM.
FO-349622	6/9/2016	6/9/2016		ELECTRICIANS, R/R RM 3405 BREAKER TRIPPING FOR LIGHTS, PLEASE REPAIR. PRIORITY-HIGH.
FO-349623	6/9/2016	6/13/2016		ELECTRICIANS, R/R RM 3409 BREAKER TRIPPING FOR LIGHTS, PLEASE REPAIR. PRIORITY-HIGH.
FO-349624	6/9/2016	6/13/2016		ELECTRICIANS, R/R RM 3411 BREAKER TRIPPING FOR LIGHTS, PLEASE REPAIR. PRIORITY-HIGH.
FO-349643	6/9/2016	6/14/2016		ELECTRICIAN R/R 1ST FLR HALLWAY D. J. Keith wing lobby lighting is in auto control, however, the lobby chandelier is staying on past sun up. Please repair. High Priority.
FO-349661	6/9/2016	6/13/2016		Trade: Electrician Priority: High Follow Up To FO 349638 R/R 4TH FLR Fire alarm trouble (4TH FL PAD #8 PENTHOUSE) is causing reoccurring trouble alarms. Please investigate and repair.
FO-349667	6/9/2016	6/16/2016		**ADDING ELECTRICIAN: Friday 5-20-16 please remove light fixture from room 14124 to access plumbing repair *FYI Carpenters will be removing ceil grid also. See Gerry (Plumber) for detail if needed (**) PO REQ DK 4/15 *PRIORITY LOWERED / WORK IN PRO
FO-349672	6/9/2016	6/14/2016		Electricians: R/R 1ST FLR (DUE TO POWER BUMP APPR, 1:30PM) Please repair fire system sensors in pipe chase 1st and 3rd floors. Every time small, medium, or large power bump causes sensors to go into trouble and sound an alarm. High Priority.
FO-349681	6/9/2016	6/10/2016		Electrician R/R RM 00100/MECH RM Please trouble shoot #3 Air Compressor, will not start. priority

WO	Recieved	Finished	Total	Request
FO-349711	6/10/2016	6/10/2016		EMERENCY ELEC R/R BLDG MAIN FIRE PUMP #1 IS STARTING UP & WON'T RESET CAUSING FIRE SYS TO GO INTO TROUBLE
FO-349728	6/10/2016			Electricians R&R light fixtures in Gross anatomy labs basement Scott Hall. New class begins soon. ASAP.
FO-349744	6/10/2016	6/16/2016		**ADD ELECTRICIAN: Disconnect electrical to condensate pump #1 in lethal room. Reconnect when seals are repaired. See Ron Clark Monday Trade: Pipefitter Priority: High Please repair a seal leak from condensate pump #1 that serves AHU 3 (Lethal Room
FO-349758	6/10/2016			Electricians to replace bad breaker on Elliman chiller that just received new panel installed by Trane. Chiller keeps tripping bad breaker once it gets up to 100%. Trane verified chiller is not the issue. Please replace ASAP. Can pay for out of chiller f
FO-349763	6/12/2016	6/13/2016		Repair trouble with fire alarm panel at Chemistry. False alarm on Saturday, cannot be reset.
FO-349772	6/13/2016	6/14/2016		Please check Fire Alarm Panel. Panel will not reset.
FO-349773	6/13/2016			Please check Fire Alarm Panel. Panel will not reset.
FO-349955	6/14/2016	6/15/2016		R/R RM 308 TROUBLESHOOT & REPAIR WHY Ceiling electrical outlet which powers the ceiling projector is not receiving power. PLS NOTE: BLDG ENG HAS CK'D BREAKERS & THEY ARE OKAY INTAKE. Please have electrician service this outlet.
FO-350016	6/15/2016	6/16/2016		R/R STE 4200 R&R BUZZER There is a broken button on the receptionist's control panel that allows her to give access to the president's and provost's locked suites. A piece of the button broke and fell off, and now the receptionist is unable to buzz peop
FO-350038	6/16/2016	6/16/2016		Ground Fault
FO-350101	6/16/2016	6/24/2016		**ADDING ELECTRICIAN: Disconnect old domestic hot water heater in mechanical room below apartment Friday morning. Reconnect new unit after Plumbers install At Alumni/President's Apratment, one of the two electric domestic water heaters is leaking and
FO-350130	6/16/2016	6/29/2016		Electricians, High, Please repair trouble alarm on fire panel that keeps ringing for zone 16.
FO-350162	6/17/2016			ELEC R/R RM 02348/CLASS PLS CK WALL OUTLET W/CIRCUIT TESTER FOR VOLTAGE GIVE RESULTS TO CHARLES MANKE @ ABOVE PH # OR OFC 1105 NEED TO KNOW IF NEWLY INSTALLED OUTLET HAS SUFFICIENT POWER OR IF EQUIP NEEDS REPAIRING
FO-350165	6/17/2016	6/17/2016		Replace Mall Light Pole at entrance to mall off Cass at Reuther Library.
FO-350170	6/17/2016	6/21/2016		Trade: Electricians Priority: High R/R EAST LAWN OUTSIDE Please check alarms on generator #1 (east).
FO-350191	6/17/2016	6/17/2016		LIGHT SWITCH IS STUCK IN THE DOWN POSITION. ROOM 046 BACK OF HALL AND TOP OF LANDING.
FO-350217	6/20/2016	6/20/2016		trade labor priority high please deliver the 55gal drums of halochlor aquqklean and lokor oxykor I need these four thank you
FO-350237	6/20/2016	6/20/2016		Electrician please replace flickering lights over desk.FO-350222 priority high.
FO-350262	6/20/2016			Electricians:Please repair fire panel trouble: "Power supply failure." Was able to silence alarm, but not able to clear or reset the trouble. High Priority.
FO-350579	6/21/2016	6/21/2016		pls assist engineer / contractor with sprinkler sys pipe modifications and alarm silence as nesc
FO-350583	6/21/2016			RM 91 CLOCK NOT WORKING
FO-350653	6/22/2016	6/23/2016		ELECTRICIANS PLEASE REPAIR ELECTRICAL JUNCTION BOX IN LAB 1044, RESEARCH SAYS HE SAW SPARKS COME FROM IT. HIGH PRIORITY
FO-350689	6/22/2016	6/27/2016		80 FARNSWORTH ACTIVE TROUBLE ALARM PER JOE

WO	Recieved	Finished	Total	Request
FO-350734	6/23/2016	6/24/2016		Trade: Electrician Priority: Medium to High Master control for light to "switch off" is not working for 2nd and 3rd floor. Therefore Security cannot turned light off at 2nd and 3rd floor.
FO-350764	6/23/2016			Trade: Electricians Priority: High R/R RM 00100/LAB Please replace the 12 volt back up battery for the auditorium smoke door. Alarm is on and is causing problems in the lobby "classrooms" and the office. Battery is located above the ceiling and the
FO-350768	6/23/2016	6/24/2016		R/R 1ST FLR STRWL #6 Purdy Library Stair #6 Emergency Lights on in landing between 1st & 2nd Floors. Thank you.
FO-350791	6/23/2016	6/24/2016		Electricians, please meet Yuri Danylyuk in lab 0.30 to discuss power options for new equipment hook up. 10 am Friday.
FO-350814	6/23/2016	6/23/2016		Transport piping material from Pipe Shop to Scott Hall mechanical room 100. See Gerry for detail
FO-350815	6/23/2016	6/23/2016		**ADDING LABORER: Please transport new HWH from Stockroom to room 13 mechanical room. Also return old HWH to Stockroom for scrap. See Troy for detail
				At Alumni/President's Apratment, one of the two electric domestic water heaters is leaking and needs
FO-350843	6/24/2016			ELECTRICIANS: R/R PENTHOUSE Please install a temporary 220volt tap in Penthouse. Contractors using cutting tools for AHU#8. HIGH
FO-350842	6/24/2016			Transport material and equipment from Pipe Shop to location at Scott Hall mechanical room 100 and room 2125. Assist Pipefitter on Saturday 6/25 Clear all debris after project is complete. See John Towle for direction
FO-350960	6/24/2016	6/24/2016		Meet Siemens Technician to install card.
FO-350998	6/27/2016	6/27/2016		**ADDING ELECTRICIAN: Replace light fixture in room 2135 ASAP so ceiling can be reassembled (**) PO REQ DK 4/8 PLumbers R/R RM 2125 please repair leaking 2 1/2" hot water pipe above light fixture in MD-LAB 2135. Priority HIGH,light fixture may have
FO-351019	6/27/2016	6/27/2016		Electricians, meet building engr. and provide support at Fire alarm panel. Testing is being done in the restaurant.
FO-351021	6/27/2016			ELEC R/R BLDG RE-ISSUING REQUEST AGAIN TODAY (SPOKE W/PAUL P) FAP FIRE TROUBLE ALARM COMES IN W/RESET & THEN REPEATS CONT ****SEE RESULTS****
FO-351065	6/27/2016	6/22/2016		Time for Paul Prouty to attend IBio power troubles meeting in downstairs conference room. This meeting was 6/22/20156.
FO-351092	6/28/2016	6/28/2016		Laborer, deliver and set up saw horse barricades below south west corner of I Bio Building. Along Cass Ave. tell him to see me and I can show him the location.
FO-351095	6/28/2016	6/29/2016		Electricians, assist Healy with Fire alarm panel support At Sci Hall,5057 Woodward, UGLY, and Eng. Meet Healy in basement Sci Hall Tues & Wed.
FO-351103	6/28/2016	6/29/2016		Trade: Electrician Priority: High R/R RM 3360/CLASS RM Replace blown fuse on disconnect for A/C unit in server room 3360 of the old lab wing.
FO-351108	6/28/2016	6/28/2016		**ADDING LABORER: Assist Plumber with equipment to clear drain in room 413. See Mike McAlinden for detail Plumbers R/R RM 413 please clear drain in room 413. Priority: High. ,,,,,,,,,,,,,, MM/6/27 ,,,,,,,,,,,,,,
FO-351138	6/28/2016	6/28/2016		Lighting crew needs lamps delivered from stockroom to Knapp. Call Sue if needed.
FO-351162	6/28/2016			Trade: Electricians Priority: Med/High R/R RM 00033.20 Please repair or replace the sticking Square D float switch on the Skidmore condensate tank/pump set for AHU-3 located in the receiving room, mechanical room. This is causing #2 pump to run continuo

WO	Recieved	Finished	Total	Request
FO-351182	6/29/2016	6/29/2016		Electricians: R/R 1ST FLR D.J. Keith lobby ceiling down lights are flashing on/off. Please correct. High Priority.
FO-351183	6/29/2016			R/R RM 00100/MECH RM please have electricians check fault alarm on fire alarm panel room 100.
FO-351240	6/29/2016			R/R RM 14200.60/OFC The light sensor located right near the double door entry is not working. Professor has to use flashlight to enter office.
T - Locksmith			10	
FO-349143	6/1/2016	6/3/2016		New Key New Space Assignment Key #: 8BH15 Key Holder ID: Michael Callaghan Qty: 1 action: Please check the coremark to the room number. Key needed ASAP, faculty moving 6/2. Key to be picked up by Med School courier.
FO-349304	6/2/2016	6/7/2016		New Key Damaged Key #: X47 Key Holder ID: Bob Ostrowski for Athletics Qty: 3 action: Please rush keys... Cannot open storage area for I.M. Account #: N/A
FO-349214	6/2/2016	6/3/2016		New Key Lost / Stolen Key #: DV-1, X2230, MT, FPM, 101019-10 Key Holder ID: Jimmey Chandler Qty: 5 action: provide keys to Jimmy Chandler in the past to access Trades shops
FO-349400	6/2/2016	6/7/2016		New Key Lost / Stolen Key #: 6895 Key Holder ID: Chelsea Richardson Qty: 2 action: Vivarium keys for animal housing in Biological sciences
FO-349399	6/3/2016	6/8/2016		New Key New Staff Member Key #: 108039 Core 30AD-8 Key Holder ID: Relief Supervisor and Office Sector 6 set Qty: 2 action: Key for SCB Custodial Supervisor office. Needed today (June 3, 2016) for relief supervision, office access. Addi
FO-349480	6/7/2016	6/9/2016		Desk draw will not open. I do not have a key to unlock it. FR 306 is the lock number

WO	Recieved	Finished	Total	Request
FO-349967	6/14/2016	6/28/2016		<p>New Key Lost / Stolen Key #: 10GM6 Key Holder ID: Therese BouAkl (313)375-7218 Qty: 2</p> <p>action: Keys were cut for wrong coremark. Please cut new keys as soon as possible. To be picked up by med school courier.</p>
FO-350184	6/17/2016	6/23/2016		<p>New Key Lost / Stolen Key #: 202E (Wesko) Key Holder ID: Theresa Y. Hill / Jhonny Jean - Louis Qty: 3</p> <p>action: Urgent/Emergency Request: Please duplicate 3 keys for this request. Contact Theresa Hill if you require additional information!</p>
FO-350715	6/22/2016	6/24/2016		<p>New Key New Staff Member Key #: 65353 Key Holder ID: Anand Jha Qty: 1</p> <p>action: A new faculty member is starting with us today. The person who oversees keys is out and we do not have access to the key cabinets. Account #: 120031</p>
FO-351049	6/27/2016	6/28/2016		<p>New Key Lost / Stolen Key #: BA master Key Holder ID: Kimberly Rize Qty: 2</p> <p>action: The keys to the key cabinets have been misplaced. I sent pictures of the locks to Mike Pines and spoke with him and he said to request a BA master. Acc</p>
T - Pipefitter			32	
FO-349020	6/1/2016	6/2/2016		<p>please have pipefitters remove strainers on ac4 to check for flow. Very hot on 1st floor, it's a high priority issue..... ME/6-1-16</p>
FO-349021	6/1/2016	6/2/2016		<p>please have pipefitters remove strainers on ac6 to check flow. High priority..... ME/6-1-16</p>
FO-349030	6/1/2016	6/3/2016		<p>CEILING LEAK. HALLWAY OUTSIDE OF ROOM 5450.1 **Add drain to catch pan in ceiling JH/6-1-16</p>
FO-349093	6/1/2016	6/3/2016		<p>Please repair leak in fan coil unit in room 3330A/B. JH/6-1-16</p>
FO-349108	6/1/2016			<p>FITTERS R/R ALLEY BTWN MACABEES & 5033 WOODWARD (HSE) RE-WELD SECURITY GATE ITS OFF HINGES. TOP AND BOTTOM AGAIN (NOTE: LAST TRADES..... EA/4-4-16</p>
FO-349212	6/2/2016	6/6/2016		<p>Repair gate in ally leading to restaurant JH/6-2-16</p>
FO-349253	6/3/2016	6/8/2016		<p>(**) PO REQ DK 6/6 Trade: Pipefitter Priority: High Please replace leaking relief valve for the north hydronic system located in the boiler room near boiler #2. JH/6-3-16</p>

WO	Recieved	Finished	Total	Request
FO-349326	6/6/2016	6/8/2016		**REFER TO ROOFING WORK ORDER FO#349851 JWT STE 4900 TO THE LEFT OF ELEV ACTIVE LEAK FROM WALL ME/6-6-16
FO-349355	6/6/2016	6/7/2016		Fitters (High) Repair leaking copper air line on air separator and regulator on wall. Add in bypass line. JH/6-6-16
FO-349406	6/6/2016	6/7/2016		**REFER TO FO#349478 JWT trade pipe fitters priority high R/R RM 00242/DLAR area basement animal quarters 0242 please repair leaking hot water supply pipe has a pin hole leak that's coming out at a fast rate area secured as of now
FO-349458	6/7/2016	6/7/2016		DUPLICATE?REFER TO FO#349406 JWT Water leak coming from ceiling by room 0242
FO-349644	6/9/2016	6/13/2016		Trade: Pipefitter Priority: High Please repair a seal leak from condensate pump #1 that serves AHU 3 (Lethal Room) in Science Hall room 33.2 RC/6-9-16
FO-349801	6/13/2016	6/13/2016		**LEAK FIXED / REFER TO FO#350108 for ceiling repair JWT CEILING LEAK. ROOM 417. ME/6-13-16
FO-349836	6/13/2016	6/13/2016		R/R RM 00048 PIPING LEADING INTO Vav box leaking from ceiling in main office space. ME/6-13-16
FO-349943	6/14/2016			Fitters please check 12" chill water piping above AC-11 for flange leak,or if only condensation.ALSO piping needs new covering.Priority High JH/6-15-16
FO-350019	6/15/2016	6/17/2016		To pipe fitters. Install two 1-1/2" globe valves on blow down lines to each boiler at the blow down tank. Urgent..... JH/6-16-16
FO-350050	6/16/2016	6/17/2016		Fitters, please repair leak in steam coil on AHU-1. Priority: high JH/ 6-16-16
FO-350079	6/16/2016	6/16/2016		Bull Steward to Remove and box all personal belonging from Eric Adams locker and take to Public safety to be held for Eric to retrieve ME/6-16-16
FO-350088	6/16/2016			BSMNT WOMENS RM ACTIVE CEILING LEAK ME/6-16-16
FO-350089	6/16/2016			NEAR RM 241&242 ACTIVE CEILING LEAK WHERE BLDG CONNECTS TO SHIFFMAN ME/6-16-16
FO-350187	6/17/2016			trade pipefitters priority high please service office area 2123 leaking from actuator and piping and has a bad circuit setter can't isolate ME/6-20-16
FO-350253	6/20/2016			Trade: Pipefitter Priority: High Please repair or replace hydronic control valve that serves the rear area of lab 50. The valve is leaking through with full air pressure to the actuator. The valve is located in the sub-basement above the chiller dis
FO-350575	6/21/2016	6/22/2016		Steamfitter please repair broken float on #2 cooling tower,priority HIGH ME/6/21.....
FO-350662	6/22/2016			Trade: Pipefitter Priority: High Please repair leaking condensate pump seal on #1 pump. Pump is locate in fan room #1. RC/6/22
FO-350716	6/22/2016	6/24/2016		R/R RM 410/DLAR PLUMBERS TO CLEAR DRAIN UNDER CHILLED COIL TRAY FOR CLNG ACU ME/6/23
FO-350736	6/23/2016	6/24/2016		R/R RM 03320/MECH RM please have pipe fitters remove strainer on cooling coil on ahu-4 to check for chilled water flow. high priority.....JH/6/23
FO-350837	6/24/2016	6/28/2016		Trade: Plumber Priority: High Room next to R150.1 active ceiling leak. Possibly from Roof conductor or pipe inside the hatch. Please see Mike or Rick if further assistance needed..... CB/6-24
FO-351001	6/27/2016	6/28/2016		CEILING LEAK. ROOM 4324. JH/6/27
FO-351013	6/27/2016			CEILING LEAK. ROOM 415..... ME/6/28

WO	Recieved	Finished	Total	Request
FO-351115	6/28/2016			FITTERS: PLEASE REPAIR MULTIPLE LEAKS ON THE HYDRONIC HOT WATER SYSTEM, BEFORE THE INSULATION IS INSTALLED PRIORITY (HIGH) ME/6/28
FO-351121	6/28/2016	6/28/2016		CEILING LEAK. ROOM 7271..... ME/6/28
FO-351162	6/28/2016			Trade: Electricians Priority: Med/High R/R RM 00033.20 Please repair or replace the sticking Square D float switch on the Skidmore condensate tank/pump set for AHU-3 located in the receiving room, mechanical room. This is causing #2 pump to run continuo
T - Plumber			64	
FO-349095	6/1/2016	6/2/2016		RM 4263 SINK LEAKING AT BOTTOM AND ALSO FAUCET DRIPPING MM/6-1-16
FO-349113	6/1/2016	6/2/2016		PLUMBERS R/R COURTYARD NEED TO GET A FLOW OF SUPPLY WATER TO THE SPIGOTS TT/6-1-16
FO-349114	6/1/2016	6/2/2016		LOW WATER PRESSURE. ROOM 7116. MM/6-1-16
FO-349130	6/1/2016	6/7/2016		R/R 7TH FLR MENS RR (AROUND THE CORNER NEAR RM 7205) URINAL DRAIN ISN'T DRAINING PLUGGED UP GS/6-2-16
FO-349139	6/2/2016	6/2/2016		SOUTH ENTRANCE VERY BAD CEILING LEAK TT/6-2-16
FO-349150	6/2/2016	6/2/2016		1ST FL MENS RM HANDICAP STALL CONTINUOUSLY FLUSHING TT/6-2-16
FO-349159	6/2/2016			BSMNT NEAR FILTERS ACTIVE LEAK FROM RISING PIPE *TT/JH/6-2-16
FO-349226	6/2/2016	6/6/2016		PLUM R/R 1ST FLR WOMENS RR (ONLY ONE) BOTH TOILET STALLS TOILETS AREN'T FLUSHING [Note: you need to press repeatedly for toilets to flush) MM/6-3-16
FO-349263	6/3/2016	6/6/2016		RM 310 SINK PLUGGED MM/6-6-116
FO-349266	6/3/2016	6/7/2016		RM 1335 ACTIVE CEILING LEAK *TT/CB/6-3-16
FO-349403	6/6/2016	6/7/2016		FAUCET CONTINOUSLY RUNNING. 5TH FLOOR LADIES RESTROOM..... MM/6-7-16
FO-349457	6/7/2016	6/7/2016		Plumbers-Please install sink support (mount) under bathroom sink. The trap is the only support at this time. High Priority GS/6-7-16
FO-349478	6/7/2016			trade plumbers priority high please repair leaking compression fitting in basement animal quarters leaking badly DB/6-7-16
FO-349469	6/7/2016	6/7/2016		2ND FL WOMENS RM NEAR 2506, HANDICAP STALL NOT FLUSHING PROPERLY MM/6-7-16
FO-349479	6/7/2016	6/7/2016		Plumbers please repair faucet, low water flow problem.3rd time requesting about this issue.FO349398 priority High MM/6-7-16
FO-349516	6/7/2016	6/8/2016		Sink on the north wall (not near a fume hood) has a low flow for cold water..... MM/6-8-16
FO-349525	6/7/2016	6/8/2016		3rd floor, drinking fountain is backing up with brown water, I did ask the Janitor to wrap with a garbage bag so it doesn't leak all over..... MM/6-8-16
FO-349532	6/8/2016	6/15/2016		PLUM R/R RM 402 REPAIR FAUCET UNABLE TO TURN KNOBS (only sink in locker rm) MM/6-8-16
FO-349560	6/8/2016	6/9/2016		Urinal in men rest room is backing up. MM/6-8-16
FO-349582	6/8/2016	6/9/2016		WOMENS RM 136 FAUCET NOT WORKING MM/6-9-16
FO-349588	6/8/2016	6/9/2016		PLUGGED SINK. 1ST FLOOR CALL ROOM..... MNM/6-9-16
FO-349645	6/9/2016			R/R RM 319/MENS RR both toilets in the men's restroom are broken: one won't flush and the other overflows. TT/6-9-16
FO-349676	6/9/2016	6/13/2016		1ST FL DRINKING FOUNTAIN BACKING UP FROM DRAIN MM/6-9-16
FO-349831	6/13/2016	6/14/2016		Trade: Pipefitter Priority: High R/R RM 4021/MECH RM Please repair leak in the DI line near the DI tanks in the elevator penthouse..... TT/6-13-16

WO	Recieved	Finished	Total	Request
FO-349911	6/14/2016			Plumbers: Med High Priority. Please repair drinking fountain water supply line leak in ceiling above drinking fountain. Leak is coming from the area of water supply line into the refrigeration sys supplying chilled water for fountain. Location: 3rd floo
FO-349913	6/14/2016	6/22/2016		Add shocktrol to water supply for cage washer in basement DLAR DB/6-14-16
FO-349914	6/14/2016	6/15/2016		R/R RM 1163 BREAK RM KITCHEN SINK IS PLUGGED UP TT/6-14-16
FO-349929	6/14/2016	6/15/2016		R/R 1ST FLR WOMENS RR (RM 1144?) NEXT TO RM 1142 1ST STALL THE TOILET FLUSH HANDLE ISN'T WRKNG CAN'T FLUSH TOILET TT/6-15-16
FO-349989	6/15/2016	6/15/2016		6TH FL NO HOT WATER GS/6-15-16
FO-350033	6/15/2016	6/21/2016		Plumbers, High Priority, please repair sloan valve in mens lavatory 1238, water shut off. GS/ 6-16-16
FO-350034	6/15/2016	6/21/2016		Plumbers, High Priority, please repair sloan valve in womens lavatory1234. Water shut off. GS/6-16-16
FO-350041	6/16/2016	6/17/2016		TOILET WON'T FLUSH. 1ST FLOOR LADIES RESTROOM. ROOM 1234. GS/6-16-16
FO-350047	6/16/2016			LAB 3240 CRACKED SINK LEAKING MM/6-16-16 REOPENED 6/30/16 PER DAVID BARNET SINK IS STILL LEAKING MM/6/30
FO-350090	6/16/2016	6/16/2016		2ND FL OUTSIDE WOMENS RM ACTIVE CEILING LEAK TT/6-16-16
FO-350144	6/17/2016			CEILING LEAK. ROOM 2123. TT/ 6-17-16
FO-350155	6/17/2016			trade plumbers priority high please service domestic water heater lochinvar it may have possible tube leak water coming from bottom of tank TT/6-17-16
FO-350178	6/17/2016	6/21/2016		PLUM R/R RM 108/WOMENS RR AS YOU WALK IN STALL TO YOUR (R) TOILET IS CON'T FLUSHING (believe it the sloan vlv) TT/6-20-16
FO-350227	6/20/2016			Clear urinal drain on 1st floor room 1238 MM/6-20-16
FO-350232	6/20/2016	6/22/2016		Plumbers please repair leak at rear of autoclave,steam and water off. Priority HIGH *DB/MM/6-20-16
FO-350265	6/20/2016			WATER FOUNTAIN LEAKING AT BOTTON. WATER ON FLOOR. 1ST FLOOR NORTH SIDE OF BUILDING. GS/6-21-16
FO-350274	6/20/2016	6/21/2016		2ND FL MENS RM TOILET CONTINUOUSLY FLUSHING TT/6-21-16
FO-350569	6/21/2016	6/21/2016		Plumb. High Priority Replace sump pump in room 017. (Down the hall from custodial office). Pump is not working and water starting to overflow. There is power to outlet. MM/6/21
FO-350571	6/21/2016			Plumb. High Priority Pump out loading dock (3rd time this spring) and clean drains. Water 12 ft wide and 12+ inches high. "Loading dock area has a horrible smell and mosquito's are hatching". Construction to begin in basement area and contractors wil
FO-350597	6/21/2016	6/22/2016		MENS RM 7101 URINALS NOT FLUSHING MM 6/21
FO-350607	6/21/2016			(**) PO REQ DK Cold water doesn't seem to be running. GS/6/21
FO-350627	6/21/2016			BSMNT WOMENS RM LAST SINK WONT STOP RUNNING MM/6/22
FO-350712	6/22/2016	6/24/2016		R/R RM 2139/UNISEX RR ONLY TOILET ISN'T FLUSHING PROPERLY MM/6/23
FO-350731	6/22/2016	6/24/2016		Eye wash in inner lab of MD Lab 2228 is spraying erratically. Needs attention. MM/6/23
FO-350730	6/22/2016	6/28/2016		The sink in the women's rest room is clogged; thanks! cnh, TT/6/23
FO-350745	6/23/2016	6/23/2016		PLUMBER R/R RM 286/MENS RR ONLY URINAL IS CON'T FLUSNING GS/6/23
FO-350747	6/23/2016	6/27/2016		WATER FOUNTAIN DRAIN IS PLUGGED. 2ND FLOOR NEAR ROOM 2506. TT/6/23
FO-350992	6/27/2016			PLUM R/R 2ND FLR DRINK FOUNT NEAR JANITORS' CLOSET RM 2506 DRAIN IS PLUGGED ABOUT TO OVERFLOW (Bag over it Custodian tried plunging not working)
FO-350997	6/27/2016	6/28/2016		Plumbers R/R RM 413 please clear drain in room 413. Priority: High. MM/6/27

WO	Recieved	Finished	Total	Request
FO-351003	6/27/2016	6/27/2016		URINAL CONTINUOUSLY RUNNING. 4TH FLOOR MEN'S RESTROOM. GS/6/27
FO-351015	6/27/2016	6/28/2016		FAUCET CONTINUOUSLY RUNNING. ROOM 4204. MM/6/27
FO-351035	6/27/2016			PLUM R/R RM 3043 INSIDE LAB SINK NEXT TO COLUMN LABELED "D" SINK IS LEAKING FROM UNDERNEATH & SPREADING INTO LAB 2039 FROM CLNG TT/6/27
FO-351036	6/27/2016	6/27/2016		PLUGGED TOILET AND WATER IS YELLOW. 2ND FLOOR LADIES RESTROOM. HANDICAP STALL. MM/6/27
FO-351039	6/27/2016			LEAK UNDERNEATH SINK. MEN'S RESTROOM. ROOM 9101. SINK CLOSEST TO DOOR. MM/6/27
FO-351054	6/27/2016	6/28/2016		PIPEFITTERS, R/R 1ST FLR HALLWAY PLEASE REPAIR LEAK ON 6" HWH LINE IN HALLWAY @ ROOM 1321. PRIORITY-HIGH GS/6/27
FO-351111	6/28/2016			TOILET NOT FLUSHING. 1ST FLOOR DISPATCH OFFICE. MM/6/28
FO-351152	6/28/2016			PLUMBER R/R RM 4101/MENS RR URINALS AREN'T FLUSHING MM/6/29
FO-351184	6/29/2016	6/29/2016		**DUPLICATE/ REFER TO FO#347298 PLUMBERS DEPT- R/R RM 00008/MENS RR PLEASE REPAIR #1URINAL IN MENS REST ROOM RM 8- THERE ARE 5 URINALS IN REST ROOM , 3 ARE OUT OF SERVICE BECAUSE OF THIS NEEDED REPAIR, MATH PROGRAM GOING ON ALL DAY ,REST ROOM GETTING H
FO-351193	6/29/2016			PLUM R/R RM 220/LAB FUMEHOODS #2 & #3 BOTH HAVE SINKS THAT ARE LEAKING FROM UNDERNEATH TT/6/30
FO-351205	6/29/2016			PLUM R/R 1ST FR WOMENS RR NEXT STE 1900 MIDDLE STALL TOILET CON'T FLUSHING
T - Roofing			3	
FO-349851	6/13/2016	6/27/2016		**ADDING ROOFER: Possible flashing leak near glass atrium. See Corey Blair for location. Repairs have been made. TAH 6/27/16. STE 4900 TO THE LEFT OF ELEV ACTIVE LEAK FROM WALL ME/6-6-16
FO-350104	6/16/2016			Leak from roof above desk/station (room) 144 in the main receiving area of the building.
FO-350107	6/16/2016			OUTSIDE 271 ACTIVE CEILING LEAK FROM ROOF
Medium			116	
T - Carpenter			30	
FO-349086	6/1/2016	6/3/2016		Lock to 1st floor Custodial closet sticks and is hard to turn key in lock. Please repair.
FO-349096	6/1/2016			**ADDING CARPENTER: Evaluate Labor cost and material needed to install 2 concrete pads for a washer and dryer, concrete for 2 new floor drains and provide hole in wall to run dryer vent See Troy for location and detail of pad size Evaluate running u
FO-349136	6/2/2016	6/3/2016		Carpenters- Locksmith- Medium priority- Repair or replace lock cylinder on door to inner office by the secretary desk. Lock is stiff and will not turn. Repair or replace lock on rear entrance door from hallway. Lock is sticky and needs adjustment
FO-349163	6/2/2016	6/3/2016		West door of north main entry's vestibule needs lock cylinder adjustment.
FO-349345	6/6/2016			Repair outside entrance door 023 03 E. Door is sticking closed.
FO-349380	6/6/2016	6/7/2016		**ADDING CARPENTER: Replace stained ceiling tiles front entrance near receptions desk TT SOUTH ENTRANCE VERY BAD CEILING LEAK TT/6-2-16

WO	Recieved	Finished	Total	Request
FO-349404	6/6/2016	6/20/2016		**ADDING CARPENTER: Provide access in wall to access drinking fountain controls. See Troy or Mike for detail NEED WATER BOTTLE FILTER CHANGED. LOWER LEVEL. ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, TT/5-23-16 ,,,,,,,,,,,,,,,,
FO-349459	6/7/2016			Carpenters-Please install grab bars in rest room near toilet. Medium Priority
FO-349493	6/7/2016			**ADDING CARPENTER: Evaluate cost for wood trim work to upgrade 4 drinking fountain / Bottle filling stations located in basement, 2nd, 3rd, 4th floor *See Troy Taylor for locations *Please provide cost to John Towle PLUMBER: Evaluate cost to ins
FO-349573	6/8/2016	6/10/2016		carpenters: boiler room double doors on the South side of boiler room, no door number tag. The second "swing open" door's lower latch locking lever will not move past center, preventing the door to open. Please repair. Note: the upper latch lever is un
FO-349646	6/9/2016	6/9/2016		R/R RM 2051 batteries to Key pad on door needs to be changed Can this please be a RUSH! Thank You!!
FO-349673	6/9/2016	6/10/2016		DOOR WONT CLOSE PROPERLY. ROOM 1212.
FO-349726	6/10/2016	6/17/2016		Civil and Environmental Engineering door (suite 2100) needs to be fixed. Door shuts loudly.
FO-349736	6/10/2016	6/22/2016		Carpenters-please replace missing ceiling tile in room 3011-medium priority
FO-349743	6/10/2016	6/13/2016		DOOR SLAMS. ROOM 1900.
FO-349759	6/11/2016	6/13/2016		Outside entrance door #022-07 S, at Prentis is not latching. Two break-ins of offices/vending machine in the past week.
FO-349760	6/11/2016	6/13/2016		Replace broken door light on Room 006 at Prentis. Burglar broke the thin Plexiglas on the wooden door in an attempted break-in. Please install unbreakable Plexiglas. Office is alarmed until 0830 hours. Contact Richard Lerman, 7-1625 for access.
FO-349972	6/15/2016	6/16/2016		CARPENTERS PLEASE ADJUST DOOR NOT CLOSING PROPERLY LOCATION IST SOUTH SIDE MEDIUM PR
FO-349975	6/15/2016	6/16/2016		LOCKSMITH LADIES RESTROOM 1ST FLOOR DOOR LOCK BROKEN MEDIUM PR LOCATION SOUTH SIDE MEDIUM PR
FO-350134	6/17/2016			Carpenters- Med priority- Replace leak damaged ceiling tile in room 313.
FO-350580	6/21/2016	6/23/2016		Plumbers removed ceiling tile and never replaced it. Professor would like the ceiling tile replaced.
FO-350584	6/21/2016			Trade: Contractor Priority: Medium Engine lab 1536 garage roll up door not working, the close stop cam is broken, please repair. This is in the EDC part of the building.
FO-350636	6/21/2016			Applebaum 5th floor needs new ceiling tiles in hallways by rooms: 5154, 5148, 5136, 5134, 5501, 5500(Lots), 5441, 5445, 5447, 5455, 5450.1(Lots), 5465, 5467, 5565, 5530, 5520, 5518. Ceiling tiles in room 5501 needs replacing.Sorry Patrick!
FO-350638	6/21/2016	6/22/2016		Screen on window next to emergency exit door on the north west side of the building has fallen out or been removed. Please reinstall. Screen has been propped in window.
FO-350657	6/22/2016	6/23/2016		Locksmith- medium Priority- repair/replace lockset on hall door of room 7215 scott hall. Lockset is worn and loose and some keys are not functioning.
FO-350663	6/22/2016	6/24/2016		Trade: Locksmith Priority: Medium Please repair core to the basement mechanical room on the east end (double doors near the chiller). Keys are sticking in the core and are very difficult to remove.
FO-350738	6/23/2016			Trade: CarpenterPriority: MediumPlease replace ceiling tiles in the hallway near the second floor elevator. Leaks that caused the problem has been repaired.
FO-350953	6/24/2016	6/27/2016		DOOR CAN ONLY BE OPENED WITH KEY. ROOM 0225.
FO-350985	6/27/2016	6/28/2016		Carpenter: MED High Priority. Please replace missing and damaged ceiling tile in rooms: 1317,1512,1319,1317,1315,2215,20352223, 2310 NOTE: We have ceiling tile on-site. Please contact Building Op's office 2022 on arrival.

WO	Recieved	Finished	Total	Request
FO-351229	6/29/2016			R/R decorative second floor banister on the Cass side. See James for location. This is a safety issue.
T - Electrician			33	
FO-349022	6/1/2016	6/6/2016		VACUUM PUMP IS DOWN. ROOM 0134. Please check the Limit Switch, and Alternator Switch for proper operation.
FO-349109	6/1/2016			Meet the lighting crew at 7:45 to collect 2 Bakers Scaffold, and take to new location. Hold work order until Sue is finish, so you can store scaffold in cage upstairs.
FO-349215	6/2/2016	6/3/2016		EMERGENCY ELEC (1ST OF FRIDAY MORN REPAIR) R/R RM 0225 NOTE: 2 OUT OF 3 PHASE BREAKER S HAVE POWER - HOWEVER PHASE/LEG CONNECTING CAGE WASH HAS NO POWER TO IT
FO-349222	6/2/2016	6/3/2016		R/R BLDG Fire Panel - Diagnose/ Repair/ and reset trouble light on fire panel of Scott Hall.
FO-349252	6/3/2016	6/6/2016		In the basement, Rm. 100 remove the 2 Boxes of trash, and the 3 motors right on the inside of the door, by the first column with the electrical panel on it.
FO-349312	6/6/2016	6/6/2016		Check circuit at shed across from Electrical Room. **See Hard copy for a diagram**
FO-349354	6/6/2016	6/9/2016		3rd fl - suite 3800 - light flickering. There is 1 EP as soon as you go into Payroll area...Light sparking
FO-349356	6/6/2016	6/6/2016		Deliver one pallet of salt to Scott Hall
FO-349494	6/7/2016	6/8/2016		**ADDING ELECTRICIAN: Evaluate material and labor cost to provide 110 power for drinking fountain / bottle filler in basement. See Troy Taylor for location and detail **Provide cost to John Towle Evaluate cost to install 3 more bottle filling stati
FO-349531	6/8/2016			AIR HANDLER #2 IS DOWN. ROOM 0130. 6/6/2016 Fife Pearce came out, and we're waiting for parts.
FO-349583	6/8/2016	6/13/2016		**ADDING ELECTRICIAN: Disconnect solenoid on small cooling tower blow down. Reconnect when Pipefitter installs. See Jim Hill FITTERS: Please replace solenoid on the small tower chemical line. MED. ,,,,,,,,,,,,,, JH/6-6-16 ,,,,,,,,,,,,,,
FO-349777	6/13/2016	6/14/2016		Generators are ready to be picked up from Weingards, get them as soon as possible.
FO-349834	6/13/2016	6/16/2016		Trade: Laborer Priority: Medium R/R RM 4038/MECH RM Please remove used pipe and pipe fittings in Science Hall "skinny stair" fan room. Material is from the removal of the heat recovery coils by the pipefitters.
FO-349994	6/15/2016			Electricians: R/R BLDG Please relamp the burned-out outside building illumination lighting by the lobby entrance at the third floor level. See Engineer for proper locations. Medium priority.
FO-349993	6/15/2016			Electricians: R/R BLDG Please relamp three burned-out walkway lights on the North side of the lobby entrance. See Engineer for proper locations. Medium priority.
FO-350008	6/15/2016	6/17/2016		Wire Generator on roof to service Presidents Apartment.
FO-350106	6/16/2016	6/23/2016		Fire alarm panel is intermittently going into fire trouble mode again. Please notify electricians, not engineers.
FO-350121	6/16/2016			ELECTRICIANS,R/R RM 00336 BAD MOTOR ON CFC UNIT PLEASE REPAIR.PRIORITY-MEDIUM
FO-350141	6/17/2016	6/22/2016		Trade: Laborer Priority: Medium Please deliver 1 pallet of water softener salt.
FO-350154	6/17/2016			elect.R/R WAREHOUSE replace burnt out overhead lights in the storage area priority medium
FO-350176	6/17/2016	6/20/2016		Repair/replace disconnect switch on HVAC #3. Equipment very difficult to use. See Engineer Van Oppens for details.
FO-350210	6/18/2016	6/18/2016		Repair fire trouble at Law School, ""Power supply failure".

WO	Recieved	Finished	Total	Request
FO-350251	6/20/2016	6/21/2016		Trade: Laborer Priority: Medium Please deliver the following chemicals to Engineering Bldg: 6 pails of Halochlor 4 pails of Aquaklean 2 pails of Lokor Use this FO number: FO-327253
FO-350260	6/20/2016	6/21/2016		Handyman: Please deliver 10 bags of salt to State Hall boiler room.
FO-350261	6/20/2016	6/24/2016		Handy man: Please deliver the following tower chemicals to Prentis Mechanical room. 4 pails of Lokor 2100H. 4 pails of Aquakean ODP. 4 pails of Halochlor C.
FO-350639	6/21/2016	6/21/2016		Disconnect site lighting in front of the building.
FO-350655	6/22/2016	6/28/2016		Electricians: Vent fans for VFD disconnects on Supply fan #2 and exhaust fan 4a will not run. Priority: Medium
FO-350667	6/22/2016	6/23/2016		Electrical Dept- R/R RM 00687.01/MECH RM please check solenoid to cooling tower make up meter, appears to be not working , system on by pass priority med
FO-350964	6/24/2016			Trade: Electrician Priority: Med/Low R/R RM 00101.10 Please clear 2 troubles on the fire alarm panel. 1. 3rd fl pad #6 & 13 data rm 2. PMI @ address 253
FO-350976	6/27/2016			Electricians, troubleshoot ground fault on 14th floor phone jack.
FO-351017	6/27/2016			Evaluate cost to reinforce failing lift gate steel *Also cost for a steel plate to line the bed of Laborer's Pickup truck **JWT from Pipe Shop handling quote
FO-351155	6/28/2016	6/29/2016		Laborer, check front porch eave gutter system (Cass Ave side). Possible blockage please clean repair.
FO-351177	6/29/2016			Assist Plumber in removing snake from drain on Thursday 6/30. See Gerry for location
T - Locksmith			1	
FO-350211	6/18/2016			Repair faulty door lock cylinder on the Male Cadet Locker Room at Public Safety. Very difficult to unlock/lock door on 6/18/16.
T - Painter			2	
FO-350108	6/16/2016			**ADDING PAINTER: Please seal and paint ceiling in room 417. Leak has been repaired. See Corey Blair if needed CEILING LEAK. ROOM 417. ,,,,,,,,,, ME/6-13-16 ,,,,,,,,,
FO-350133	6/17/2016	6/29/2016		Painters- Medium Priority- Please epoxy paint/seal cracked floor under minus 80 freezer to prevent water seeping down into room 313.
T - Pipefitter			20	
FO-349087	6/1/2016	6/3/2016		PIPEFITTER PLEASE REPLACE CONDENSATION DRAIN PIPE #2AHU MECH RM 51 MEDIUM PR ,,,,,,,,,, MM/6-1-16 ,,,,,,,,,
FO-349135	6/2/2016	6/7/2016		Trade: Pipe Fitter Priority: Medium Please replace chilled water control valve on HCFC coil unit . At present coil isolated.,,,,,,,,,, JH/6-2-16 ,,,,,,,,,
FO-349144	6/2/2016	6/6/2016		Fitters: Please repair flange leek on main steam line just after the PRV. See Engineer for proper flange leak location. Medium Priority.,,,,,,,,,, ME/6-2-16 ,,,,,,,,,
FO-349219	6/2/2016			Trade: Pipefitter Priority: Medium Please relocate the PRV for the North Hydronic loop and install a bypass around the PRV. This will require 2 tee's, 2 90 ell's, 3 valves, and related pipe fittings/nipples. This is located in the Boiler Room near #2
FO-349246	6/3/2016	6/8/2016		Trade: Pipe Fitter Priority: Medium R/R RM 04505/MECH RM Please replace leaking water regulator on cooling tower makeup water line in the EDC penthouse chiller plant room. ,,,,,,,,,, JH/6-6-16 ,,,,,,,,,
FO-349247	6/3/2016	6/8/2016		Pf Med. priority R/R RM 00033/MECH RM Please clear drain line on tower water blow down / bleed line. ,,,,,,,,,, ME/6-6-16 ,,,,,,,,,

WO	Recieved	Finished	Total	Request
FO-349370	6/6/2016	6/13/2016		FITTERS: Please replace solenoid on the small tower chemical line. MED. JH/6-6-16
FO-349475	6/7/2016	6/9/2016		Fitters, please repair/replace bad steam trap on domestic hot water tank in PH..... JH/6-7-16
FO-349476	6/7/2016	6/9/2016		Fitters, please repair/replace bad steam trap on AHU-3. JH/6-7-16
FO-349477	6/7/2016	6/9/2016		Fitters, please repair/replace bad steam trap. (Banging noise affecting hearing study & trap may be in room 48, 51 or 54) JH/6-7-16
FO-349677	6/9/2016	6/10/2016		Fitters, please repair leak in steam coil on AHU-1.CB/6-10-16
FO-349729	6/10/2016			Pipe fitters: Please run pneumatic tubing main air supply from rm 23 to newly installed condenser water valve actuators. See Marc Cracchiolo for details..... ME/6-10-16
FO-349749	6/10/2016	6/23/2016		Please replace cooling tower tank 3" makeup valve (i.e. the valve body - not the actuator) located in rm 100. The valve body is bad. Note this tank has a small bypass line that can be used while the valve is being replaced. However this valve rep
FO-350096	6/16/2016	6/21/2016		FITTERS: Please repair / replace gasket on Heat Exchanger in Penthouse. MED..... *JH/ME/6-16-16
FO-350633	6/21/2016	6/23/2016		please have pipefitters put a check valve and and new ball valve on hydronics supply water line. high priority. room 100 JH/6/22
FO-350652	6/21/2016	6/22/2016		Trade: Pipe fitters Priority: Medium Leaking spring loaded control valve at the outlet side of the heat pump. At present Outlet/Inlet to the heat pump I-120 is Isolated. Also shut down of power at disconnect..... JH/6/22
FO-350659	6/22/2016			Steam Fitters- Medium Priority- Repair steam leak on header by boiler number 1. ME/6/22
FO-350737	6/23/2016	6/24/2016		Trade: Pipefitter Priority: Medium R/R RM 3217 Please repair controls for the heat in the Directors office - room 3217 in Science Hall. Steam is currently shut off..... ME/6/23
FO-350937	6/24/2016	6/27/2016		Pipe fitters: Please repair or replace pilot control on main steam PRV at State Hall mechanical room 024, it is leaking. Priority: med..... JH/6/24
FO-351033	6/27/2016			FITTERS: Please repair flange fitting on HEAT EXCHANGER. MED. ME/6/28
T - Plumber			29	
FO-349042	6/1/2016	6/2/2016		CLOGGED SINK. ROOM 5204..... MM/6-1-16
FO-349166	6/2/2016	6/7/2016		Plumbers-please snake 2 drain lines in Mens' room sinks. Med. Priority GS/6-2-16
FO-349243	6/3/2016			PLUM R/R RM 00124/Res-Non/Class (Sink has been labelled) SINK DRAIN LEAKS WHEN IN USE MM/6-6-16
FO-349536	6/8/2016			Trade: Plumbers Priority: Medium R/R 1ST FLR Please repair Life Science first floor drinking fountain. Drinking fountain has low flow..... MM/6-8-16
FO-349537	6/8/2016			Trade: Plumbers Priority: Medium R/R 3RD FLR Please repair Life Science third floor drinking fountain. Drinking fountain has flow that goes between low and high (spraying on the wall)..... MM/6-8-16
FO-349548	6/8/2016			Plumber replace water filter under kitchen sink.....MM/6-8-16
FO-349575	6/8/2016	6/10/2016		**DUPLICATE / REFER TO FO#347298 JWT PLUMBERS-PLEASE REATTACH URINAL TO WALL IN MENS RESTROOM IN RM 8, URINAL LAYING ON FLOOR, DRAIN LINE EXPOSED PRIORTY MED TT/6-8-16

WO	Recieved	Finished	Total	Request
FO-349609	6/8/2016	6/8/2016		*DUPLICATE / REFER TO FO#347281 JWT Trade: Plumber Priority: Medium Please repair 4th floor drinking fountains at Chemistry. There is no water flow. ,,,,,,,,,,,,,,,,,, TT/6-9-16 ,,,,,,,,,,,,,,,,,
FO-349618	6/9/2016			PLUMBERS, PLUGGED DRAIN & LOW WATER FLOW TO TALL URINAL, PLEASE REPAIR. PRIORITY-MEDIUM ,,,,,,,,,,,,,,,,,, MM/6-10-16 ,,,,,,,,,,,,,,,,,
FO-349634	6/9/2016	6/16/2016		Trade: Plumber Priority: Medium Please repair delta faucet in room 336. Faucet is leaking from the base of the handle when fully open.,,,,,,,,,,,,,,,,,, MM/6-9-16 ,,,,,,,,,,,,,,,,,
FO-349635	6/9/2016	6/10/2016		*DUPLICATE /REFER TO FO#347281 JWT Trade: Plumber Priority: Medium Please repair the drinking fountains on the 4th floor. There is no flow.
FO-349636	6/9/2016	6/16/2016		Trade: Plumber Priority: Medium Please repair the sink faucet in 256. Water is leaking from the base of the handle. ,,,,,,,,,,,,,,,,, MM/6-9-16 ,,,,,,,,,,,,,,,,,
FO-349637	6/9/2016	6/16/2016		Trade: Plumber Priority: Medium Please repair the sink faucet in 356. Water is leaking from the base of the handle.,,,,,,,,,,,,,,,,,, MM/5-9-16 ,,,,,,,,,,,,,,,,,
FO-349679	6/9/2016	6/17/2016		Plumber clear sink drain. Very slow ,,,,,,,,,,,,,,,,,, MM/6-10-16 ,,,,,,,,,,,,,,,,,
FO-349696	6/10/2016	6/13/2016		Trade: Plumber Priority: Medium R/R RM 00240/MENS RR Two sink are very sluggish to drain from left side.,,,,,,,,,,,,,,,,,, MM/6-10-16 ,,,,,,,,,,,,,,,,,
FO-349766	6/11/2016	6/13/2016		Plumbers-med priority- Toilet constantly flushing. Needs Sloan valve repair. ,,,,,,,,,,,,,,,,,, MM/6-13-16 ,,,,,,,,,,,,,,,,,
FO-349761	6/11/2016	6/27/2016		At Alumni/President's Apratment, one of the two electric domestic water heaters is leaking and needs to be replaced. The leaking unit has been isolated and the other heater is in service. ,,,,,,,,,,,,,,,,,, DB/6-13-16 ,,,,,,,,,,,,,,,,,
FO-349776	6/13/2016	6/15/2016		PLUMBERS-PLEASE REPAIR SINK FAUCET,LEAKING WHEN TURNED ON, PRIORTY MED ,,,,,,,,,,,,,,,,,, TT/6-13-16 ,,,,,,,,,,,,,,,,,
FO-349971	6/15/2016			PLUMBER 4TH FLOOR WATER FOUNTAIN NOT WORKING . MEDIUM PR ,,,,,,,,,,,,,,,,,, TT/6-15-16 ,,,,,,,,,,,,,,,,,
FO-349973	6/15/2016	6/16/2016		PLUMBER 1ST FLOOR MEN RESTROOM 1ST URINAL NOT FLUSHING MEDIUM PR ,,,,,,,,,,,,,,,,,, TT/6-15-16 ,,,,,,,,,,,,,,,,,
FO-350020	6/15/2016			Trade: Plumbers Priority: Medium Please repair or replace drinking fountain in the basemet elevator lobby. Sampling for lead testing could not be accomplished. ,,,,,,,,,,,,,,,,,, TT/6-16-16 ,,,,,,,,,,,,,,,,,
FO-350040	6/16/2016			PLUMBERS, PLEASE REPAIR HOT WATER LINE LEAK ABOVE CEILING IN UNISEX BATHROOM. PRIORITY-MEDIUM ,,,,,,,,,,,,,,,,,, GS/6-16-16 ,,,,,,,,,,,,,,,,,
FO-350188	6/17/2016	6/21/2016		trade plumbers priority medium please replace or repair delany flush valve on toilet and also seal around toilet needs re done ,,,,,,,,,,,,,,,,,, TT/6-20-16 ,,,,,,,,,,,,,,,,,
FO-350233	6/20/2016	6/20/2016		Trade: Plumbers Priority: Medium Please repair leaking flush valve for the toilet in the 4th floor handicapped stall.,,,,,,,,,,,,,,,,,, TT/6-20-16 ,,,,,,,,,,,,,,,,,
FO-350656	6/22/2016	6/23/2016		Plumbers- med priority- repair leaking faucet in room 7215.,,,,,,,,,,,,,,,,,, MM/6/22.,,,,,,,,,,,,,,,,,
FO-350757	6/23/2016			PLUMBERS, PLEASE REPAIR PIPE LEAK ON COLD WATER LINE IN CEILING OUTSIDE OF ROOM 026. PRIORITY-MEDIUM ,,,,,,,,,,,,,,,,,, GS/6/23.,,,,,,,,,,,,,,,,,
FO-351128	6/28/2016			2 PLUGGED TOILETS COVERED WITH BAGS. 2ND FLOOR WOMEN'S RESTROOM. ROOM 2118.,,,,,,,,,,,,,,,,,, GS/6/28 ,,,,,,,,,,,,,,,,,

WO	Recieved	Finished	Total	Request
FO-351186	6/29/2016			ADDING PLUMBER: Clear down spouts. See Jim the Laborer for detail ,,,,,,, 6/29 ,,,,,,, Laborer, check front porch eave gutter system (Cass Ave side). Possible blockage please clean repair.
FO-351230	6/29/2016			TOILET IS PLUGGED. 1ST FLOOR LADIES RESTROOM.
T - Roofing			1	
FO-350122	6/16/2016			roof repair- around refrigeration lines which go through the roof in room 4606. water is leaking down the lines when it rains.
Low			324	
T - Carpenter			57	
FO-349057	6/1/2016			TEAM LEADER TIME (JUNE 2016)
FO-349137	6/2/2016	6/10/2016		Carpenters- low priority- Repair or Replace keeper bar for panel partitions between 301 and 302. Broken bar is in the partition well.
FO-349168	6/2/2016	6/7/2016		R/R POOL AREA Please repair cracked deck tile in pool area prior to next special event scheduled for July 11th, 2016. Please see Bob Ostrowski on specs.
FO-349197	6/2/2016	6/3/2016		CARPENTERS TO REPLACE FLOOR BASE LOBBY NEAR ROOM 1210 SEE BILL MACDONALD FOR LOCATION
FO-349223	6/2/2016	6/8/2016		R/R RM 6304 WORKBENCH The ledge directly in front of the lab sink is loose/coming off. Can this please be fixed.
FO-349236	6/3/2016	6/6/2016		R/R ENTRY Door 026-12NB is still scraping the door frame.
FO-349277	6/3/2016	6/6/2016		R/R INSIDE STE 1226 ONE OF THE RMS (CLINIC 1) The lock to the Clinic 1 suite, room 1226, the door closer to DJK is not functioning properly. It seems like everyone is having a hard time pulling out the key after they insert it to unlock the door. Th
FO-349281	6/3/2016	6/6/2016		R/R ENTRY DOOR - DOOR #050-03 The top screw to the outside door pull/DOOR HANDLE for Door #3 is loose.
FO-349291	6/3/2016	6/6/2016		R/R Door 071-03N won't latch unless door is pushed in. Door closer probably needs replacement because it allows door to bounce off door stops. Door also scrapes door frame.
FO-349453	6/7/2016	6/7/2016		CARPENTERS TO REPAIR DOUBLE DOORS BY ROOMS 0507 & 0515 DOES NOT LOCK.
FO-349468	6/7/2016	6/10/2016		Carpenters, please secure molding hanging from hallway ceiling in front of room 212.
FO-349505	6/7/2016	6/8/2016		Door 071-08E has worn lower hinge that needs replacement.
FO-349529	6/8/2016	6/10/2016		CARPENTERS SAFETY MEEETING (JUNE 2016)
FO-349543	6/8/2016	6/20/2016		Carpenter replace damaged ceiling tile in hallway outside room 203
FO-349589	6/8/2016	6/10/2016		Men's Room 419 door hits frame; stays ajar.
FO-349712	6/8/2016	6/29/2016		R/R E STRWL 1/2 FLRS Several of our staff have expressed safety concerns for the poor condition of the stair cover material in the east stairwell. They are worried about falling down the stairs from pieces coming loose. 6/9/16 lps: Spoke w/Claudia s
FO-349666	6/9/2016	6/14/2016		One broken seat in classroom. Seat is located in the back row on the aisle.
FO-349738	6/10/2016	6/13/2016		Repair vision wall around the cooling tower on the roof. Pieces laying on the roof.
FO-349810	6/13/2016	6/17/2016		Please hang white board in Director's office.
FO-349827	6/13/2016	6/14/2016		Door for room 0004 stays ajar; needs closer adjustment or replacement. See Richard Lerman (577-1624) in room 0006 for access to room.
FO-349835	6/13/2016	6/13/2016		CARPENTERS TO OPEN FUME HOOD DOOR ACCESS FOR DEB ASHCRAFT ROOM # 200.04
FO-349838	6/13/2016			CARPENTER TO REPLACE WATER DAMAGED CEILING TILES WEST ENTRANCE FOYER 2 LOCATIONS ADJACENT TO EACH OTHER
FO-349840	6/13/2016			CARPENTERS TO CONTACT JEFF BLOCK TO FIND THE LOCATION OF THE BIRDS NEST TO SEAL OFF THE ACCESS/ ENTRY POINT

WO	Recieved	Finished	Total	Request
FO-349843	6/13/2016	6/14/2016		Door 022-11W stays ajar after being used with push bar undogged.
FO-349844	6/13/2016	6/14/2016		Doors 022-01S thru 022-06S stay ajar when push bars are undogged.
FO-349933	6/13/2016	6/16/2016		R/R RM 00118/JANITORS' CLOSET Door-REPAIR old door and wear and tear has fractured wood door
FO-349900	6/14/2016	6/17/2016		Carpenters please R&R ceiling tile in room 220.1, enter through room 220. Questions see Steve Persyn.
FO-349923	6/14/2016	6/22/2016		Carpenters, cover two areas that are exposed on the south wall. metal plate or dry wall should work. priority low.
FO-349930	6/14/2016	6/16/2016		R/R RM 226.4 OUTSIDE DOOR HANDLE THE ROUND PIECE THATS ATTACHED TO DOOR HANDLE FELL/BROKEN OFF (the round piece is in the main part of ofc see Ferna if needed *pls note still can open/close lock door*)
FO-349958	6/14/2016	6/15/2016		Request for one ceiling tile in handicap restroom (1st floor of lobby- northwest corner to be replaced. The ceiling tile has been damaged from a leak from room above. Please see Michael in the box office for exact location. Thanks,
FO-349979	6/15/2016	6/15/2016		CARPENTERS TO REPAIR 4 WHEEL DOLLY DAMAGE TRANSPORTING A LARGE HVAC COIL
FO-350006	6/15/2016	6/20/2016		CARP R/R RM 00150 I NEED MY FILE CABINET LOCK REPAIRED @ MY DESK THE 3 DRAWER CABINET LOCK CAME OUT WILL NOT RESET INSIDE NOR WILL IT LOCK CABINET
FO-350015	6/15/2016	6/16/2016		Can the handle on the handicap restroom be adjusted so that the door will lock properly. There is a problem with the door handle. Please see Michael in the box office for exact location. Thanks,
FO-350109	6/16/2016	6/24/2016		CARPENTERS: Please replace molded ceiling tiles in room 4545. LOW
FO-350116	6/16/2016	6/17/2016		R/R RM 1600/OFC RE-ATTACHED LETTER FOR DEPTMENT'S SIGN: Tyrone Austin, Advisor,Academic Advising, UGL Suite 1600, reports that one of the letters of the signage directly behind their Reception counter, "Student Academic Success Services," the 'u' seems t
FO-350199	6/17/2016	6/20/2016		R/R RM 00419/RESTROOM (WOMENS/MENS ???) Door to restroom 419 sticks; scrapes door frame.
FO-350257	6/20/2016	6/20/2016		please r/r stair nosing on stairs at nw stairwell, trip hazard.
FO-350263	6/20/2016	6/24/2016		CARPENTERS TO REFASTEN LAWN BUILDING SIGNS 4 LOCTIONS.
FO-350270	6/20/2016	6/21/2016		It is difficult to get the key to go into the lock on the door. We have at times had to leave it unsecured due to the key not wanting to work.
FO-350957	6/20/2016	6/27/2016		To straighten or replace pole for 'No Parking...Child Drop Off Only' sign. Someone hit the pole with a vehicle and it is leaning at a 45 degree angle. The sign is difficult to see because it is now covered by tree branches.
FO-350594	6/21/2016	6/21/2016		Carpenters: Please repair doors on class rooms 407 and 328, they don't latch properly. Priority: low.
FO-350651	6/22/2016			r/r all classroom doors on 2nd floor, adjust and rubercate all hinges,mortise locks and closers.
FO-350693	6/22/2016	6/23/2016		Door 155-01E scrapes door frame and is harder to open than normal.
FO-350724	6/22/2016	6/23/2016		R/R ENTRY Door 003-03W is hard to open, especially when pushed from inside. Door scrapes door frame.
FO-350725	6/22/2016	6/23/2016		R/R Overhead door 062-1EO needs weather strip lowered to keep rodents out of building.
FO-350799	6/23/2016	6/24/2016		Carriage House's door 512-01N doesn't latch when closed.
FO-350818	6/23/2016			CARPENTERS, PLEASE CONSTRUCT STAIRS OVER TWO PARAPET WALLS NEAR ROOFTOP UNITS, SAFETY ISSUE. PRIORITY-LOW
FO-350956	6/24/2016	6/27/2016		Double folding doors on first floor closet, in hallway to bathrooms, have fallen off. Can we have them re-hung?
FO-350973	6/24/2016			Signs vandalized at McGregor, AAB, Cohn and Education Buildings. Police report #W16-1760036

WO	Recieved	Finished	Total	Request
FO-351010	6/27/2016	6/27/2016		The door to suite 6 Prentis sticks when you try to close it.
FO-351090	6/28/2016	6/28/2016		CARPENTERS TO PICKUP SCAFFOLD & BRING BACK TO FP&M FOR STORAGE. (LOCATION PENTHOUSE)
FO-351110	6/28/2016	6/29/2016		Two ceiling tiles need to be replaced where the vents where removed last month. We also have a ceiling tile in the 3rd floor hall that need replacing. We have the replacement tile under the stairs on the 1st floor.
FO-351124	6/28/2016	6/29/2016		CARPENTERS, PLEASE REINSTALL COVEBASE UNDER WATER FOUNTAIN IN HALLWAY @ ROOM 3342. PRIORITY-LOW
FO-351125	6/28/2016			Purdy Library 2nd Floor Ceiling tile fell outside of room 231. Needs to be re-glued. Thank you.
FO-351130	6/28/2016			REPLACE DAMAGED CEILING TILE. ROOM 4320 (ENTER THRU ROOM 4324)
FO-351161	6/28/2016	6/29/2016		Door 067-13E slams shut. Door closer needs adjustment or replacement so that latching is assured after hours.
FO-351226	6/29/2016			R/R LOBBY/VESTIBULE REPLACE WATER DAMAGED CLNG TILES6/29/16 lps: Note: May 20, 2016 was the last ceiling leak WO FO-347768 embalming rm sink causing clng to leak since has been repaired
T - Electrician			102	
FO-349019	6/1/2016	6/1/2016		please have 10 bags of salt delivered to scott hall as soon as possible
FO-349023	6/1/2016	6/1/2016		R/R PH AREA please deliver 1) 5 pails of nitrocleanse to the penthouse at scott hall.
FO-349041	6/1/2016			3rd floor several light out in ceiling, cubicle #'s 341.39, 341.48, 341.41, and 341.48.
FO-349058	6/1/2016			3rd fl - Women's R/R - 4th stall, LO
FO-349077	6/1/2016			The track light has 1 electrical problem. 1 of the lights didn't work in the fixture. (3rd floor) A GIRF will have to be generated.
FO-349103	6/1/2016			Lighting repair center stairwell lights between 2nd and 3rd floor. Too high to reach.
FO-349112	6/1/2016	6/10/2016		LIGHTS ARE STILL OUT..... Subject: Fwd: WO # FO-347125 Status Not the case, lights are still out as of 6/1/2016. From: NoReply@wayne.edu To: af8262@wayne.edu Sent: Tuesday, May 17, 2016 1:36:59 PM Subje
FO-349124	6/1/2016	6/7/2016		Assist plumbers with repairs to drain on 14th floor. See Gerry for detail
FO-349127	6/1/2016	6/2/2016		ELECTRICIAN TO REMOVE A CEILING FIRE STROBE SAFETY LIGHT / CARPENTERS TO REPALACE MOLDY CEILING TILES BASEMENT ELEVATOR LOBBY AREA
FO-349148	6/2/2016	6/7/2016		Labor: R/R BLDG Please deliver 1) 20 bags of softener salt to Mech. rm. 0011 in basement. Before arrival call Jim Darga 313-577-1528 or 810-543-0304 I will meet you at receiving door.
FO-349149	6/2/2016	6/9/2016		Labor: R/R BLDG Please deliver Boiler water and closed loop chemicals (1) Nitroklenz (2) Oxykor Location: PH Before arrival call Jim Darga 313-577-1528 or 810-543-0304 I will meet you at receiving door. FO-349146
FO-349154	6/2/2016	6/6/2016		R/R RM 00100/MECH PLS DELIVER TO PH: 1) 10 - 5 GAL PALES OF NITROENZ 2) 1 55 GAL DRUM OF AQUAKLEEN 3) 1 55 GAL DRUM OF LOKOR 4) 1 55 GAL DRUM OF HOLOCOLOR FO-327323
FO-349155	6/2/2016	6/6/2016		The elevator has a bulb that is out. I don't have the tool to remove the light fixture.

WO	Recieved	Finished	Total	Request
FO-349156	6/2/2016	6/6/2016		STAIR 4 in the Damon Keith Wing has 1 bulb out. I don't have the tool to remove the fixture. (1st floor)
FO-349185	6/2/2016	6/13/2016		Labor: R/R BLDG/PH Please deliver Boiler water and closed loop chemicals (1) Nitroklenz (2) Oxykor Location: PH Before arrival call Jim Darga 313-577-1528 or 810-543-0304 I will meet you at receiving door.
FO-349193	6/2/2016			Room 133 has 1 electrical problem.
FO-349218	6/2/2016	6/2/2016		Time for Safety Meeting for the month of June 2016.
FO-349238	6/3/2016			Room 1341 has 2 electrical problems. Now there are a total 4 electrical problems in this room. See FO-347476.
FO-349241	6/3/2016	6/10/2016		Trade: Laborer Priority: Medium Please deliver the following chemicals to the Engineering Building Loading Dock: 1) 4 pails of Lokor 17010060 2) 4 pails of Halochlor 17010100 3) 4 pails of Aquaklean 17010106 Work order Fo-327253
FO-349265	6/3/2016	6/10/2016		Room 334 (Lecture room) - 2 EPs - 7th and 8th rows.
FO-349267	6/3/2016	6/21/2016		Room 331 - 8 bulbs
FO-349293	6/3/2016	6/7/2016		Replace\Repair Clock in room 337.
FO-349296	6/3/2016	6/10/2016		I have lights out in 3 different areas. Near office 13001.1 in hallway, Near office 13001.4 in hallway and in the Ladies Room that is near the main elevators and kitchen. Thank you! The hallway outside of room 13001.1 has 1 electrical problem. The dryw
FO-349331	6/6/2016	6/14/2016		The light bulbs are out in the basement in room 047 Dr. Rakhlin's lab. There is 1 electrical problem in room 047.
FO-349337	6/6/2016	6/16/2016		LABORER: R/R PENTHOUSE Please deliver. 1) one pallet of SALT to PHARMACY penthouse. C. Harrell (684-6749) MED. FO-327226
FO-349364	6/6/2016			Att: ElectriciansR/R RM 00428/HALL Hi-hat lights along catwalk in Schaver Music Recital Hall need to be replaced.
FO-349361	6/6/2016	6/6/2016		R/R RM 00100/MECH RM please have laborer deliver 1) a pallet of salt for softners in room 100 high priority.
FO-349371	6/6/2016	6/13/2016		Rooms 233,262 and 266 have many lights out. Room 233 has 2 electrical problems; Room 262 has 1 electrical problem; Room 266 has 1 electrical problem.
FO-349401	6/6/2016	6/7/2016		Electrician R/R BSMT repair all emergency lights in basement
FO-349411	6/6/2016			Room 032 - 2 EP
FO-349412	6/6/2016			Room 251 - 2 EP
FO-349504	6/7/2016			Please clean off the roof.
FO-349507	6/7/2016	6/9/2016		W.O. for electricians. Relay for EF-1 doesn't work. No power being relayed to switch at exhaust fan. Please check this out.
FO-349535	6/8/2016			The hallway near the glass facing the State Hall. It's just past the circular stairwell. (1st floor) A GIRF will have to be generated.
FO-349551	6/8/2016			Light bulb out in front of room 122.
FO-349565	6/8/2016			*6/13/16 - 2 EP, outside of elevators* Please replace bulbs in lobby of the 6th floor as well as in the East Wing of the 6th floor. Multiple bulbs are out in the East Wing. Call Theresa Hill @ 7-0556 if you require additional information.
FO-349574	6/8/2016	6/9/2016		R/R PH please have laborer deliver 1) 4 kegs of aquaclean 2) 4 kegs of halochlor, 3) 18 pails of nitrocleanse, 4) 18 pails of neutramine to scott hall high priority.

WO	Recieved	Finished	Total	Request
FO-349576	6/8/2016	6/15/2016		R/R PH please have laborer deliver ASAP when the Halochlor comes in 1) 18 pails of halochlor
FO-349587	6/8/2016	6/10/2016		Room 334 (Lecture room) - 2 EPs - 7th and 8th rows. LABORER: Build scaffold so Electricians can repair light fixture, and remove it when job is done.
FO-349598	6/8/2016	6/15/2016		Door bell on 1st floor needs replacing. People are ringing it and it does not always work and they walk away. Needs a bell with a loud ring so people can hear it from upstairs.
FO-349602	6/8/2016	6/9/2016		Trade: Laborer Priority: High R/R RM 00000.62/MECH BLR RM Please deliver 1) 12 pails of Nitroklenz to the Chemistry sub-basement.
FO-349630	6/9/2016	6/23/2016		The light behind the reference desk has 1 electrical problem.
FO-349631	6/9/2016	6/22/2016		The hallway before room 1133 has 1 electrical problem.
FO-349664	6/9/2016	6/17/2016		move One Man Lift from UGL, to Pharmacy for Electricians to repair lights. Move lift back to UGL when job is complete.
FO-349678	6/9/2016			LABORER TO BRING BACK TO FP&M ALL THE SCAFFOLD @ VARIOUS LOCATIONS THRUOUT CAMPUS.
FO-349697	6/10/2016	6/13/2016		Please deliver one (1) 55-gal drum of Lokor to Education Building for cooling tower.
FO-349746	6/10/2016			Replace 24 T8s in Room 101 of State Hall.
FO-349816	6/13/2016	6/15/2016		Wall cock in room 385 (inner room 388) not working. Either clock is broken or power not getting to clock. Please repair.
FO-349825	6/13/2016	6/15/2016		Trade: Laborer Priority: High Please deliver 1) one pallet of salt to the Chemistry sub-basement.
FO-349934	6/14/2016			1. Replace burned out bulb in room 385 (inner door 390). Room has restricted lock so bulb cannot be changed before 1:00 p.m. or after 5 p.m. Please call 577-3022 before coming over to change bulb. 2. Incandescent bulb burned out in 385 (inner room
FO-349957	6/14/2016			Need Light bulb replacement. Light out in vohm, auditorium, lobby, basement area and the dressing rooms. The wrap around light in the auditorium has 1 electrical problem. Due to the fixture being damaged the light shorts out.
FO-349960	6/14/2016	6/15/2016		R/R THEATRE AUD Request for electricians to replace House Lights in theatre. There are 7 bulbs burnt out. The next event in the theatre is on June 21 and June 22. Please see Michael in the box office for exact location. Thanks,
FO-349992	6/15/2016			The wall light next to the elevator has 1 electrical problem. (1st floor) A GIRF will have to be generated.
FO-350014	6/15/2016			R/R ROOF There may be a bad motor on the MED Commons exhaust fan #2. This is located over the top of the penthouse. Please have electricians verify ex.fn. has bad motor.
FO-350017	6/15/2016	6/20/2016		Trade: Laborer Priority: High R/R RM 00000.62/MECH BLR RM Please deliver the following material: 1) 8 kegs of Halochlor 2) 4 kegs of Lokor 3) 4 kegs of Aquaklean Standing FO ?
FO-350021	6/15/2016			Electricians, R/R PENTHOUSE please wire new outside air damper motors on AHU-1. (Note: Macomb Mechanical estimates completion of damper replacement by 6-23-16. Conduit and low voltage wiring will be needed).
FO-350032	6/15/2016			Office 1157 (within Dean's/Business Office Suite) bulbs in overhead light are out. All bulbs are out in light closest to the door. Please replace. Thank you!
FO-350060	6/16/2016			2 lights replaced on the 1st floor circulation desk area and 4 light on the 2nd floor stacks area.
FO-350057	6/16/2016	6/23/2016		Range 345 has 1 electrical problem. (2nd floor)
FO-350068	6/16/2016	6/20/2016		pls deliver 1 barrel of lokor to comp cent boiler room asap
FO-350100	6/16/2016	6/16/2016		investigate job to add 4 outlets in wall.
FO-350150	6/17/2016			Room 256 has 1 electrical problem.

WO	Recieved	Finished	Total	Request
FO-350180	6/17/2016			Office 3116 has fixture that needs both lights replaced just inside the door. Please replace light bulbs in light fixture.
FO-350195	6/17/2016			3 lights out in fume hood 6.
FO-350197	6/17/2016	6/20/2016		Trade: Laborer Priority: High R/R RM 00000.62/MECH BLR RM Please supply 1) 10 - 5 gallon pails of Halochlor C if our kegs have not come in by monday. FO-327231
FO-350242	6/20/2016	6/22/2016		The receptacle on the east wall of the lab doesn't have power.
FO-350587	6/21/2016	6/24/2016		Room 596 - 3 panels of lights out.
FO-350592	6/21/2016	6/23/2016		Purdy Library 3rd Floor Lights out in south east corner open study area. The switch for Light Panel 3 is not working. Please repair. Key to light panel is available at Purdy Check Out desk and by contacting me at 7-6307 or in 231 Purdy. Thank you.
FO-350593	6/21/2016	6/22/2016		Handyman: Please remove heavy scrap parts and also 4 cylinders of Nitrogen from Prentis mechanical room. Priority: low.
FO-350605	6/21/2016			The light outside of the elevator has 1 electrical problem. (2nd floor)
FO-350634	6/21/2016			Applebaum 5th floor needs lights replaced in hallway by rooms: 5138, 5148, 5128, 5124, 5116, 5463, 5550, and 5545. Need lights replaced in rooms: 5125, 5600, 5617, 5421, 5420.09, 5441, 5449, 5561 and 5540. Light cover coming down in room 5550 needs se
FO-350666	6/22/2016	6/24/2016		Clock in fitness room is not working.
FO-350672	6/22/2016			The switch in the waiting room is not working.
FO-350695	6/22/2016	6/23/2016		Please have Maintenance Laborer deliver shredder from FP&M Stockroom to room 585 , Manoojian Hall , attention Victoria Dallas.
FO-350698	6/22/2016			electricianR/R PENTHOUSE replace burned out light bulbs for all electrical equipment in both mechanical rooms. (3rd and 4th floor)
FO-350708	6/22/2016	6/22/2016		restore power for vendors
FO-350722	6/22/2016			R/R RM 5131 The slider light switch in one of our ancillary rooms is broken.
FO-350750	6/23/2016	6/24/2016		The hallway outside of Ranges 157 and 162 has electrical problems. (1st floor)
FO-350751	6/23/2016			The hallway outside of Range 258 has 1 electrical problem. (2nd floor)
FO-350758	6/23/2016	6/28/2016		LABORER, R/R RM 00026/MECH RM PLEASE DELIVER COOLING TOWER CHEMICALS. 1) 2 PAILS OF HALOCHLOR C - #17010100 FO-327345 PRIORITY-MEDIUM
FO-350759	6/23/2016	6/28/2016		LABORER, R/R RM 00021/MECH RM PLEASE DELIVER COOLING TOWER CHEMICALS. 1) 2 PAILS OF HALOCHLOR C - #17010100 2) 2 PAILS OF LOKOR 2000M-P - # 17010060 3) 2 PAILS OF AQUAKLEAN ODP # 17010106 FO-327301 PRIORITY-MEDIUM
FO-350789	6/23/2016	6/23/2016		Electricians, please install temp power cord for RAB LED demo in parking lot.
FO-350834	6/23/2016			2nd fl - room 237 - See front desk first. Also there are lights outside of rooms, 200, 211, and room 215. The hallway outside of room 215 has 1 electrical problem.
FO-350835	6/23/2016	6/29/2016		Rooms 210 and 230 have lights that need to be replaced. Room 220 has a lens that needs to be replaced. These rooms are all connected to each other. The meeting is at 8:00 AM 6/24/16. Room 230 has 1 electrical problem. I don't have a lens to replace i
FO-350839	6/24/2016			Room 2343 has 1 electrical problem.
FO-350941	6/24/2016	6/27/2016		Handyman: Please deliver 12 pails of Lokor 2100 H to Prentis mechanical room.
FO-350990	6/27/2016			Room # 271 - EPs - 3 fixtures out.
FO-350991	6/27/2016			Room 237 - 7 fixtures out.
FO-350995	6/27/2016	6/27/2016		Please pick up WSU building sign and drop off at the Carpenter Shop. See Det. Chris for the sign.
FO-351024	6/27/2016	6/28/2016		The elevator has 1 electrical problem.

WO	Recieved	Finished	Total	Request
FO-351034	6/27/2016	6/28/2016		Deliver 8 - 5 gallon of Lochor H to University Towers. See Greg Ray.
FO-351057	6/27/2016	6/20/2016		Electricians, please meet PM Technologies assist in clearing alarms from generator. This job was for 6/20/2016.
FO-351098	6/28/2016			The overhead light outside of the guard's desk has 1 electrical problem.
FO-351157	6/28/2016	6/29/2016		R/R RM 150 NEED TO GET 2 BOXES OF COPY PAPER FOR SVC CTR (SEE LORETTA)
FO-351185	6/29/2016			R/R RM 6204 have electricians check nac panels 12 and 13 on the 6th floor.
FO-351174	6/29/2016			The men's locker room has 1 electrical problem. (Basement) A GIRF has to be generated.
FO-351191	6/29/2016			trade labor priority high R/R RM 6135/MECH RM please deliver 1) 6 pails of lokor 2) 6 pails halocholor and 3) 20 bags of salt
FO-351221	6/29/2016			R/R RM 00100/MECH RM please have electricians check air compressor #1 will not cycle will only run in hand.
FO-351215	6/29/2016			Time for taking/picking up Ford Transit to/from Ford (Maxey) Dealership for repair.
FO-351216	6/29/2016	6/29/2016		Failed VFD. Unit running in Bypass. VFD issue found after replacing static pressure switch. Reference FO-350840 VFD bad. Please repair.
FO-351231	6/29/2016			Have Jim deliver 1) 25 bags of salt for the boiler FO-327289 and also deliver the order of chemicals.
FO-351232	6/29/2016			Have Jim deliver 1) 25 bags of salt for the boiler FO-327266 and also deliver the order of chemicals.
T - Locksmith			81	
FO-349064	6/1/2016	6/10/2016		New Key New Space Assignment Key #: 10GAE1 Key Holder ID: Dina Boikov (7-7860) Qty: 1 action: Please check coremark to match room assignment. It was hard to read. To be picked up by Med. School courier.
FO-349090	6/1/2016	6/10/2016		New Key New Space Assignment Key #: 4097/9FA98 Key Holder ID: Delores Cowen Qty: 4 action: Incoming research students for the spring/summer. Account #: 126611
FO-349071	6/1/2016	6/10/2016		New Key New Staff Member Key #: key for Mail Svcs Mailbox Key Holder ID: Leo Lieberman Qty: 3 action: I am providing the key that needs copying and 3 blanks via interoffice. Thanks.
FO-349072	6/1/2016	6/10/2016		New Key New Staff Member Key #: 4087/9FA88 Key Holder ID: Delores Cowen Qty: 8 action: New incoming graduate students and researchers. Account #: 126611

WO	Recieved	Finished	Total	Request
FO-349055	6/1/2016	6/29/2016		LOCKSHOP TRAINING (JUNE 2016)
FO-349059	6/1/2016			KEYS & CORES (JUNE 2016)
FO-349091	6/1/2016	6/9/2016		New Key New Staff Member Key #: X 3146 Key Holder ID: Bob Ostrowski for Athletics Qty: 3 action: Key for entrance to the Football Ticket Booth Account #: N/A
FO-349152	6/1/2016	6/16/2016		Core Change New Staff Member Key #: 73847-2 (key) 39.1X (core) Key Holder ID: Nikki Wright, Director Qty: 2 action: We would like to have a core and key change for locations at 4320 & 4324
FO-349153	6/1/2016	6/16/2016		New Key Lost / Stolen Key #: 39.2 (core) Key Holder ID: Tommy Martin, EO Specialist Qty: 1 action: We would like to replace a lost key.
FO-349151	6/2/2016	6/16/2016		Replacement New Space Assignment Key #: x292, x287, x296, oe22, xoe22, 25299 Key Holder ID: Peter Garabedian Qty: 1 each action: Need 1 key each
FO-349303	6/2/2016	6/8/2016		New Key New Staff Member Key #: 27160-28 Key Holder ID: Brian Niswonger Qty: 1 action: Please make 1 key for Parking and Transportation. This key opens roll-up doors in all our parking structures and is needed summer construction crews
FO-349305	6/2/2016	6/8/2016		Please have locksmiths cut two keys for cage in penthouse. Key no. XOE/33
FO-349306	6/2/2016	6/8/2016		Please have locksmiths cut an OE/12 for locks in penthouse.
FO-349307	6/2/2016			Core ChangeNew Space AssignmentKey #: 30AAB7 - SCB StorageKey Holder ID: N/AQty: 1action: This door was replaced during the main SCB Renovation (034-216815) and the core has not been reinstalled. It should be a SCB storage core, 30AAB7 and incl
FO-349308	6/2/2016			Core ChangeNew Space AssignmentKey #: 14A1Key Holder ID: N/AQty: 1action: This door was replaced during the main SCB Renovation (034-216815) and the core has not been reinstalled. It should be an engineering core as this is a fire system access
FO-349309	6/2/2016			Core Change New Space Assignment Key #: 10HB25 Key Holder ID: Bruce Morgan & ELI Main Office staff. Qty: 1 action: We wish to request a security key core be installed in Room 44 Manoogian Hall - limiting access to only the faculty and staff of th

WO	Recieved	Finished	Total	Request
FO-349393	6/2/2016	6/8/2016		<p>New Key New Space Assignment Key #: I'll be providing the original and blank Key Holder ID: Leo Lieberman Qty: 2 copies</p> <p>action: Keys are for new mailbox assignment at Lande. I'll be inter-officing the blanks and original - thanks</p>
FO-349471	6/2/2016	6/8/2016		<p>New Key New Staff Member Key #: 10AM2 Key Holder ID: Tamara Taylor Qty: 3</p> <p>action: Keys are needed as soon as possible for 2311 Scott Hall. Thank you! Account #: 132829</p>
FO-349513	6/2/2016	6/8/2016		<p>Replacement New Space Assignment Key #: UM260 Key Holder ID: Derrielle Goodwin Qty: 2</p> <p>action: I need 2 keys made for UM260</p>
FO-349481	6/2/2016			<p>Replacement Damaged Key #: UM245 Key Holder ID: Derrielle Goodwin Qty: 2</p> <p>action: I need to 3 keys for UM245</p>
FO-349333	6/6/2016			98-Keys needed for Atchison Dorm Rooms (All Floors) See attached list. Keys blanks will be funded on FO-348421 per Gerry Tilson.
FO-349512	6/6/2016	6/8/2016		<p>New Key New Staff Member Key #: HON 125E, HON 116E Key Holder ID: Hailey Dukes Qty: 2 each</p> <p>action: Hello, I would like to have three of each key listed in the "Key or Core Mark" section please. Account #: 72161</p>
FO-349407	6/6/2016			CARPENTER TO UNLOCK CASSIE'S OFFICE DOOR & PROVIDE NEW KEYS
FO-349511	6/7/2016	6/8/2016		<p>New Key New Staff Member Key #: 110535 and 110013 Key Holder ID: Tracie Backer / Theresa Hill Qty: 2</p> <p>action: Please duplicate 2 keys per key number for Dr. Baker. These rooms are located in the basement at IBio. (DLAR Area)</p> <p>Account #:</p>

WO	Recieved	Finished	Total	Request
FO-349510	6/7/2016	6/8/2016		<p>New Key Lost / Stolen Key #: OE-12, 89806 Key Holder ID: James Scarantino Qty: 1 of each</p> <p>action: Please provide 1 of each for the Laborer James Scarantino.</p>
FO-349616	6/7/2016	6/23/2016		<p>New Key New Staff Member Key #: 9HDC10 Key Holder ID: Louise Dezur Qty: 4</p> <p>action: 4 key for new additional grad. students Account #: 124961</p>
FO-349787	6/8/2016	6/17/2016		<p>New Key Lost / Stolen Key #: 72021 Key Holder ID: Dr. Kandouz Qty: 2</p> <p>action: New keys</p>
FO-349569	6/8/2016	6/8/2016		Make a OE12 Key for Jim Scarantino so he can get chemicals as needed.
FO-349619	6/8/2016	6/23/2016		<p>New Key New Space Assignment Key #: 7892 Key Holder ID: Sharon Pepe Qty: 6</p> <p>action: Need keys for DLAR in basement, re-located to Scott Hall from Elliman Bldg.</p>
FO-349620	6/8/2016	6/23/2016		<p>New Key New Space Assignment Key #: 10GG1 Key Holder ID: Zhengqing Hu Qty: 1</p> <p>action: Please make one key for room 219 Lande MRB Account #: 1-44081</p>
FO-349701	6/9/2016	6/28/2016		<p>New Key New Staff Member Key #: 17267 Key Holder ID: Kenneth Doherty Qty: 2</p> <p>action: May we have 2 new keys for our 1st floor storage room. We've recently begun allowing Disbursements to store documents in our storage room, and want them to have</p>
FO-349702	6/9/2016	6/23/2016		<p>New Key New Staff Member Key #: 17140 Key Holder ID: Susan Peters Qty: 1</p> <p>action: New Lead Secretary starts on 6-20-2016, and will need a master key to the Procurement suite. Account #: 162911</p>

WO	Recieved	Finished	Total	Request
FO-349703	6/9/2016	6/23/2016		<p>New Key New Space Assignment Key #: Sub master K 36121 Key Holder ID: Dr. Nebojsa Duric Qty: 2</p> <p>action: Please issue Dr. Duric two sub master K keys.</p>
FO-349788	6/9/2016	6/17/2016		<p>New Key Lost / Stolen Key #: 10AF238 Key Holder ID: Main office Qty: 5</p> <p>action: Key for Dark Room (Rm.#9110)</p>
FO-349789	6/9/2016	6/17/2016		<p>New Key Lost / Stolen Key #: 10AM127 Key Holder ID: Main Office Qty: 4</p> <p>action: Room 9110</p>
FO-349949	6/9/2016	6/16/2016		<p>New Key Lost / Stolen Key #: 110009 and 110012 Key Holder ID: Theresa Y. Hill / Todd Leff Qty: 3 keys each</p> <p>action: Please duplicate key #110009 & 110012. I will need 3 copies of each. These keys were requested by Dr. Left in email dated 6</p>
FO-349790	6/10/2016	6/20/2016		<p>New Key New Space Assignment Key #: 27849 Key Holder ID: Engineering Camp Qty: 1</p> <p>action: Engineering Camp will occupy several offices in SEL for the summer.</p>
FO-349791	6/10/2016	6/14/2016		<p>New Key Lost / Stolen Key #: 23BAC-11 Key 78200 Key Holder ID: carol talbott Qty: 2</p> <p>action: two keys please Account #: 157573</p>
FO-349792	6/10/2016	6/14/2016		<p>New Key Lost / Stolen Key #: 23BAB-19X Key Holder ID: carol talbott Qty: 2</p> <p>action: key keys- these are thick keys Account #: 157573</p>
FO-349794	6/10/2016	6/14/2016		<p>New Key Lost / Stolen Key #: 23BAC-key 78207 Key Holder ID: carol talbott Qty: 2</p> <p>action: 2 thick key please Account #: 157573</p>

WO	Recieved	Finished	Total	Request
FO-349795	6/10/2016	6/14/2016		<p>New Key Lost / Stolen Key #: 23BAC- key 78196 Key Holder ID: carol talbott Qty: 2</p> <p>action: 2 thick keys please Account #: 157573</p>
FO-349796	6/10/2016	6/20/2016		<p>New Key New Space Assignment Key #: 30788 - Core D-24x Key Holder ID: College of Engineering Dean's Office Qty: 4</p> <p>action: To fill Key requests for students.</p>
FO-349797	6/10/2016	6/20/2016		<p>New Key Lost / Stolen Key #: SMMP9 Key Holder ID: carol talbott Qty: 4</p> <p>action: 4 THICK KEYS PLEASE Account #: 157573</p>
FO-349799	6/10/2016	6/23/2016		<p>New Key New Space Assignment Key #: 31144 Core F122 Key Holder ID: College of Engineering Dean's Office Qty: 3</p> <p>action: To fill key requests for students.</p>
FO-349947	6/10/2016	6/16/2016		<p>New Key Lost / Stolen Key #: GFC 2 Key Holder ID: G. Tilson Qty: 3</p> <p>action: Please supply 3 keys for the old Delilah's café gate ASAP Account #: 227960</p>
FO-349785	6/10/2016	6/17/2016		<p>New Key New Space Assignment Key #: 32473 Key Holder ID: Stacie Moser Qty: 1</p> <p>action: May we please have one copy of key #32473 (Master Key) Account #: 72161</p>
FO-349898	6/13/2016	6/20/2016		<p>New Key New Staff Member Key #: 105 X Key Holder ID: Aramark Qty: 1</p> <p>action: please provide 1 key for the Aramark office , for Maria Baker of Aramark. Account #: 227960</p>
FO-349946	6/14/2016	6/16/2016		<p>New Key Lost / Stolen Key #: NNC183 Key Holder ID: Charo Hulleza Qty: 2</p> <p>action: We are located at 5700 Cass Ave. Detroit, MI 48202 in the Center for Urban Studies Building. We are on the 2nd floor of the building, when you get off of the elevat</p>

WO	Recieved	Finished	Total	Request
FO-349984	6/15/2016	6/28/2016		<p>Replacement Damaged Key #: 4097/9FA98 Key Holder ID: Delores Cowen Qty: 4</p> <p>action: Keys that were cut earlier this month are incorrect. Re-submitting a new request for 4 keys (Key #s for incorrect keys are 4097-(17-20). Account #: 126611</p>
FO-350044	6/15/2016	6/28/2016		<p>New Key New Staff Member Key #: 20511 Key Holder ID: Louise Dezur Qty: 6</p> <p>action: For Geology Space Account #: 124961</p>
FO-350069	6/16/2016	6/28/2016		<p>New Key Damaged Key #: 33800-24 Key Holder ID: Donnella Johnson Qty: 1</p> <p>action: Need to replace the master block key that is stored at the front desk. Account #: 228200</p>
FO-350113	6/16/2016			<p>New KeyLost / StolenKey #: HON 110EKey Holder ID: Louise DezurQty: 2action: HON file cabinet - needed 7/5Account #: 124961</p>
FO-350112	6/16/2016			<p>New KeyLost / StolenKey #: M32Key Holder ID: Louise DezurQty: 2action: Meridian file cabinetAccount #: 124961</p>
FO-350110	6/16/2016			<p>New KeyLost / StolenKey #: M120Key Holder ID: Louise DezurQty: 2action: Meridian file cabinet by 7/5 Account #: 124961</p>
FO-350139	6/16/2016			<p>New KeyNew Staff MemberKey #: 89641-25Key Holder ID: Daniel Desantis, Linda MyernikQty: 2action: We need to additional keys for this room.</p>
FO-350137	6/16/2016			<p>New KeyNew Space AssignmentKey #: 31305 / Core G-26xKey Holder ID: College of Engineering Dean's OfficeQty: 4action: To fill key requests.</p>
FO-350136	6/16/2016			<p>New KeyNew Space AssignmentKey #: 111509Key Holder ID: Sharon PepeQty: 3action: PLEASE NOTE this is for Room #4353, lab. Room number not listed on drop down menu. Core #10A9-5X.</p>
FO-350186	6/17/2016	6/28/2016		<p>New Key New Staff Member Key #: UTC Key Holder ID: Brittany Thompson-Johnson Qty: 2</p> <p>action: May I please have two elevator keys with core mark UTC? Thank you!</p>
FO-350185	6/17/2016			<p>New Key New Space Assignment Key #: 7AA12.7, 41639 Key Holder ID: Government Affairs Staff Qty: 4</p> <p>action: I need additional submaster keys for staff members.</p>
FO-350574	6/17/2016			<p>New KeyNew Space AssignmentKey #: 7AA12.7, 27273Key Holder ID: StaffQty: 6action: Several staff members need access to the office main door.</p>

WO	Recieved	Finished	Total	Request
FO-350573	6/17/2016	6/20/2016		New Key Lost / Stolen Key #: 23DA2A1 Key Holder ID: Jackie Baldyga Qty: 3 action: Would like 3 keys for room 135 Chemistry. core mark: 23DA2A1
FO-350572	6/17/2016			New KeyLost / StolenKey #: 67156Key Holder ID: Jackie BaldygaQty: 10action: Would like 10 copies of key #67156. Thank you.
FO-350570	6/17/2016	6/20/2016		New Key Lost / Stolen Key #: 67225 Key Holder ID: Jackie Baldyga Qty: 10 action: Would like 10 copies of key #67225. Thank you.
FO-350568	6/17/2016			New KeyLost / StolenKey #: 67657Key Holder ID: Jackie BaldygaQty: 5action: Would like 5 copies of key #67657. Thank you.
FO-350567	6/17/2016	6/20/2016		New Key Lost / Stolen Key #: UM325 Key Holder ID: Martha 7-1620 Qty: 2 action: need replacement keys for tall black file cabinet outside of room 228 (TED)
FO-350565	6/20/2016			New KeyLost / StolenKey #: SMMP9Key Holder ID: carol talbottQty: 3action: please cut three keysCor MP92Key SMMP9thank youAccount #: 157573
FO-350618	6/21/2016			New KeyNew Staff MemberKey #: 76811Key Holder ID: Jason D. CruzQty: 1action: New employee in Med Admissions
FO-350616	6/21/2016			New KeyLost / StolenKey #: 111509Key Holder ID: Sharon PepeQty: 7action: Room is actually 4353, room number not on drop down menu. New CVRI lab
FO-350684	6/22/2016			ReplacementLost / StolenKey #: 103TAKey Holder ID: Bruce MorganQty: 2action: This is a request to have two keys made for a file cabinet in Room 44 Manoogian. Please see Bruce Morgan in Room 351 Manoogian Hall (313)577-2729 for room access.Account
FO-350718	6/22/2016	6/27/2016		New Key New Staff Member Key #: CO 1.6 Key Holder ID: Alex Stephens Qty: 1 action: Key for new staff member. Account #: 153736
FO-350845	6/23/2016			New KeyLost / StolenKey #: 108R, 125R,130R, 133R,140E, 159R, 818EKey Holder ID: Elizabeth ElderQty: 1 of eachaction: Replacement keys for Hon vertical file cabinets
FO-350857	6/24/2016			New KeyNew Staff MemberKey #: 16AD7 No CoreKey Holder ID: Angelica ReynaQty: 1 keyaction: New student Account #: 228167
FO-350988	6/24/2016			New KeyNew Staff MemberKey #: 10AE28XKey Holder ID: Roselle CooperQty: 3action: Please make 3 keys to Room 9335 Scott Hall
FO-350945	6/24/2016			New KeyNew Staff MemberKey #: 72365.1Key Holder ID: Valeria CookQty: 2action: New keys for new hires
FO-351051	6/27/2016			New KeyNew Staff MemberKey #: 7892Key Holder ID: Ben KidderQty: 2action: New Key
FO-351052	6/27/2016			New KeyNew Staff MemberKey #: 7892Key Holder ID: Runsheng HeQty: 1action: New Key for DLAR
FO-351053	6/27/2016			New KeyNew Space AssignmentKey #: 7892Key Holder ID: Robert LasleyQty: 1action: Key for room in Scott Hall DLAR to access my animals.
FO-351173	6/28/2016			ReplacementLost / StolenKey #: unknowmKey Holder ID: shelley cliftonQty: 2action: Cannot read core lock number. Please either replace core or determine lock number and provide a keyAccount #: 133511

WO	Recieved	Finished	Total	Request
FO-351172	6/28/2016			New KeyNew Staff MemberKey #: 120317Key Holder ID: Margaret Qty: 1action: Please make key for this lab
FO-351171	6/28/2016			New KeyNew Space AssignmentKey #: 101327Key Holder ID: Amy HaysQty: 2action: Need 2 keys for room 309 please.
FO-351244	6/29/2016			New KeyNew Space AssignmentKey #: Core G-66 (32ST)Key Holder ID: College of Engineering Dean's OfficeQty: 2action: To fill Key Request for what is known as the 'Fuel Room', located Near Room 1359-Key 31340 which is on a different core. This Research
T - Painter				31
FO-349056	6/1/2016			HANDY MAN TIME (JUNE 2016)
FO-349128	6/1/2016			PAINT SAFTEY GATE FOR LIFT IN BASEMENT.
FO-349140	6/2/2016	6/7/2016		SAFTEY TIME FOR THE MONTH OF JUNE.
FO-349141	6/2/2016			CLEAN & PAINT OVER GRAFFITI FOR THE MONTH OF JUNE.
FO-349142	6/2/2016			PAINTING BIDS, & MAINETENACE JOBS FOR THE MONTH OF JUNE.
FO-349230	6/3/2016	6/6/2016		Wall has paint crack/chip
FO-349232	6/3/2016	6/6/2016		Paint chip on ceiling.
FO-349545	6/3/2016	6/24/2016		PAINTERS/PLASTERER R/R RM 00404/CLASS LAB PLS REPAIR PLASTER & PAINT WALLS BEFORE THEY MOVE A BIOSAFETY CABINET TO RM (Cabinet should be scheduled to be moved by July PLS finished before the biosafety cabinet is moved. Classes **CONTACT KRYSTYN PURVIS F
FO-349318	6/6/2016	6/8/2016		Patch and paint ceiling and walls in the lobby in the basement in front of the Ladies room and Men's room and wheelchair ramp and elevator area.
FO-349338	6/6/2016	6/13/2016		THE FIRST FLOOR WOMAN'S RESTROOM BY THE LOBBY AREA NEEDS SOME SERVICE/REPAIRS THERE SOME HOLE IN WALL. THE ROLL TOWEL DISPENSER WAS MOVE OVER. PART OF (fo349147) WAS COMPLETED.
FO-349815	6/13/2016	6/16/2016		PAINTERS TO REPAIR 2 DRYWALL PATCHES SWT 4900 LEFT OF ELEVATOR WOMEMS BATHROOM SEE BRUCE OR KEVIN FOR LOCATION
FO-349897	6/14/2016	6/23/2016		Paint the pipes and all metal around the cooling tower on the roof.
FO-349899	6/14/2016			Clean, Scrape & Paint all Garbage can lids.
FO-350029	6/15/2016			PAINTERS TO MUD & PAINT CEILING RIGHT ABOVE MAIN ENTRANCE 1ST FLOOR(SEE ED STANCZAK FOR LOCATION)
FO-350183	6/17/2016			Paint Black handrail, entire campus.
FO-350256	6/20/2016			PAINTER TO TOUCH UP AREA BEHIND RECEPTION COUNTER STUDENT ACADEMIC SUCCESS SERVICES SUITE #1600 SEE STEPHEN BURCHART FOR LOCATION
FO-350281	6/20/2016	6/21/2016		East stairwell, Paint landing ceilings, due to lights removal & Replace.
FO-350625	6/21/2016	6/22/2016		PAINTERS TO MUD & PAINT DRYWALL PATCH NEAR WATER DRINKING FOUNTAIN LOWER LEVEL SEE STEPHEN BURCHART FOR LOCATION
FO-350628	6/21/2016			PAINTERS TO ORDER 2 CASES OF SILKA FLEX 1A EXTERIOR CAULK LIMESTONE
FO-350631	6/21/2016			Scrape, Prime & Paint gang box for plumbers
FO-350830	6/23/2016			Paint the exterior steel on the roof.
FO-350868	6/24/2016			FIRE EXT NEED TO RECHARGE DISCREPANCY FOR 001727 [01727] NEAR RM 149 1ST FLR HALLWAY (ORM WO# 000853) SEE ATTACHMENT
FO-350946	6/24/2016			FIRE EXT NEEDS RECHARGE [02]; [01727] NEAR RM 149 1ST FLR HALLWAY (ORM WO# 000854) SEE ATTACHMENT
FO-350947	6/24/2016			FIRE EXT NEEDS RECHARGE [02]; [7009] STAGE (ORM WO# 000855) SEE ATTACHMENT
FO-350962	6/24/2016			FIRE EXT PIN MISSING [01]; [7009] STAGE (ORM WO# 000856) SEE ATTACHMENT
FO-351073	6/27/2016			Connecting hallway between room 404 & 405 North wall, Plaster Repair & Paint.
FO-351096	6/28/2016			R/R 2ND FLR paint RAMP LEADING TO 3RD FLR
FO-351097	6/28/2016			R/R 2ND FLR MAIN HALLWAYS paint walls.

Page 65 of 83

WO	Recieved	Finished	Total	Request
FO-349732	6/10/2016	6/17/2016		(**) PO REQ TAYNA 6-15-16 Plumbers R/R BSMT remove insulation on city water meter and support from the floor and secure to the wall before and after the meter. City of Detroit won't replace meter until it is secure.,,,,,,,,,,,,,, DB/6-10-16 ,,,,,,,,,
FO-349781	6/13/2016	6/15/2016		R/R 1ST FLR WOMENS RR Toilet seats need to be tightened - 1st floor women- middle stall ,,,,,,,,,,,,, TT/6-13-16 ,,,,,,,,,
FO-349782	6/13/2016	6/15/2016		R/R 4TH FLR WOMENS RR Toilet seats need to be tightened - HANDICAP STALL ,,,,,,,,,,,,, TT/6-13-16 ,,,,,,,,,
FO-349783	6/13/2016	6/15/2016		R/R 4TH FLR MENS RR Toilet seats need to be tightened - HANDICAP STALL ,,,,,,,,,,,,,, TT/6-13-16 ,,,,,,,,,
FO-349808	6/13/2016	6/16/2016		first floor art building mens bathroom last urinal not flushing. ,,,,,,,,,,,,,, TT/6-13-16 ,,,,,,,,,
FO-349832	6/13/2016	6/14/2016		R/R RM 1219/WOMENS LOCKER RM 1st floor women's locker room CK ALL TOILET STALL INCLUDING THE two toilets that are leaking at the bottom and getting water on the floor, as it is continuous. Please repair right away. ,,,,,,,,,,,,,, MM/6-13-16 ,,,,,,,,,
FO-349833	6/13/2016	6/14/2016		R/R RM 1113/WOMENS RR, 1st STALL toilet needs repair again. It is covered in plastic. REFER TO WO FO-348341 (5/24/16) SENT TO PLUM TOILET ISSUE ,,,,,,,,,,,,,, MM/6-13-16 ,,,,,,,,,
FO-349980	6/15/2016	6/16/2016		Old Main Fibers Dye Room# 2111 has a sink with a broken, disconnected drain pipe- this is one of the white enameled ,,,,,,,,,,,,,, GS/6-15-16 ,,,,,,,,,
FO-350063	6/16/2016	6/17/2016		R/R RM 00126 Please snake the sink in the women's restroom next to the lunchroom on the first floor. Thanks!,,,,,,,,,,,,,, GS/6-16-16 ,,,,,,,,,
FO-350132	6/17/2016			Plumbers -Medium priority- Please clear clogged drain underneath the minus 80 freezer. causing standing water to seep down into room 313
FO-350166	6/17/2016	6/21/2016		Please change our water filter cartridge on the water fountain by the lock shop. Thank you! ,,,,,,,,,,,,, TT/6-20-16 ,,,,,,,,,
FO-350173	6/17/2016			Repair/replace PRV in pool area basement along east wall near pot filter. PRV eight feet above ground. See engineer Williams for details. ,,,,,,,,,,,,,, *TT/JH/6-20-16 ,,,,,,,,,
FO-350175	6/17/2016	6/21/2016		Repair Sloan valve serving center urinal in Men's lavatory, third floor of Shapiro Hall. The urinal has been found running continuously twice. ,,,,,,,,,,,,,, TT/6-20-16 ,,,,,,,,,
FO-350207	6/18/2016	6/22/2016		Men's restroom #1302 bagged toilet leaks when flushed.,,,,,,,,,,,,,, MM/6-20-16 ,,,,,,,,,
FO-350208	6/18/2016	6/21/2016		In Scott Hall Magherio side, Men's restroom, urinal backed up. Room #144 ,,,,,,,,,,,,,, MM/6-20-16 ,,,,,,,,,
FO-350209	6/18/2016	6/27/2016		Janitors closet room #2138 has backed up slop sink. ,,,,,,,,,,,,,, MM/6-20-16 ,,,,,,,,,
FO-350228	6/20/2016			First bathroom sink faucet is broken.
FO-350784	6/23/2016			Ladies restroom, toilet set broken in second stall. please fix/replace thank you ,,,,,,,,,,,,,, TT/6/23 ,,,,,,,,,
FO-350954	6/24/2016			Water in women's shower stall will not turn on.,,,,,,,,,,,,,, GS/6-27 ,,,,,,,,,
FO-351062	6/27/2016			PLUM R/R RM 235/2nd Floor Handicap Restroom (235 Purdy). Toilet plugged and mess on floor and wall. Please correct. Thank you. ,,,,,,,,,,,,,, MM/6/28 ,,,,,,,,,
FO-351067	6/27/2016	6/28/2016		PLUM R/R RM 2234/WOMENS RR TOILEt in small stall of Ladies Rest Room, Room 2234, needs repair, will not flush ,,,,,,,,,,,,,, MM/6/28 ,,,,,,,,,
FO-351117	6/28/2016			Plumbers, R/R RM 00011/MECH RM please repair/replace domestic cold water booster pump in room 11. ,,,,,,,,,,,,,, GS/6/28 ,,,,,,,,,
FO-351118	6/28/2016	6/28/2016		**DUPLICATE WORK ORDER/ REFER TO FO#351117 JWT Plumbers, R/R RM 00011/MECH RM please repair/replace domestic hot water booster pump in room 11.
FO-351151	6/28/2016			R/R 13TH FLR Men's bathroom #13128-nearest Freight Elevator - Water will not go down. Happening more often, you might just want to leave a plunger there. Thank you! ,,,,,,,,,,,,, TT/6/29 ,,,,,,,,,
FO-351168	6/28/2016			PLUMBERS/Refer to FO-350030: R/R RM 00167/RESTROOM SINK TRAP/DRAIN IS LEAKING FROM UNDERNEATH PLS REPAIR ,,,,,,,,,,,,,, TT/6/29 ,,,,,,,,,
FO-351158	6/28/2016			Repairs for Victaulic hand groover ,,,,,,,,,,,,,, DB/6/28 ,,,,,,,,,

WO	Recieved	Finished	Total	Request
T - Roofing			1	
FO-350093	6/16/2016	6/27/2016		RM 3027 ACTIVE ROOF LEAK WHERE FUME HOOD WAS REMOVED. THIS LEAK IS OVER COMPUTERS. Repairs have been made. 6/27/16 TAH
Routine			7	
T - Electrician			7	
FO-349061	6/1/2016			PS#1 - Routine Check - 6/1 thru 6/30/16
FO-349062	6/1/2016			PS#2 - Routine Check - 6/1 thru 6/30/16
FO-349065	6/1/2016			PS#3 - Routine Check - 6/1 thru 6/30/16
FO-349066	6/1/2016			PS#4 - Routine Check - 6/1 thru 6/30/16
FO-349067	6/1/2016			PS#5 - Routine Check - 6/1 thru 6/30/16
FO-349068	6/1/2016			PS#6 - Routine Check - 6/1 thru 6/30/16
FO-349070	6/1/2016			Campus Lots - Routine Check - 6/1 thru 6/30/16
Scheduled Maint. (PM)			711	
Engineering			604	
Routine			604	
E - Auxiliary			33	
FO-348090	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-348091	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-348104	6/1/2016	6/29/2016		PM - Air Handling Unit
FO-348105	6/1/2016	6/29/2016		PM - Air Handling Unit
FO-348106	6/1/2016	6/15/2016		PM - Fan Coil/HV/AC Unit
FO-348107	6/1/2016	6/29/2016		PM - Water/Air Cooled Condenser
FO-348117	6/1/2016	6/16/2016		PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348127	6/1/2016	6/16/2016		PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348132	6/1/2016	6/15/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-348133	6/1/2016			PM - Monthly Fire Alarm/Fire Protection System Test
FO-348134	6/1/2016			PM - Monthly Fire Alarm/Fire Protection System Test
FO-348135	6/1/2016			PM - Monthly Fire Alarm/Fire Protection System Test
FO-348136	6/1/2016			PM - Monthly Fire Alarm/Fire Protection System Test
FO-348148	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348149	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348150	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348151	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348164	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
FO-348165	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
FO-348166	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
FO-348707	6/2/2016	6/2/2016		Generator Maintenance, Monthly
FO-348108	6/6/2016	6/10/2016		PM - Emergency Shower/Eyewash Station
FO-348102	6/7/2016	6/8/2016		Generator Maintenance, Monthly
FO-348704	6/8/2016	6/9/2016		Generator Maintenance, Monthly
FO-348706	6/13/2016	6/17/2016		PM - Emergency Shower/Eyewash Station
FO-349448	6/15/2016	6/15/2016		Generator Maintenance, Monthly

WO	Recieved	Finished	Total	Request
FO-349449	6/20/2016	6/24/2016		PM - Emergency Shower/Eyewash Station
FO-349885	6/27/2016			PM - Emergency Shower/Eyewash Station
FO-349875	6/28/2016	6/29/2016		Generator Maintenance, Monthly
FO-349877	6/28/2016	6/29/2016		Generator Maintenance, Monthly
FO-349879	6/28/2016	6/29/2016		Generator Maintenance, Monthly
FO-349881	6/28/2016	6/29/2016		Generator Maintenance, Monthly
FO-349883	6/28/2016	6/29/2016		Generator Maintenance, Monthly
E - Command Center			1	
FO-348169	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
E - MedPharm			42	
FO-347872	6/1/2016			PM - Heat Exchanger and Economizer
FO-347873	6/1/2016			PM - Heat Exchanger and Economizer
FO-347874	6/1/2016			PM - Heat Exchanger and Economizer
FO-347875	6/1/2016			PM - Sump Pump
FO-347876	6/1/2016			PM - Sump Pump
FO-347877	6/1/2016	6/8/2016		PM - Heat Exchanger and Economizer
FO-347878	6/1/2016	6/27/2016		PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347879	6/1/2016	6/27/2016		PM - Fan Coil/HV/AC Unit
FO-347880	6/1/2016			PM - Fan Coil/HV/AC Unit
FO-347881	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347882	6/1/2016			PM - Reverse Osmosis Water Softener System
FO-347883	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347884	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347885	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347886	6/1/2016			PM - Centrifugal Pump, over 1 H.P.
FO-347887	6/1/2016			PM - Centrifugal Pump, over 1 H.P.
FO-347888	6/1/2016			PM - Centrifugal Pump, over 1 H.P.
FO-347889	6/1/2016			PM - Heat Exchanger and Economizer
FO-347893	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347894	6/1/2016			PM - Water Softener
FO-347895	6/1/2016			PM - Centrifugal Pump, over 1 H.P.
FO-347896	6/1/2016			PM - Centrifugal Pump, over 1 H.P.
FO-347897	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-347898	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-347899	6/1/2016	6/27/2016		PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-347900	6/1/2016	6/27/2016		PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-347901	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-347902	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-347903	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-347904	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-347905	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347906	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347907	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347908	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~

WO	Recieved	Finished	Total	Request
FO-347909	6/1/2016			Replace PRE-filters
FO-347890	6/7/2016			Generator Maintenance, Monthly
FO-347891	6/7/2016			Generator Maintenance, Monthly
FO-347892	6/7/2016			Generator Maintenance, Monthly
FO-347910	6/7/2016			Generator Maintenance, Monthly
FO-349416	6/21/2016	6/23/2016		Generator Maintenance, Monthly
FO-349864	6/28/2016			Generator Maintenance, Monthly
FO-349865	6/28/2016			Generator Maintenance, Monthly
E - North			50	
FO-347911	6/1/2016	6/27/2016		PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347912	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347913	6/1/2016	6/28/2016		PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347914	6/1/2016	6/23/2016		PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347915	6/1/2016	6/16/2016		PM - Water Booster Pump
FO-347916	6/1/2016	6/16/2016		PM - Water Booster Pump
FO-347917	6/1/2016	6/10/2016		PM - Heat Exchanger and Economizer
FO-347918	6/1/2016	6/10/2016		PM - Heat Exchanger and Economizer
FO-347919	6/1/2016	6/27/2016		PM - Heat Exchanger and Economizer
FO-347920	6/1/2016	6/27/2016		PM - Heat Exchanger and Economizer
FO-347921	6/1/2016	6/27/2016		PM - Heat Exchanger and Economizer
FO-347922	6/1/2016	6/21/2016		PM - Heat Exchanger and Economizer
FO-347923	6/1/2016	6/21/2016		PM - Heat Exchanger and Economizer
FO-347924	6/1/2016	6/21/2016		PM - Heat Exchanger and Economizer
FO-347925	6/1/2016	6/10/2016		PM - Domestic Water Heater, Steam
FO-347926	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347927	6/1/2016	6/17/2016		PM - Heat Exchanger and Economizer
FO-347928	6/1/2016	6/17/2016		PM - Heat Exchanger and Economizer
FO-347929	6/1/2016	6/16/2016		PM - Heat Exchanger and Economizer
FO-347930	6/1/2016			PM - Heat Exchanger and Economizer
FO-347931	6/1/2016	6/16/2016		PM - Heat Exchanger and Economizer
FO-347932	6/1/2016	6/10/2016		PM - Heat Exchanger and Economizer
FO-347933	6/1/2016	6/16/2016		PM - Water Booster Pump
FO-347934	6/1/2016	6/16/2016		PM - Water Booster Pump
FO-347935	6/1/2016	6/16/2016		PM - Water Booster Pump
FO-347936	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-347937	6/1/2016	6/14/2016		PM - Heat Exchanger and Economizer
FO-347939	6/1/2016	6/28/2016		PM - Carrier Chillers: Operational Inspections for Centrifugal Chillers
FO-347940	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347941	6/1/2016	6/7/2016		Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347942	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347943	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347944	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347945	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~

WO	Recieved	Finished	Total	Request
FO-347946	6/1/2016	6/14/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347947	6/1/2016	6/14/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347948	6/1/2016	6/14/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347949	6/1/2016	6/14/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347950	6/1/2016	6/14/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347951	6/1/2016			Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347952	6/1/2016			Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347953	6/1/2016	6/20/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347954	6/1/2016	6/21/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347955	6/1/2016	6/17/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347956	6/1/2016			PM - Water Booster Pump
FO-347957	6/1/2016			PM - Water Booster Pump
FO-347938	6/7/2016	6/7/2016		Generator Maintenance, Monthly
FO-349417	6/15/2016			PM - Outside/Fresh Air Intake Screens
FO-349418	6/18/2016	6/20/2016		PM - Emergency Shower/Eyewash Station - Annual Flow Test
FO-349866	6/22/2016	6/27/2016		Generator Maintenance, Monthly
E - Northeast			36	
FO-347958	6/1/2016			PM - Heat Exchanger and Economizer
FO-347959	6/1/2016	6/29/2016		PM - Heat Exchanger and Economizer
FO-347960	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll& Absorber Chillers
FO-347961	6/1/2016			PM - McQuay Chillers: Operational Inspections for Centrifugal & Screw Chille (Air cooled) Chillers
FO-347962	6/1/2016	6/22/2016		Replace PRE-filters
FO-347963	6/1/2016	6/22/2016		Replace PRE-filters
FO-347964	6/1/2016	6/20/2016		Replace PRE-filters
FO-347965	6/1/2016	6/20/2016		Replace PRE-filters
FO-347966	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347967	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-347968	6/1/2016	6/8/2016		Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
FO-347969	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
FO-347970	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
FO-347971	6/1/2016	6/15/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-347972	6/1/2016	6/15/2016		Boiler Inspection Preparation - Hot Water Boilers ~ Required Every 3 Yrs ~
FO-348691	6/2/2016	6/2/2016		Generator Maintenance, Monthly
FO-348692	6/2/2016	6/2/2016		Generator Maintenance, Monthly
FO-348693	6/2/2016	6/2/2016		Generator Maintenance, Monthly
FO-348694	6/2/2016	6/2/2016		Generator Maintenance, Monthly

WO	Recieved	Finished	Total	Request
FO-348687	6/3/2016	6/3/2016		Generator Maintenance, Monthly
FO-348688	6/3/2016	6/3/2016		Generator Maintenance, Monthly
FO-348689	6/3/2016	6/3/2016		Generator Maintenance, Monthly
FO-348690	6/3/2016	6/3/2016		Generator Maintenance, Monthly
FO-348695	6/3/2016	6/7/2016		Generator Maintenance, Monthly
FO-348696	6/3/2016	6/7/2016		Generator Maintenance, Monthly
FO-348681	6/12/2016	6/2/2016		PM - Domestic Water Heater, Gas
FO-348682	6/12/2016	6/2/2016		PM - Domestic Water Heater, Gas
FO-348683	6/12/2016	6/22/2016		PM - Domestic Water Heater, Gas
FO-348684	6/12/2016	6/9/2016		PM - Domestic Water Heater, Gas
FO-348685	6/12/2016	6/23/2016		PM - Domestic Water Heater, Gas
FO-348686	6/12/2016	6/24/2016		PM - Domestic Water Heater, Gas
FO-349420	6/16/2016	6/16/2016		Generator Maintenance, Monthly
FO-349419	6/21/2016	6/21/2016		Generator Maintenance, Monthly
FO-349867	6/22/2016	6/22/2016		Generator Maintenance, Monthly
FO-349868	6/23/2016	6/24/2016		Generator Maintenance, Monthly
FO-349869	6/23/2016	6/24/2016		Generator Maintenance, Monthly
E - Preventative Maintenance			216	
FO-341187	6/1/2016	6/16/2016		Replace PRE-filters
FO-341188	6/1/2016	6/7/2016		Replace PRE-filters
FO-344071	6/1/2016			Replace PRE-filters
FO-344072	6/1/2016			Replace PRE-filters
FO-344073	6/1/2016			Replace PRE-filters
FO-344074	6/1/2016			Replace PRE-filters
FO-344075	6/1/2016			Replace PRE-filters
FO-344076	6/1/2016			Replace PRE-filters
FO-344115	6/1/2016	6/30/2016		Replace PRE-filters
FO-344116	6/1/2016	6/9/2016		Replace PRE-filters
FO-344117	6/1/2016	6/2/2016		Replace PRE-filters
FO-344118	6/1/2016	6/3/2016		Replace PRE-filters
FO-344119	6/1/2016	6/2/2016		Replace PRE-filters
FO-344126	6/1/2016	6/24/2016		Replace PRE-filters
FO-344130	6/1/2016			Replace PRE-filters
FO-344131	6/1/2016	6/22/2016		Replace PRE-filters
FO-344154	6/1/2016	6/3/2016		Replace PRE-filters
FO-344155	6/1/2016	6/3/2016		Replace PRE-filters
FO-344156	6/1/2016	6/3/2016		Replace PRE-filters
FO-344171	6/1/2016	6/22/2016		Replace PRE-filters
FO-346484	6/1/2016	6/24/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346485	6/1/2016	6/24/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346486	6/1/2016	6/8/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346487	6/1/2016	6/4/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346488	6/1/2016	6/4/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346489	6/1/2016	6/4/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346490	6/1/2016	6/4/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346491	6/1/2016	6/4/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346492	6/1/2016	6/4/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan

WO	Recieved	Finished	Total	Request
FO-346544	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346545	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346546	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346547	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346548	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346549	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346550	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346551	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346552	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346553	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346554	6/1/2016	6/17/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346555	6/1/2016	6/7/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346556	6/1/2016	6/17/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346557	6/1/2016	6/9/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346558	6/1/2016	6/14/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346559	6/1/2016	6/13/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346560	6/1/2016	6/3/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346561	6/1/2016	6/24/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346562	6/1/2016	6/30/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346563	6/1/2016	6/22/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346564	6/1/2016	6/30/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346565	6/1/2016	6/4/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346566	6/1/2016	6/4/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346567	6/1/2016	6/4/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346568	6/1/2016	6/4/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346569	6/1/2016	6/4/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346570	6/1/2016	6/9/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346571	6/1/2016	6/3/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346572	6/1/2016	6/30/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346573	6/1/2016	6/30/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346574	6/1/2016	6/10/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346575	6/1/2016	6/3/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346576	6/1/2016	6/3/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346577	6/1/2016	6/10/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346578	6/1/2016	6/8/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346579	6/1/2016	6/16/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346580	6/1/2016	6/8/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346581	6/1/2016	6/30/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346582	6/1/2016	6/10/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346583	6/1/2016	6/9/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346584	6/1/2016	6/30/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346585	6/1/2016	6/10/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346586	6/1/2016	6/9/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346587	6/1/2016	6/30/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346588	6/1/2016	6/30/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346589	6/1/2016	6/9/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346590	6/1/2016	6/10/2016		PM - Monthly Fire Alarm/Fire Protection System Test

WO	Recieved	Finished	Total	Request
FO-346591	6/1/2016	6/10/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346592	6/1/2016	6/22/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346593	6/1/2016	6/2/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346594	6/1/2016	6/2/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346595	6/1/2016	6/10/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346596	6/1/2016	6/28/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346597	6/1/2016	7/1/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346598	6/1/2016	6/17/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346599	6/1/2016	6/29/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346600	6/1/2016	6/17/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346601	6/1/2016	6/16/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346602	6/1/2016			Replace PRE-filters
FO-346603	6/1/2016			Replace PRE-filters
FO-346604	6/1/2016			Replace PRE-filters
FO-346605	6/1/2016			Replace PRE-filters
FO-346606	6/1/2016			Replace PRE-filters
FO-346607	6/1/2016			Replace PRE-filters
FO-346608	6/1/2016			Replace PRE-filters
FO-346609	6/1/2016			Replace PRE-filters
FO-346610	6/1/2016			Replace PRE-filters
FO-346611	6/1/2016	6/9/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346612	6/1/2016	6/6/2016		Replace PRE-filters
FO-346613	6/1/2016	6/15/2016		Replace PRE-filters
FO-346614	6/1/2016	6/14/2016		Replace PRE-filters
FO-346615	6/1/2016	6/3/2016		Replace PRE-filters
FO-346616	6/1/2016	6/9/2016		Replace PRE-filters
FO-346617	6/1/2016	6/3/2016		Replace PRE-filters
FO-346618	6/1/2016	6/7/2016		Replace PRE-filters
FO-346619	6/1/2016	6/7/2016		Replace PRE-filters
FO-346620	6/1/2016	6/4/2016		Replace PRE-filters
FO-346621	6/1/2016	6/22/2016		Replace PRE-filters
FO-346622	6/1/2016	6/22/2016		Replace PRE-filters
FO-346623	6/1/2016	6/10/2016		Replace PRE-filters
FO-346624	6/1/2016	6/8/2016		PM - Air Handling Unit (ANNUAL)
FO-346625	6/1/2016	6/8/2016		PM - Air Handling Unit (ANNUAL)
FO-346626	6/1/2016	6/4/2016		PM - Air Handling Unit (ANNUAL)
FO-346627	6/1/2016	6/3/2016		PM - Air Handling Unit (ANNUAL)
FO-346628	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346629	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346630	6/1/2016	6/30/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-346631	6/1/2016			Replace PRE-filters
FO-346632	6/1/2016	6/17/2016		Replace PRE-filters
FO-346633	6/1/2016	6/10/2016		Replace PRE-filters
FO-346634	6/1/2016	6/10/2016		Replace PRE-filters
FO-346635	6/1/2016	6/10/2016		Replace PRE-filters
FO-346636	6/1/2016	6/10/2016		Replace PRE-filters
FO-346637	6/1/2016	6/27/2016		Replace PRE-filters

WO	Recieved	Finished	Total	Request
FO-346638	6/1/2016	6/27/2016		Replace PRE-filters
FO-346639	6/1/2016	6/25/2016		Replace PRE-filters
FO-346640	6/1/2016	6/25/2016		Replace PRE-filters
FO-346641	6/1/2016	6/25/2016		Replace PRE-filters
FO-346642	6/1/2016	6/25/2016		Replace PRE-filters
FO-346643	6/1/2016	6/30/2016		Replace PRE-filters
FO-346644	6/1/2016	6/30/2016		Replace PRE-filters
FO-346645	6/1/2016	6/30/2016		Replace PRE-filters
FO-346646	6/1/2016	6/29/2016		Replace PRE-filters
FO-346647	6/1/2016	6/29/2016		Replace PRE-filters
FO-346648	6/1/2016	6/29/2016		Replace PRE-filters
FO-346649	6/1/2016	6/29/2016		Replace PRE-filters
FO-346650	6/1/2016	7/1/2016		Replace PRE-filters
FO-346651	6/1/2016	7/1/2016		Replace PRE-filters
FO-346652	6/1/2016	6/24/2016		Replace PRE-filters
FO-346653	6/1/2016	6/24/2016		Replace PRE-filters
FO-346654	6/1/2016	6/24/2016		Replace PRE-filters
FO-346655	6/1/2016	6/24/2016		Replace PRE-filters
FO-346656	6/1/2016	6/21/2016		Replace PRE-filters
FO-346657	6/1/2016	6/10/2016		Replace PRE-filters
FO-346658	6/1/2016	6/22/2016		Replace PRE-filters
FO-346659	6/1/2016	6/22/2016		Replace PRE-filters
FO-346660	6/1/2016	6/23/2016		Replace PRE-filters
FO-346661	6/1/2016	6/23/2016		Replace PRE-filters
FO-346663	6/1/2016	6/22/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346664	6/1/2016			Replace PRE-filters
FO-346665	6/1/2016	6/15/2016		Replace PRE-filters
FO-346666	6/1/2016			Replace PRE-filters
FO-346669	6/1/2016			Replace PRE-filters
FO-346670	6/1/2016			Replace PRE-filters
FO-346671	6/1/2016			Replace PRE-filters
FO-346672	6/1/2016			Replace PRE-filters
FO-346673	6/1/2016			Replace PRE-filters
FO-346674	6/1/2016			Replace PRE-filters
FO-346677	6/1/2016	6/14/2016		Replace PRE-filters
FO-346678	6/1/2016	6/21/2016		Replace PRE-filters
FO-346679	6/1/2016	6/18/2016		Replace PRE-filters
FO-346680	6/1/2016	6/14/2016		Replace PRE-filters
FO-346681	6/1/2016	6/18/2016		Replace PRE-filters
FO-346682	6/1/2016	6/30/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-346683	6/1/2016	6/25/2016		Replace PRE-filters
FO-346684	6/1/2016	6/25/2016		Replace PRE-filters
FO-346685	6/1/2016	7/1/2016		Replace PRE-filters
FO-347168	6/1/2016	6/14/2016		PM - Monthly Fire Alarm/Fire Protection System Test
FO-349088	6/1/2016	6/24/2016		PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-347092	6/7/2016			Animal Lab Filter Changes for Applelebaum

E - South

52

WO	Recieved	Finished	Total	Request
FO-347973	6/1/2016	6/29/2016		PM - Air Compressor, Reciprocating 5-40 H.P.
FO-348069	6/1/2016	6/20/2016		PM - Water Booster Pump
FO-348070	6/1/2016	6/20/2016		PM - Water Booster Pump
FO-348071	6/1/2016	6/21/2016		PM - Domestic Water Heater, Electric
FO-348072	6/1/2016	6/15/2016		PM - Domestic Water Heater, Electric
FO-348073	6/1/2016	6/15/2016		PM - Domestic Water Heater, Electric
FO-348076	6/1/2016	6/22/2016		PM - Water Booster Pump
FO-348082	6/1/2016	6/23/2016		PM - Air Compressor, Reciprocating 5-40 H.P.
FO-348113	6/1/2016	6/15/2016		PM - Water Softener
FO-348118	6/1/2016	6/10/2016		PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348119	6/1/2016	6/10/2016		PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348120	6/1/2016	6/10/2016		PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348121	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348122	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348123	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348131	6/1/2016	6/27/2016		PM - McQuay Chillers: Operational Inspections for Centrifugal & Screw Chille (Air cooled) Chillers
FO-348152	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348153	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348154	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348155	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348156	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348157	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348158	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348159	6/1/2016	6/17/2016		Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348160	6/1/2016	6/17/2016		Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348161	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348172	6/1/2016	6/16/2016		PM - Heat Exchanger and Economizer
FO-348176	6/1/2016			Generator Maintenance, Monthly
FO-348179	6/1/2016	6/1/2016		Generator Maintenance, Monthly
FO-348700	6/1/2016	6/15/2016		PM - Monthly AHU Inspection Clean Room Unit 1
FO-348112	6/4/2016		5/30/2016	PM - Emergency Shower/Eyewash Station - Annual Flow Test
FO-348074	6/6/2016	6/27/2016		PM - Clayton Valves for Booster Pumps (UGL)
FO-348075	6/6/2016	6/21/2016		PM - Sump Pump
FO-348077	6/6/2016	6/22/2016		PM - Clayton Valves for Booster Pumps (UGL)
FO-348699	6/8/2016	6/15/2016		Monthly AHU Inspection Clean Room Unit 2
FO-348701	6/9/2016	6/10/2016		Generator Maintenance, Monthly
FO-348702	6/9/2016	6/10/2016		Generator Maintenance, Monthly
FO-348703	6/9/2016	6/21/2016		Generator Maintenance, Monthly
FO-348705	6/9/2016	6/9/2016		Generator Maintenance, Monthly
FO-348708	6/9/2016	6/9/2016		Generator Maintenance, Monthly
FO-347218	6/11/2016			Replace PRE-filters

WO	Recieved	Finished	Total	Request
FO-347219	6/11/2016	6/11/2016		Replace PRE-filters
FO-347220	6/11/2016	6/11/2016		Replace PRE-filters
FO-347221	6/11/2016	6/11/2016		Replace PRE-filters
FO-347222	6/11/2016	6/11/2016		Replace PRE-filters
FO-347223	6/11/2016			Replace PRE-filters
FO-347224	6/11/2016			Replace PRE-filters
FO-347225	6/11/2016	6/11/2016		Replace PRE-filters
FO-347226	6/11/2016	6/11/2016		Replace PRE-filters
FO-348698	6/13/2016	6/23/2016		PM - Chemical Feed/Metering Pump/Controller
FO-349445	6/15/2016	6/15/2016		Generator Maintenance, Monthly
FO-349450	6/16/2016	6/17/2016		Generator Maintenance, Monthly
E - Southeast			152	
FO-347974	6/1/2016			PM - Heat Exchanger and Economizer
FO-347975	6/1/2016			PM - Heat Exchanger and Economizer
FO-347976	6/1/2016			PM - Heat Exchanger and Economizer
FO-347977	6/1/2016			PM - Heat Exchanger and Economizer
FO-347979	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347980	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347981	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347982	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347983	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347984	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347985	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347986	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347987	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347988	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347989	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347990	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347991	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347992	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347993	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347994	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347995	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347996	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347997	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347998	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-347999	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348000	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348001	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348002	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348003	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348004	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348005	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348006	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348007	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348008	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348009	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit

WO	Recieved	Finished	Total	Request
FO-348010	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348011	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348012	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348013	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348014	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348015	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348016	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348017	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348018	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348019	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348020	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348021	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348022	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348023	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348024	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348025	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348026	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348027	6/1/2016			PM - Fan Coil/HV/AC Unit
FO-348028	6/1/2016			PM - Fan Coil/HV/AC Unit
FO-348029	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348030	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348031	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348032	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348033	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348034	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348035	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348036	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348037	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348038	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348039	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348040	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348041	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348042	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348043	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348044	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348045	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348046	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348047	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348048	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348049	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348050	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348051	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348052	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348053	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348054	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348055	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348056	6/1/2016			PM - Heat Pumps (5057 Woodward)

WO	Recieved	Finished	Total	Request
FO-348057	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348058	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348059	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348060	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348061	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348062	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348063	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348064	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348065	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348066	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348067	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348068	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348078	6/1/2016	6/28/2016		PM - Sump Pump
FO-348079	6/1/2016	6/28/2016		PM - Sump Pump
FO-348080	6/1/2016	6/22/2016		PM - Sump Pump
FO-348081	6/1/2016	6/22/2016		PM - Sump Pump
FO-348083	6/1/2016			PM - Heat Exchanger and Economizer
FO-348085	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348086	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348087	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348088	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348089	6/1/2016		5/25/2016	PM - Fan Coil/HV/AC Unit
FO-348093	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348094	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348095	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348096	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348097	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348098	6/1/2016			PM - Heat Pumps (5057 Woodward)
FO-348124	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348125	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348126	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348128	6/1/2016			PM - York Chillers: Operational Inspections for Centrifugal/Screw/Scroll/& Absorber Chillers
FO-348129	6/1/2016			PM - Carrier Chillers: Operational Inspections for Centrifugal Chillers
FO-348130	6/1/2016			PM - Carrier Chillers: Operational Inspections for Centrifugal Chillers
FO-348137	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348138	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348139	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348140	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348141	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348162	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348163	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348167	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~

WO	Recieved	Finished	Total	Request
FO-348168	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
FO-348173	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348174	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348109	6/4/2016			PM - Emergency Shower/Eyewash Station - Annual Flow Test
FO-348110	6/4/2016			PM - Emergency Shower/Eyewash Station - Annual Flow Test
FO-348111	6/4/2016			PM - Emergency Shower/Eyewash Station - Annual Flow Test
FO-349441	6/15/2016			PM - Chemical Feed/Metering Pump/Controller
FO-349442	6/15/2016			PM - Chemical Feed/Metering Pump/Controller
FO-349443	6/15/2016			PM - Chemical Feed/Metering Pump/Controller
FO-349444	6/15/2016			PM - Chemical Feed/Metering Pump/Controller
FO-349421	6/20/2016			PM - Outside/Fresh Air Intake Screens
FO-349422	6/20/2016			PM - Outside/Fresh Air Intake Screens
FO-349423	6/20/2016			PM - Outside/Fresh Air Intake Screens
FO-349424	6/20/2016			PM - Outside/Fresh Air Intake Screens
FO-349425	6/20/2016			PM - Outside/Fresh Air Intake Screens
FO-349426	6/20/2016			PM - Outside/Fresh Air Intake Screens
FO-349427	6/20/2016			PM - Air Intake Dampers (Old Main)
FO-349428	6/20/2016			PM - Air Intake Dampers (Old Main)
FO-349429	6/20/2016			PM - Air Intake Dampers (Old Main)
FO-349430	6/20/2016			PM - Air Intake Dampers (Old Main)
FO-349431	6/20/2016			PM - Air Intake Dampers (Old Main)
FO-349432	6/20/2016			PM - Air Intake Dampers (Old Main)
FO-349433	6/20/2016			PM - Outside/Fresh Air Intake Screens
FO-349434	6/20/2016			PM - Air Intake Dampers (Old Main)
FO-349446	6/21/2016	6/23/2016		Generator Maintenance, Monthly
FO-349447	6/21/2016	6/23/2016		Generator Maintenance, Monthly
FO-349870	6/27/2016			PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
FO-349871	6/27/2016			PM - Fan, Centrifugal: Supply/Return/Exhaust Fan
E - West			22	
FO-347978	6/1/2016			PM - Heat Exchanger and Economizer
FO-348084	6/1/2016			PM - Centrifugal Pump, over 1 H.P.
FO-348092	6/1/2016			PM - Air Compressor, Reciprocating 5-40 H.P.
FO-348142	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348143	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348144	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348145	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348146	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348147	6/1/2016			Boiler Inspection Preparation - High Pressure Boilers ~ Required Annually ~
FO-348170	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
FO-348171	6/1/2016			Boiler Inspection Preparation - Low Pressure Steam Boilers ~ Required Every 2 Yrs ~
FO-348116	6/7/2016	6/8/2016		Generator Maintenance, Monthly

WO	Recieved	Finished	Total	Request
FO-348697	6/8/2016	6/21/2016		PM - Domestic Water Heater, Gas
FO-349435	6/15/2016			PM - Water/Air Cooled Condenser
FO-349436	6/15/2016			PM - Water/Air Cooled Condenser
FO-349437	6/15/2016			PM - Water/Air Cooled Condenser
FO-349438	6/15/2016			PM - Water/Air Cooled Condenser
FO-349439	6/15/2016			PM - Water/Air Cooled Condenser
FO-349440	6/15/2016			PM - Water/Air Cooled Condenser
FO-349451	6/15/2016			PM - Water/Air Cooled Condenser
FO-349452	6/15/2016			PM - Water/Air Cooled Condenser
FO-349887	6/23/2016	6/23/2016		Generator Maintenance, Monthly

Trades

107

Routine

107

T - Electrician

70

FO-348175	6/1/2016	6/1/2016	Generator Test Wednesday, 6/1/2016 @ 7:30AM.
FO-348178	6/1/2016	6/2/2016	Generator Test Wednesday, 6/2/2016 @ 7:30AM.
FO-348617	6/2/2016	6/2/2016	Generator Test Thursday, 6/2/2016 @ 7:30AM.
FO-348631	6/2/2016	6/2/2016	Generator Test Thursday, 6/2/2016 @ 7:30AM.
FO-348632	6/2/2016	6/2/2016	Generator Test Thursday, 6/2/2016 @ 7:30AM.
FO-348633	6/2/2016	6/2/2016	Generator Test Thursday, 6/2/2016 @ 7:30AM.
FO-348634	6/2/2016	6/3/2016	Generator Test Thursday, 6/2/2016 @ 7:30AM.
FO-348601	6/3/2016	6/3/2016	Generator Test Friday, 6/3/2016 @ 2:15PM.
FO-348614	6/3/2016	6/3/2016	Generator Test Friday, 6/3/2016 @ 2:15PM.
FO-348615	6/3/2016	6/3/2016	Generator Test Friday, 6/3/2016 @ 2:15PM.
FO-348616	6/3/2016	6/3/2016	Generator Test Friday, 6/3/2016 @ 2:15PM.
FO-348635	6/3/2016	6/1/2016	Generator Test, Friday, 6/3/2016 @ 7:15AM.
FO-348636	6/3/2016	6/1/2016	Generator Test Friday, 6/3/2016 @ 7:15AM.
FO-348180	6/6/2016	6/17/2016	PM - Sump Pump
FO-348181	6/6/2016	6/17/2016	PM - Sump Pump
FO-348182	6/6/2016	6/17/2016	PM - Sump Pump
FO-348183	6/6/2016	6/17/2016	PM - Sump Pump
FO-348184	6/6/2016	6/17/2016	PM - Sump Pump
FO-348185	6/6/2016	6/17/2016	PM - Sump Pump
FO-348103	6/7/2016	6/8/2016	Generator Test Tuesday, 6/7/2016 @ 7:15AM.
FO-348177	6/7/2016	6/7/2016	Generator Test Tuesday, 6/7/2016 @ 7:30AM.
FO-348604	6/8/2016	6/15/2016	Generator Test Wednesday, 6/8/2016 @ 1PM.
FO-348597	6/9/2016	6/9/2016	Generator Test Thursday, 6/9/2016 @ 7:15AM.
Low Coolant (did not run)			
FO-348598	6/9/2016	6/9/2016	Generator Test Thursday, 6/9/2016 @ 7:15AM.
FO-348599	6/9/2016	6/21/2016	Generator Test Thursday, 6/21/2016 @ 7:15AM.
FO-348607	6/9/2016	6/9/2016	Generator Test Thursday, 6/9/2016 @ 7:15AM.
FO-348630	6/9/2016	6/9/2016	Generator Test Thursday, 6/9/2016 @ 7:15AM.
FO-348618	6/13/2016		PM - Sump Pump
FO-348620	6/13/2016		PM - Sump Pump
FO-348622	6/13/2016		PM - Sump Pump
FO-348624	6/13/2016		PM - Sump Pump
FO-348626	6/13/2016		PM - Sump Pump
FO-348628	6/13/2016		PM - Sump Pump

WO	Recieved	Finished	Total	Request
FO-348099	6/14/2016	6/14/2016		Generator Test Tuesday, 6/14/2016 @ 7:15AM.
FO-348100	6/14/2016	6/14/2016		Generator Test Tuesday, 6/14/2016 @ 7:15AM.
FO-348101	6/14/2016	6/14/2016		Generator Test Tuesday, 6/14/2016 @ 1PM.
FO-348114	6/14/2016	6/14/2016		Generator Test Tuesday, 6/14/2016 @ 7:15AM.
FO-348115	6/14/2016	6/14/2016		Generator Test Tuesday, 6/14/2016 @ 1PM.
FO-348600	6/15/2016	6/15/2016		Generator Test Wednesday, 6/15/2016 @ 10AM.
FO-348606	6/15/2016	6/15/2016		Generator Test Wednesday, 6/15/2016 @ 7:15AM.
FO-348610	6/16/2016	6/16/2016		Generator Test Thursday, 6/16/2016 @ 7:15AM.
FO-348613	6/16/2016	6/16/2016		Generator Test Thursday, 6/16/2016 @ 7:15AM.
FO-348619	6/20/2016			PM - Sump Pump
FO-348621	6/20/2016			PM - Sump Pump
FO-348623	6/20/2016			PM - Sump Pump
FO-348625	6/20/2016			PM - Sump Pump
FO-348627	6/20/2016			PM - Sump Pump
FO-348629	6/20/2016			PM - Sump Pump
FO-348596	6/21/2016	6/21/2016		Generator Test Tuesday, 6/21/2016 @ 7:15AM.
FO-348602	6/21/2016	6/21/2016		Generator Test Tuesday, 6/21/2016 @ 7:15AM.
FO-348603	6/21/2016	6/21/2016		Generator Test Tuesday, 6/21/2016 @ 8:15AM.
FO-348605	6/21/2016	6/21/2016		Generator Test Tuesday, 6/21/2016 @ 9:15AM.
FO-349872	6/22/2016	6/22/2016		Generator Test
FO-349884	6/22/2016	6/22/2016		Generator Test
FO-349886	6/23/2016	6/23/2016		Generator Test
FO-349888	6/23/2016	6/23/2016		Generator Test
FO-349889	6/23/2016	6/23/2016		Generator Test
FO-349890	6/27/2016			PM - Sump Pump
FO-349891	6/27/2016			PM - Sump Pump
FO-349892	6/27/2016			PM - Sump Pump
FO-349893	6/27/2016			PM - Sump Pump
FO-349894	6/27/2016			PM - Sump Pump
FO-349895	6/27/2016			PM - Sump Pump
FO-349873	6/28/2016	6/28/2016		Generator Test
FO-349874	6/28/2016			Generator Test
FO-349876	6/28/2016			Generator Test
FO-349878	6/28/2016			Generator Test
FO-349880	6/28/2016			Generator Test
FO-349882	6/28/2016			Generator Test
FO-349896	6/28/2016			Generator Test
T - Plumber			37	
FO-346364	6/1/2016			PM - Main Drain with Copper Sulfate ,,,,,,,,,, DB/6-2-16 ,,,,,,,,,
FO-346365	6/1/2016	6/1/2016		*CANCELLED JWT
				PM - Main Drain with Copper Sulfate
FO-346366	6/1/2016	6/1/2016		*CANCELLED JWT
				PM - Waterless Urinals
FO-346367	6/1/2016	6/1/2016		**CANCELLED JWT
				PM - Waterless Urinals
FO-346368	6/1/2016	6/1/2016		*CANCELLED JWT
				PM - Waterless Urinals

WO	Recieved	Finished	Total	Request
FO-348637	6/1/2016	6/10/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348638	6/1/2016	6/10/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348639	6/1/2016	6/10/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348640	6/1/2016	6/10/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348641	6/1/2016	6/13/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348642	6/1/2016	6/13/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348643	6/1/2016	6/13/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348644	6/1/2016	6/16/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348645	6/1/2016	6/16/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348646	6/1/2016	6/16/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348647	6/1/2016	6/17/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348648	6/1/2016	6/15/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348649	6/1/2016	6/16/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348650	6/1/2016	6/8/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348651	6/1/2016	6/8/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348652	6/1/2016			PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348653	6/1/2016	6/8/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348654	6/1/2016	6/8/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348655	6/1/2016	6/6/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348656	6/1/2016	6/6/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348657	6/1/2016	6/6/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348658	6/1/2016	6/3/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/1/16
FO-348659	6/1/2016	6/3/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348660	6/1/2016	6/3/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348661	6/1/2016	6/3/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348662	6/1/2016	6/9/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348663	6/1/2016	6/10/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-348664	6/1/2016	6/9/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/2/16
FO-349502	6/1/2016			PM - Preventative Maintenance - Backflow Preventer Testing
FO-349997	6/1/2016	6/15/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/15/16
FO-349998	6/1/2016	6/15/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/15/16
FO-349999	6/1/2016	6/15/2016		PM - Preventative Maintenance - Backflow Preventer Testing,,,,,DB,,,,,6/15/16

Total: 2360